Thesis Title

Effects of High Pressure on Physicochemical Properties

of Ostrich-Meat Yor (Thai Sausage) Blended with Non-

Meat Proteins

Author

Mr. Thawatchai Supavititpatana

Degree

Doctor of Philosophy (Food Science and Technology)

Thesis Advisory Committee Assoc.Prof.Dr. Arunee Apichartsrangkoon Chairperson

Dr. Alan E. Bell

Member

Dr. Ampin Kuntiya

Member

ABSTRACT

An investigation of effects of non-meat proteins on physicochemical and sensory qualities of pressurised ostrich-meat yor was carried out. Fresh ostrich-meat trimmings were taken from the slaughter house and subsequently minced and blended with other ingredients such as sodium tripolyphosphate (STPP), sodium chloride (NaCl), pepper and garlic. An optimum formulation was developed using 36 panelists. This contained 0.25% (w/w) STPP, 2% (w/w) NaCl, 2% (w/w) pepper and 5% (w/w) garlic. This formula was used for further study. Ostrich-meat yors made from this formulation were used for the determination of an optimal condition using the following testing parameters: pressures of 300, 500 and 700 MPa at temperature of 40 and 60°C and holding time of 40 and 60 min. This base formulation was further modified by the addition of soy protein isolate (SPI), whey protein isolate (WPI) and wheat gluten (WG) before subsequent pressure treatment at the obtained optimal condition. The pressurised ostrich-meat yors produced under suitable amounts

of SPI and WPI were compared to those produced by heat treatment in terms of viscoelastic behaviour, textural properties, water holding capacity, microstructure, thermal analysis, electrophoretic determination and sensory evaluation.

A combined pressure, temperature and time 700 MPa, 40°C, 40 min, resulted in the complete denaturation of the protein present as evidenced by the loss of the peaks from the DSC profiles. Rheological measurements showed that the gradients of stress relaxation plots and the gel penetrations strength depended on the severity of treatment conditions. This probably reflected degree of cross-linking imparted by hydrophobic interactions as well as changes in the disulphide bonding as shown by the electrophoregram.

Of the addition of SPI, WPI and WG in the pressurised samples, the 4% (w/w) SPI gave the best emulsification (smallest fat droplet size in the final product) as well as the highest water holding capacity. This formulation was the most acceptable to the sensory panel.

Water holding capacity and sensory score of all pressure treated samples were better than those of equivalent heat treatment material. The pressurised samples with 4% (w/w) of WPI displayed strongest rheological properties (gel strength, storage and loss moduli). When comparing the pressure and heat treatments, the viscoelastic behaviour and gel strength of the heated samples were stronger than those of the pressurise-treated meat yors. The storage modulus of all the heat treated samples predominated whereas the creep curves for both treatments were fitted to the same eight-Burger element model.

ลิขสิทธิมหาวิทยาลัยเชียงใหม Copyright[©] by Chiang Mai University All rights reserved ชื่อเรื่องวิทยานิพนซ์

ผลของความคันสูงต่อสมบัติทางเกมีกายภาพของเนื้อ นกกระจอกเทศยอผสมโปรตีนที่ไม่ใช่เนื้อสัตว์

ผู้เขียน

นายธวัชชัย ศุภวิทิตพัฒนา

ปริญญา

วิทยาศาสตรคุษฎีบัณฑิต (วิทยาศาสตร์และเทคโนโลยีการอาหาร)

คณะกรรมการที่ปรึกษาวิทยานิพนธ์

รศ.คร. อรุณี อภิชาติสรางกูร

ประธานกรรมการ

Dr. Alan E. Bell

กรรมการ

คร. อำพิน กันธิยะ

กรรมการ

บทคัดย่อ

การศึกษาผลของโปรตีนที่ไม่ใช่เนื้อสัตว์ที่มีต่อกุณภาพทางด้านเคมีกายภาพและประสาท สัมผัสของนกกระจอกเทศขอความคันสูง โดยนำเศษเนื้อนกกระจอกเทศจากโรงฆ่าสัตว์มาทำการ สับผสมกับส่วนผสมอื่น ได้แก่ โซเดียมไตรโพลีฟอสเฟต โซเดียมคลอไรด์ พริกไทยและกระเทียม จากการประเมินของผู้ทดสอบชิมจำนวน 36 คน ได้สูตรที่เหมาะสมคือ โชเดียมไตรโพลีฟอสเฟต ร้อยละ 0.25 (น้ำหนัก/น้ำหนัก) โซเดียมคลอไรด์ร้อยละ 2 (น้ำหนัก/น้ำหนัก) พริกไทยร้อยละ 2 (น้ำหนัก/น้ำหนัก) และกระเทียมร้อยละ 5 (น้ำหนัก/น้ำหนัก) จากนั้นนำสูตรคังกล่าวไป ทำการศึกษาการผลิตนกกระจอกเทศขอที่สภาวะการให้ความคันที่ระดับ 300, 500 และ 700 เมกกะปาสดาล อุณหภูมิ 40 และ 60 องศาเซลเซียส เวลา 40 และ 60 นาที จากนั้นทำการปรับปรุง สูตรพื้นฐานนกกระจอกเทศขอที่ผ่านการให้ความคันโดยการเติมโปรตีนถั่วเหลืองสกัดเข้มข้น โปรตีนเวย์สกัดเข้มข้นและกอูเตนจากข้าวสาลีแล้วจึงนำไปให้ความคันที่สภาวะเหมาะสมที่ได้จาก การศึกษา ทำการเปรียบเทียบคุณลักษณะของนกกระจอกเทศขอที่ผ่านการให้ความคันซึ่งเติมโปรตีนถั่วเหลืองสกัดเข้มข้นและโปรตีนเวย์สกัดเข้มข้นในปริมาณที่เหมาะสมทางค้านพฤติกรรม เชิงวิสโดอิลาสติก ความสามารถในการอุ้มน้ำ ลักษณะโครงสร้างระดับจุลภาค การวิเคราะห์สมบัติ ทางความร้อน การตรวจสอบด้วยอิเลคโตรโฟรีติกและการประเมินผลทางด้านประสาทสัมผัส

การใช้ความคันที่ระดับ 700 เมกกะปาสคาล อุณหภูมิ 40 องศาเซลเซียส และเวลา 40 นาที พบว่าโปรตีนเสียสภาพอย่างสมบูรณ์โดยไม่ปรากฏขอดของกราฟ DSC จากการตรวจสอบ ค้านรีโอโลยีพบว่าค่าความชั้นการพักความเค้นและความแข็งแรงของเจลขึ้นอยู่กับสภาวะที่ใช้ โดย อาจเป็นผลมาจากระคับของการเชื่อมไขว้ที่เกิดจากพันธะไฮโดรโฟบิคและ พันธะไดซัลไฟด์ ซึ่ง เห็นได้จากภาพอิเลคโตรโฟรีแกรม

ผลของการเติมโปรตีนถั่วเหลืองสกัดเข้มข้น โปรตีนเวย์สกัดเข้มข้นและกลูเตนจากข้าว สาลีในตัวอย่างนกกระจอกเทศยอที่ผ่านการให้ความค้นพบว่า นกกระจอกเทศยอที่เติมโปรตีนถั่ว เหลืองสกัดเข้มข้นร้อยละ 4 (น้ำหนัก/น้ำหนัก) มีความเป็นอิมัลชันดีที่สุด (หยดไขมันมีขนาดเล็ก ที่สุดในผลิตภัณฑ์สุดท้าย) มีความสามารถในการอุ้มน้ำและได้รับคะแนนการยอมรับทางด้าน ประสาทสัมผัสสูงสุด

ความสามารถในการอุ้มน้ำและคะแนนทางด้านประสาทสัมผัสของนกกกระจอกเทศยอที่ ผ่านการให้ความดันมีค่าสูงกว่าตัวอย่างที่ผ่านการแปรรูปด้วยความร้อน ตัวอย่างที่เดิมโปรตีนเวย์ สกัดเข้มขันร้อยละ 4 (น้ำหนัก/น้ำหนัก) และผ่านการแปรรูปด้วยความดันจะมีสมบัติทางด้านรืโอโลยี (ความแข็งแรงของเจล ค่าโมดูลัสที่แสดงสมบัติความยืดหยุ่นและสมบัติการใหล) สูงสุด จากการเปรียบเทียบวิธีการแปรรูปนกกระจอกเทศยอด้วยความดันและความร้อนพบว่า นกกระจอกเทศยอที่แปรรูปด้วยความร้อนมีสมบัติเชิงวิสโลอิลาสติกและค่าความแข็งแรงของ เจลสูงกว่าตัวอย่างที่แปรรูปด้วยความดัน ค่าโมดูลัสที่แสดงสมบัติความยืดหยุ่นของ นกกระจอกเทศยอที่ให้ความร้อนมีค่ามากกว่าที่ให้ความดัน ในขณะที่กราฟแสดงการคืบของการ แปรรูปทั้งสองวิธีเป็นแบบจำลองของเบอร์เกอร์แปดองค์ประกอบเหมือนกัน

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved