

## REFERENCES

- Agboola, A., and A.A. Fameyi. 1972. Fixation and excretion of nitrogen by tropical legumes. *Agron. J.* 64:409-412.
- Allen, J.R., and R.K. Obura. 1983. Yield of corn, cowpea and soybean under different intercropping systems. *Agron. J.* 75:1005-1009.
- Ayeni, A.O., W.B. Duke, and I.O. Akobundu. 1984. Weed interference in maize, cowpea and maize/cowpea intercrop in a sub humid tropical environment. I. influence of cropping season. *Weed Res.* 24:269-279.
- Balusubramanian, V.V., and L. Sekayange. 1990. Area Harvest Equivalency Ratio for measuring efficiency in multi season intercropping. *Agron. J.* 82:519-522.
- Brann, D.E., and G.A. Juny. 1974. Influence of cutting management and environmental variation on the yield, bud activity and autumn carbohydrate reserve levels of crown vetch. *Agron. J.* 66:767-773.
- Carangal, V.R., P.L. Tengco, N.I. Miah, and A. Topark-Ngram. 1988. Food and forage crop intercropping under rainfed lowland conditions. p. 435-451. *In Proc. of the Crop Animal Systems Research Workshop, Serdang, Malaysia. 15-19 August 1988.*
- Carroll, C.R., J.H. Vandermeer, and P.M. Rosset. 1990. Agroecology. Biological Management Series. Mc Graw Hill Inc., USA. p. 385-410; 481-516.
- Clark, E.A., and C.A. Francis. 1989. Transgressive yielding in bean: maize intercrop; interference in time and space. *Field Crops Research.* 11:37-53.
- Cordero, A., and R.E. McCollum. 1979. Yield potential of interplanted annual food crops in South eastern U.S. *Agron. J.* 71:834-842.
- Devkota, N.R., S.B. Singh, K.B. Basnet, and S. Tiwari. 1991. Identification of suitable forage and legumes for supplying fodder throughout the year at IAAS livestock farm. Submitted for publication in *J. Inst. Agric. Anim. Sci. Rampur Campus, Nepal.*
- Eveas, G.W., and E.C. Holt. 1972. Effects of defoliation treatments on morphological characteristics and carbohydrate resources in kleingrass (*Panicum coloratum* L.). *Agron. J.* 64:17-20.

- Ezumah, H.C., N.K. Nam, and P. Walker. 1987. Maize-cowpea intercropping as affected by nitrogen fertilization. *Agron. J.* 79:275-280.
- Faris, M.A., H.A. Burity, O.V. Dos Reis, and R.C. Mafra. 1983. Intercropping of sorghum or maize with cowpea or common beans under two fertility regimes in North eastern Brazil. *Exp. Agric.* 19:251-261.
- Fisher, K.S., and A.F.E. Palmer. 1983. Maize. Paper presented at Symposium on Potential Productivity of Field Crops under Different Environments. IRRI, Philippines.
- Francis, C.A. 1986. Introduction: distribution and importance of multiple cropping. p. 1-19. *In* C.A. Francis (ed.) Multiple cropping systems.
- Francis, C.A. 1989. Biological efficiencies in multiple cropping system. *Adv. Agron.* 42:1-42.
- Fribourg, H.A., J.R. Overton, W. Walker, M.C. Neill, E.W. Culvahouse, M.J. Montgomery, M. Smith, R.J. Carlisle, and N.W. Robinson. 1984. Evaluations of the potentials of hyacinth bean as an annual warm-season forage in the Mid-south. *Agron. J.* 76:905-910.
- Gardner, P.F., R.B. Pearce, and R.L. Mitchell. 1985. *Physiology of Crop Plants*. Iowa State University Press: Ames, Iowa. p. 327.
- Heibsch, C.K., and R.E. McCollum. 1987. Area and Time Equivalency Ratio: a method for evaluating the productivity of intercrops. *Agron. J.* 79:15-22.
- Herrera, W.A.T., B.T. Samson, and R.R. Harwood. 1975. The effect of row arrangement and plant density on productivity of corn-rice and corn-peanut intercrops. Paper pres. at the Sixth Annual Conv. of the Crop Sci. Soc. of the Phil. Balcod city, Philippines. 8-10 May 1975.
- Horwith, B. 1985. A role of intercropping in modern agriculture. *Bioscience.* 35:286-291.
- Ismail, I.G., U. Kusnadi, A. Gozali, D. Lubis, D. Sugandi, and H. Supriadi. 1988. On-farm crop animal systems research for small-holders in upland rainfed agriculture, Baturanta, Indonesia. p. 97-116. *In* Proc. of Crop-Animal Systems Research Workshop, Serdang, Malaysia, 15-19 August 1988.
- LaRue, T.A., and T.G. Patterson. 1981. How much nitrogen do legumes fix ?. *Adv. in Agron.* 34:15-38
- Loomis, R.S., and W.A. Williams. 1963. Maximum crop productivity: an estimate. *Crop Sci.* 3:67-72

- May, L.H. 1960. The utilization of carbohydrate reserves in pasture plants after defoliation. *Herb. Abstr.* 30:239-245.
- Mcilroy, R.J. 1967. Carbohydrates of grassland herbase. *Herb. Abstr.* 37:79-86.
- Miah, M.N.I., M.M. Rahman, and N.P. Magor. 1990. Food forage production systems in Bangladesh. p. 487-507. *In Proc. of the International Workshop on Crop-Animal Farming System Research, Dhaka, Bangladesh, 21-26 August 1990.*
- Misbahulmunir, M.Y., D.J. Sammons, and R.R. Weil. 1989. Corn-peanut intercrop performance in relation to component crop relative planting dates. *Agron. J.* 81:184-189.
- Mislevy, P., R.S. Kalmbacher, and F.G. Martin. 1984. Cutting management of the tropical legume American joint vetch. *Agron. J.* 73:771-775.
- Nambiar, P.T.C., M.R. Rao, M.S. Reddy, C.N. Floyd, R.J. Dart, and R.W. Willey. 1983. Effect of intercropping on nodulation and N<sub>2</sub>-fixation by groundnut. *Exp. Agric.* 19:77-86.
- Nnko, E.N., and A.L. Doto. 1982. Intercropping maize or millet with soybean, with particular reference to planting schedule. p. 33-36. *In Proc. of the Sec. Sym. on Intercropping in Semi Arid Areas, Morogoro, Tanzania, 4-7 December 1980.*
- Ofori, F., and W.R. Stern. 1987. Cereal-legume intercropping systems. *Adv. in Agron.* 41:41-85.
- Pantollana, E.R. 1992. Delayed sowing of ricebean into upland rice. M.Sc. Thesis. Chiang Mai University, Chiang Mai, Thailand. p. 78.
- Peoples, M.B., A.W. Faizah, B. Rerkasem, and D.F. Herridge. 1989. Methods for Evaluating Nitrogen Fixation by Nodulated Legumes in the Field. Australian Center for International Agricultural Research (ACIAR). Australia, Canberra. p. 76.
- Peoples, M.B., and D.F. Herridge. 1990. Nitrogen fixation by legumes in tropical and subtropical agriculture. *Adv. Agron.* 44:156-223.
- Piha, M.I., and D.N. Munus. 1987. Nitrogen fixation capacity of field grown beans compared to other grain legumes. *Agron. J.* 79:690-696.
- Rao, M.S. Reddy., C.N. Floyd., P.J. Dart., and R.W. Willey. 1983. Effect of intercropping on nodulation and nitrogen fixation by groundnut. *Expl. Agric.* 19:79-86.

- Rerkasem, B., and K. Rerkasem. 1990. Legumes for the highlands. A Report to the Thai-Australia Highland Agricultural and Social Development Project. Chiang Mai University, Chiang Mai, Thailand. p. 34.
- Rerkasem, B., K. Rerkasem, M.B. Peoples, D.F. Herridge, and F.J. Bergersen. 1988. Measurement of N<sub>2</sub> fixation in maize (*Zea mays* L)- rice bean (*Vigna umbellata* (Thumb.) Ohwi and Ohashi). Intercrops. p. 125-135. *In Plant and Soil* 108. Kluwer Academic Publishers, London.
- Rerkasem, K., and B. Rerkasem. 1988. Yields and nitrogen nutrition of intercropped maize and rice bean (*Vigna umbellata* (Thumb.) Ohwi and Ohashi). p. 151-162. *In Plant and Soil* 108. Kluwer Academic Publisher, London.
- Ryle, G.J.A., C.E. Powell, and A.J. Gordon. 1986. Defoliation in white clover: nodule metabolism, nodule growth and maintenance and nitrogenase functioning during growth and regrowth. *Annals of Botany*. 57:263-271.
- Singh, M., and B. Gilliver. 1988. Statistical analysis of intercropping data using a correlated error structure. *J. of App. Stat.* 15:53-61.
- Singh, N.B., P.P. Singh, and K.P.P. Nair. 1986. Effect of legume intercropping on enrichment of soil nitrogen, bacterial activity and productivity of associated maize crops. *Exp. Agric.* 22:339-344.
- Spedding, C.R.W. 1971. *Grassland Ecology*. Oxford University press, Ely House, London, WI. p. 221.
- Ssekabembe, C.K. 1984. Cowpea as a mixed crop. The International grain legume information center, IITA, PMB 5320, Ibadon Nigeria, Tropical grain legume bulletin no. 29.
- Timsina, J. 1986. Some experiences and achievements of cropping system research in Nepal. *In Proc. of 1986 Kansas State University Sixth FSR/E Symposium*. KSU, Manhattan, USA.
- Tolleaar, M., and T.W. Bruulsema. 1988. Efficiency of maize dry matter production during periods of complete leaf area expansion. *Agron. J.* 80:580-585.
- Topark-Ngarm, A. 1990. Food-forage intercropping in smallholder farm. p. 487-507. *In Proc. of the International Workshop on Crop-Animal Farming Systems Research*, Dhaka, Bangladesh, 12-18 August 1990.
- Trenbath, B.R. 1976. Plant interactions in mixed crop communities. p. 129-169. *In R.I. Papendick et al. (ed.) Multiple Cropping*. Spec. Pub. 27. American Society of Agronomy, Madison, WI.

- Upreti, V.N., M.I. Valuya, B.B. Shrestha, and M.P. Panth. 1988. Progress report of on-farm crop-animal farming systems research at Naldung site, Nepal. p. 139-159. *In Proc. of Crop-Animal Systems Research Workshop, Serdang, Malaysia, 15-19 August 1988.*
- Vandermeer, J. 1989. The ecology of intercropping. p. 237. Cambridge University Press, Cambridge.
- Wahua, T.A.T. 1984. Nutrient uptake by intercropped maize and cowpea under a concept of nutrient supplementation index. *Expl. Agric.* 19:263-275.
- Wang, G. 1990. Evaluation of soybean in saturated soil culture related to its adaptation and nitrogen fixation. M.Sc. Thesis. Chiang Mai University, Chiang Mai, Thailand. p. 97.
- Ward, C.Y., and R.E. Blaser. 1961. Carbohydrate food resources and leaf area in regrowth of orchard grass. *Crop Sci.* 1:366-370.
- Weber, C.R. 1986. Nodulating and non-nodulating soybean isolines II response to applied nitrogen and modified soil conditions. *Agron. J.* 58:46-58.
- Whiteman, P.C., L.R. Humphreys, N.H. Monteith, E.H. Hoult, P.M. Bryant, and J.E. Slater. 1974. A Course Manule In Tropical Pasture Science, Waston Ferguson and Co Ltd, Brisbane. p. 371.
- Willey, R.W. 1979. Intercropping-it's importance and research needs. Part I. Competition and yield advantages. Part II. Agronomy and research needs. *Field Crop Abstr.* 32:1-10; 73-85.
- Younger, V.B., F. Nudge, and R.C. Ackerson. 1976. Growth of kentucky bluegrass leaves and tillers with and without defoliation. *Crop Sci.* 16:110-113.