

## REFERENCES

- Applied Biosystems. 2001. The ABI PRISM<sup>®</sup> 3100 Genetic Analyzer: User's manual. Applied Biosystems and Hitachi, Ltd., California, USA.
- Aves, E., C. Ovilo, M.C Rodriguez, and L. Sileo. 2003. Mitochondrial sequence variation and phylogenetic relationships among Iberian pigs and other domestic and wild pig populations. *Anim. Gent.* 34: 319-324.
- Avise, J.C. 1994. Molecular Marker, Natural History and Evolution. Chapman & Hall, New York.
- Blanchette, M., G. Bourque, and D. Sankoff. 1997. Breakpoint phylogenies. Proceedings of the Genome Informatics Workshop VIII, pages 25–34, Universal Academy Press.
- Brooker, R.T., 2005. Genetic : Analysis and Principle. McGraw-Hill Companies, Inc., USA.
- Brown, M.W., G. Matthew. Jr. and A.C. Wilson. 1979. Rapid evolution of mitochondrial DNA. *Proc. Natl. Acad. Sci. USA.* 76: 1967-1971.
- Chaiwanasin, W., S. Chantsavang and S. Tabchareon. 2002. Genetic diversity of four pig breeds in Thailand based on microsatellites analysis. *Karsetsart J.* 36: 248-252.
- Chen, K.F. 2003. Molecular Strategies in the Analysis of the Porcine Genome. Ph.D Thesis. Insitute of Verterinary Medicine, George-August-University Göttingen, Germany. 41 p.
- Frankham, R., J.D. Ballou and D.A. Briscor. 2002. Introduction to conservation genetic. Cambridge University Press, Cambridge, UK.
- Felsenstein, J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. *Evolution.* 39: 783-791.
- Felsenstein, J. 1995. PHYLIP: phylogeny inference package, version 3.6a. Department of genetics, University of Washington, Seattle.

- Ghivizzani S.C., L.S.D. Mackay, C.S. Madsen, P.J. Laipis and W.W. Hauswirth. 1993. Transcribed heteroplasmic repeated sequences in the porcine mitochondrial DNA D-loop region. *J. Mol. Evol.* 37: 36-47.
- Giuffra E., J.M.H. Kijas, V. Armager, O. Carlborg, J.-T. Jeon and L. Andersson. 2000. The origin of the domestic pig: independent domestication and subsequent introgression. *Genetics.* 154: 1785-1791.
- Gongora, J., P. Fleming, P.B.S. Spencer, R. Mason, O. Garkavenko, J-N. Meyer, C. Droegemueller, J.H. Lee, and C. Moran. 2004. Phylogenetic relationships of Australian and New Zealand feral pigs assessed by mitochondrial control region sequence and nuclear *GPIP* genotype. *Mol. Phylo. Evol.* 33: 339-349.
- Hillis, D.M., C. Moritz and B. K. Mable. 1996. Molecular systematic. 2<sup>nd</sup> edition. Sinauer Associates, Inc. Massachusetts USA.
- Huang Y., X. Shi, and Y. Zhang. 1999. Mitochondrial genetic variation in Chinese pigs and wild boars. *Biochem. Genet.* 37: 335-343.
- Kierstein, G., M. Vallinoto, A. Silva, M.P. Schneider, L. Iannuzzi and B. Brenig. 2004. Analysis of mitochondrial D-loop region casts new light on domestic water buffalo (*Bubalus bubalis*) phylogeny. *Mol. Phylo. Evol.* 30: 308–324
- Kijas, J.M. H., and Andersson, L. 2001. A phylogenetic study of the origin of the domestic pig estimated from the near-complete mtDNA genome. *J. Mol. Evol.* 52: 302–308.
- Kim, K.I., J.H. Lee, K. Li, Y.P. Zhang, S.S. Lee, J. Gongora and C. Moran. 2002a. Phylogenetic relationships of Asian and European pig breeds determined by mitochondrial DNA D-loop sequence polymorphism. *J. Mol. Evol.* 46:121-126.
- Kim K.I., Y.H. Yang, S.S. Lee, C. Park, R. Ma, J.L. Bouzat and H.A. Lewin. 1999. Phylogenetic relationships of Cheju horses to other breeds as determined by mtDNA D-loop sequence polymorphism. *Anim. Genet.* 30: 102-108.
- Kim, K.I., J.H. Lee, S.S. Lee and Y.H. Yang. 2003. Phylogenetic relationships of Northeast Asian cattle to other cattle populations determined using mitochondrial DNA D-loop sequence polymorphism. *Biochem Genet.* 41(3-4): 91-98.

- Kim, K.S., J.S. Yeo and J.W. Kim. 2002b. Assessment of Genetic diversity of Korean native pig (*Sus scrofa*) using AFLP markers. *Gene Genet. Syst.* 77: 361-368.
- Kimura, M. 1980. A simple method for estimating evolutionary rate of base substitution through comparative studies of nucleotide sequences. *J. Mol. Evol.* 16: 111-120.
- Lan H., and L. Shi. 1993. The origin and genetic differentiation of native breeds of pigs in southwest China: an approach from mitochondrial DNA polymorphism. *Biochem Genet.* 31: 51-60.
- Laval, G., N. Iannuccelli, C. Legault, D. Milan, M.A.M. Groenen, E. Giuffra, L. Andersson, P.H. Nissen, C.B. Jorgensen, P. Beeckmann, H. Geldermann, J-L. Foulley, C. Chevalet and L. Ollivier. 2000. Genetic diversity of eleven European pig breeds. *Genet. Sel. Evol.* 32: 187-203.
- Li, S.J., S.H. Yang, S.H. Zhao, B. Fan, M. Yu, H.S. Wang, M.H. Li, B. Liu, T.A. Xiong and K. Li. 2004. Genetic diversity analyses of 10 indigenous Chinese pig populations based on 20 microsatellites. *J. Anim. Sci.* 82: 368-374.
- Li'ebecq, C. 1992. Biochemical Nomenclature and Related Documents. Portland Press, London, UK.
- Lunt, D.H., L.E. Whipple and B.C. Hyman. 1998. Mitochondrial DNA variable number tandem repeats (VNTRs): utility and problem in molecular ecology. *Mol. Eco.* 7: 1441-1455.
- Miller, S.A., D.D. Dykes and H.F. Polesky. 1988. A simple salting out procedure for extracting DNA from nucleated cells. *Nucleic Acid Res.* 16: 1215.
- Nei, M., F. Tajima and Y. Tateno. 1983. Accuracy of estimated phylogenetic trees from molecular data. *J. Mol. Evol.* 19: 153-170.
- Okumura N., N. Ishiguro, M. Nakano, K. Hirai, A. Matsui, and M. Sahara. 1996. Geographic population structure and sequence divergence in the mitochondrial DNA control region of the Japanese wild boar (*Sus scrofa leucomystax*), with reference to those of domestic pigs. *Biochem. Genet.* 34: 179-189.

- Okumura, N., Y. Kurosawa, E. Kobayashi, T. Watanobe, N. Ishikuro, H. Yasue and T. Mitsuhashi. 2001. Genetic relationship amongst the major non-coding regions of mitochondrial DNAs in wild boars and several breeds of domesticated pigs. *Anim. Genet.* 32: 139-147.
- Page, R., and C. Holmes. 1998. Molecular evolution: a phylogenetic approach. Blackwell Publishing company, Oxford, UK.
- Pond, W., and H. Mersmann. 2001. Biology of the domestic pig. Cornell University Press, London, UK
- Randi E., V. Lucchini, and C.H. Diong. 1996. Evolutionary genetics of the suiformes as reconstructed using mtDNA sequencing. *J Mammalian Evol.* 3: 163-194
- Rattanonchart, S. 1994. Present Situation of Thai Native Pigs. Department of Animal Science, Faculty of Agriculture Chiangmai University, Chiangmai, Thailand. 23 p.
- Saito, N. and M. Nei. 1987. The neighbor-joining method a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* 4: 406-425.
- Salemi, M. and A-M. Vandamme. 2004. The Phylogenetic Handbook: A Practical Approach to DNA and Protein Phylogeny. Cambridge University Press, Cambridge, UK.
- Sambrook, J., E.F. Frisch and T. Maniatis. 1989. Molecular Cloning: a laboratory manual. 2<sup>nd</sup> ed. Cold Spring Harbor Laboratory Press, New York.
- Sanger, F., S. Nicklen and A.R. Coulson. 1977. DNA sequencing with chain terminating inhibitors. *Proc. Natl. Acad. Sci. USA.* 74(12): 5463-5467.
- Sookmanee, N. and P.F. Alcantara. 1999. Genetic variation between and among native swine in Philippines and Thailand by AFLP. pp. 311-325. In: Proceedings of the symposium on Quality Control in Animal Production: Nutrition, Management, Health and Product, December 8-10, 1999. Chiang Mai, Thailand.
- Takeda, K., A. Onishi, N. Ishida, K. Kawakami, S. Komatsu and S. Inumaru. 1995. SSCP analysis of pig mitochondrial DNA Dloop region polymorphism. *Anim. Genet.* 26: 321-326.
- Takesaki, N. and M. Nei. 1996. Genetic distances and reconstruction of phylogenetic trees from microsatellite DNA. *Genetics.* 144: 389-399

- Teerawat, K. 1998. The Specific Nature and Native Pig Raising at Huai Ngu sing Village, Thung Hua Chang District, Lamphun Province. MS. Thesis. Department of Animal Science, Faculty of Agriculture Chiangmai University, Chiangmai Thailand. 62 p.
- Theera, V. and C. Mikled. 1980. Pigs in the Highlands. Extension Bulletin No. 6, Faculty of Agriculture, Chiangmai University, Chiangmai, Thailand. 27 p.
- Thompson J.D., D.G. Higgins and T.J. Gibson. 1994. CLUSTAL-W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acid Res.* 22: 4673 - 4680.
- Turner, P.C., A.G. McLennan, A.D. Bates and M.R.H. White. 2000. Molecular biology. School of Biological Sciences, University of Liverpool, UK.
- Ursing, B.M. and U. Arnason. 1998. The complete mitochondrial DNA sequence of the pig (*Sus scrofa*). *J. Mol. Evol.* 47: 302-306.
- Watanobe, T., N. Okumura, N. Ishiguro, M. Nakano, A. Matsui, M. Sahara and M. Komatsu. 1999. Genetic relationship and distribution of the Japanese wild boar (*Sus scrofa leucomystax*) and Ryukyu wild boar (*Sus scrofa riukiuanus*) analyzed by mitochondrial DNA. *Mol. Ecol.* 8: 1509-15012.
- Watanabe, T., N. Ishiguro, N. Okumura, M. Nakano, A. Matsui, H. Hongo and H. Ushiro. 2001. Ancient mitochondrial DNA reveals the origin of *Sus scrofa* from Rebun Island, Japan. *J. Mol. Evol.* 52: 281–289.
- Yang, S.L., Z.G., Wang, B. Liu, G.X. Zhang, S.H. Zhao, M. Yu, B. Fan, M.H. Li, T.A. Xiong, and K. Li. 2003. Genetic variation and relationships of eighteen Chinese indigenous pig breeds. *Genet. Sel. Evol.* 35: 657-671.