

REFERENCES

- Allard, R. W. 1960. Principle of plant breeding. John Wiley and Son Inc. New York-London.
- Anderson, V. L. and O. Kempthorne. 1954. A model for the study of quantitative inheritance. *Genetics* 39:883-898.
- Balkema-Boomstra, A.G. and H.D. Mastebroek. 1993. Diallel analysis of partial resistance to powdery mildew caused by *Erysiphe graminis* f. sp. *hordei* in spring barley (*Hordeum vulgare* L.). *Euphytica* 65:15-21.
- Banga, S. S. 1998. Heterosis: an introduction. In Banga, S.S. and S.K. Banga. 1998. Hybrid Cultivar Development. New Delhi, India. pp 1-6.
- Baker, R.J. 1978. Issues in diallel analysis. *Crop Sci.* 18:533-536.
- Barten, J.H.M., Y. Elkind, J.W. Scott, S. Vidavski and N. Kedar. 1993. Diallel analysis over two environments for blossom-end scar size in tomato. *Euphytica* 65 : 229-237.
- Bisognin, D.A. and D.S. Douches. 2002. Early generation selection for potato tuber quality in progenies of late blight resistant parents. *Euphytica* 127 : 1-9.
- Boerma, H.R. and R.L. Cooper. 1975. Comparison of three selection procedures for yield in soybeans. *Crop Sci.* 15:225-229.
- Briggs, F. N. and P. F. Knowles. 1967. Introduction to plant breeding. Chapman-Reinhold, Inc. USA.
- Brim, A. C. and C. C. Cockerham, 1961. Inheritance of quantitative character in soybean. *Crop Sci.* 1:187-190.
- Campbell, T.A., Z.L. Xia, P.R. Jackson and V.C. Baligar. 1994. Diallel analysis of tolerance to aluminium in alfafa. *Euphytica* 72 : 157-162.
- Chaitieng, B., P. Laosuwan and S. Wongkaew. 2003. Inheritance of powdery mildew resistance in mungbean [*Vigna radiata* (L.) Wilczek]. *Thai J. Agri. Sci.* 36(1) : 73-78.
- Chikamori, M. 1997. Pre-trial cultivation of azukibean at Pang Da Royal Research Station. Technical report to the Royal Project Foundation, Thailand. 7 pp.

- Cho, Y. and R.A. Scott. 2000. Combining ability of seed vigor and seed yield in soybean. *Euphytica* 112 : 145-150.
- Danon, T. and Z. Eyal. 1990. Inheritance of resistance to two *Septoria tritici* isolates in spring and winter bread wheat cultivars. *Euphytica* 47 : 203-214.
- Division of Highland Agriculture Development. 1997. The data of Royal Development Centers. Ministry of Agriculture and Cooperatives, Thailand.
- Dwivedi, D.K., M.P. Pandey, S.K. Pandey and L. Rongbai. 1998. Heterosis in inter and intrasubspecific crosses over three-environments in rice. *Euphytica* 99:155-165.
- Falconer, D. S. 1989. Introduction of quantitative genetics. (3rd ed). Longman Group (PE). 438 pp.
- Fasoulas, A. 1973. A new approach to breeding superior yield varieties. Aristotelian Univ. of Thassaloniki. Greece.
- Fick, G.N. 1975. Heritability of oil content in sunflowers. *Crop Sci.* 15 : 77-78.
- Foolad, M.R., P. Subbiah and G.S. Ghangas. 2002. Parent-offspring correlation estimate of heritability for early blight resistance in tomato, *Lycopersicon esculentum* Mill. *Euphytica* 126:291-297.
- Gamble, E. E. 1962. Gene effects in corn (*Zea mays* L.) I. Separation and relative importance of gene effects for yield. *Can. J. Pl. Sci.* 42:339-348.
- Gardner, C. O. and S. A. Eberhart. 1966. Analysis and interpretation of the variety cross diallel and related population. *Biometrics* 22(3):439-452.
- González-García, J., I.M. Ray, J.A. Henning and L.W. Murray. 2000. Quantitative genetic analysis of erect glandular trichome density in diploid alfafa. *Euphytica* 111:61-65.
- Gravois, K.A. 1992. Genetic effects determining rice grain weight and grain density. *Euphytica* 64 : 161-165.
- Griffing, B. 1956. Concept of general and specific combining ability in relation to diallel crossing systems. *Aust. J. Biol. Sci.* 9:463-493.
- Hamilton, B.K., L.M. Pike, A.N. Sparks, D.A. Bender, R.W. Jones, J. Candeia and G. Franca. 1999. Heritability of thrips resistance in the 'IPA-3' onion cultivar in South Texas. *Euphytica* 109 : 117-122.

- Han, K. S., K. Y. Chang and Y. H. Bin. 1979. Genetic studies on some adzuki bean characters by the diallel cross (in Korea, English summary). *Journal of Gyeongsang National University* 18:61-70.
- Han, K. S., K. Y. Chang and J. H. Kim. 1984. Genetic studies on some quantitative characters of adzuki bean by the diallel crosses. I. Distribution of genes for various characters in F1 and F2 generations (in Korean, English summary). *Korean Journal of Breeding* 16(3):316-322.
- Hayes, H.K. and F.R. Immer. 1942. *Methods of plant breeding*. McGraw Hill Book Company, Inc., New York.
- Hayman, B. I. 1954. The theory and analysis of diallel crosses. *Genetics* 39:789-809.
- Hayman, B. I. 1958. The separation of epistatic from additive and dominance variation in generation mean. *Heredity* 12:371-390.
- Hayward, M.D. 1983. Selection for yield in *Lolium perenne*. I. Selection and performance under spaced plant conditions. *Euphytica* 32:85-95.
- Helms, T.C. and J.J. Hammond. 2006. Genetic gain equation with correlated genotype x environment effects. *Crop Sci.* 46 : 1137-1142.
- Hof, L., I.G. Nieboer and O. Dolstra. 1999. Response to mass selection and estimation of heritability for oil content in *Dimorphotheca pluvialis*. *Euphytica* 106 : 111-116.
- http://agronomy.agri.cmu.ac.th/meteo/royal_page.html (27 August 2007)
- Humphreys, D.G. and D.E. Mather. 1996. Heritability of β -glucan, groat percentage, and crown rust resistance in two oat crosses. *Euphytica* 91:359-364.
- Jacobs, Th. And L.H.M. Broers. 1989. The inheritance of host plant effect on latency period of wheat leaf rust in spring wheat. I: Estimation of gene action and number of effective factors in F1, F2 and backcross generations. *Euphytica* 44 : 197-206.
- Jenkins, M. T. and A. M. Bronson. 1932. A method of testing inbred lines of maize in cross bred combinations. *Jour. Amerc. Soc. Agron.* 24:523-530.
- Jogloy, S., V. Pensuk, A. Patanothai and S. Wongkaew. 1999. Generation mean analyses of late leafspot and rust resistance in peanut (*Arachis hypogaea* L.). *That J. Agric. Sci.* 32(3):423-433.

- Johnson, S.K., D.B. Hiesel and K.J. Frey. 1983. Direct and indirect selection for grain yield in oats (*Avena sativa* L.). *Euphytica* 32 : 407-413.
- Jong, J.D. 1982. The differential responses of chrysanthemum cultivars to light and temperature. *Euphytica* 31:485-492.
- Julsrigival, S., S. Smutkupt, V. Sriwatanapong, W. Kunkaew and V. Punsupa. 2004. Varietal improvement of azukibean. Final Report to Royal Project Foundation, Thailand.
- Julsrigival, S., S. Smutkupt, V. Sriwatanapong, W. Kunkaew and V. Punsupa. 2007. Pangda azuki bean variety. *Royal Project Journal* 11(2):3-9.
- Kang, M.J., A.K. Din, Y. Zhang and R. Magari. 1999. Combining ability for rind puncture resistance in maize. *Crop Sci.* 39 : 368-371.
- Kasrawi, M. A. and A. S. Amr. 1990. Genotypic variation and correlations for quality characteristics in processing tomatoes. *J. Genet. & Breed.* 44:85-90.
- Kast, W.K. 1983. Untersuchungen zur Vererbung der Mehltau-resistenz bei Winterroggen. Dissertation University Hohenheim BRD.
- Kearsey, M. J. and H. S. Pooni. 1996. The genetical analysis of quantitative traits. Chapman & Hall, London, UK.
- Kunkaew, W., S. Julsrigival, N. Boonkaew, V. Punsupa, and K. F. Chen. 2004. Yield stability of azuki bean grown under highland conditions. *Royal Project Journal* 8(5):6-9.
- Kunkaew, W., S. Julsrigival, C. Senthong, and D. Karladee. 2006. Estimation of heterosis and combining ability in azuki bean under highland growing condition in Thailand. *Chiang Mai University Journal* 5(2):163-168.
- Kunkaew, W., S. Julsrigival, C. Senthong and D. Karladee. 2007a. Combining ability analysis of yield and yield components in azuki bean under highland conditions of northern Thailand. *Chiang Mai University Journal of Natural Sciences* 6(1):121-126.
- Kunkaew, W., S. Julsrigival, C. Senthong and D. Karladee. 2007b. Inheritance of seed yield in azuki bean [*Vigna angularis* (Willd.) Ohwi and Ohashi]. *Chiang Mai University Journal of Natural Sciences* (In press).

- Kunta, T., L.H. Edwards and K.R. Keim. 1997. Heterosis, inbreeding depression, and combining ability in soybean [*Glycine max* (L.) Merr.]. *Sabrao J.* 29(1) : 21-32.
- Lande, R. 1981. The minimum numbers of genes contributing to quantitative variation between and within populations. *Genetics* 99:541-553.
- Landi, P., E. Frascaroli and A. Vicari. 1990. Inheritance of chlorsulfuron tolerance in a maize population. *J. Genet. & Breed.* 44 : 27-32.
- Lange, C.E., L.C. Federizzi, F.I.F. Carvalho, M.J.C.M.S. Tavares, A.L.C. Dornelles and C.L. Handel. 1995. Genetic analysis of somatic embryogenesis and plant regeneration of wheat (*Triticum aestivum* L.). *J. Genet. & Breed.* 49 : 195-200.
- Layrisse, A., J.C. Wynne and T.G. Isleib. 1980. Combining ability for yield, protein and oil of peanut lines from South American centers of diversity. *Euphytica* 29:561-570.
- Lee, J.A. 1975. Inheritance of hard seed in cotton. *Crop Sci.* 15:149-152.
- Legg, P.D., G.B. Collins and C.C. Litton. 1970. Heterosis and combining ability in diallel crosses of burley tobacco, *Nicotiana tabacum* L. *Crop Sci.* 10:705-707.
- Long, J., J.B. Holland, G.P. Munkvold and J.L. Jannink. 2006. Responses to selection for partial resistance to crown rust in oat. *Crop Sci.* 46 : 1260-1265.
- Lumpkin, T. A. and D. C. McClary. 1994. Azukibean botany, production and uses. CAB International. Wallingford, Oxon. OX10 8DE, U.K.
- Malhotra, R.S. and K.B. Singh. 1990. The inheritance of cold tolerance in chickpea. *J. Genet. & Breed.* 44 : 227-230.
- Marin, V.O. and L.F. Lippert. 1975. Combining ability analysis of anatomical components of the dry fruit in chili pepper. *Crop Sci.* 15 : 326-329.
- Martinez, J.H.E. and A.E. Foster. 1998. Genetic analysis of heading date and other agronomic characters in barley (*Hordeum vulgare* L.). *Euphytica* 99: 145-153.
- Mather, S. K. and J. L. Jinks. 1982. Biometrical genetics. Chapman & Hall, London, U.K.
- McClary, D. C. 1990. Azuki, *Vigna angularis* (Willd.) Ohwi and Ohashi: a literature review and agronomic evaluation for production in the Columbia Basin. MSc thesis, Washington State University, 230 pp.

- Mebrahtu, T., W. Mersie and M. Rangappa. 1990. A seven-parental diallel analysis of ozone insensitivity in common beans. *J. Genet. & Breed.* 44 : 69-74.
- Moll, R.H., C.C. Cockerham, C.W. Stuber and W.P. Williams. 1978. Selection responses, genetic-environmental interactions, and heterosis with recurrent selection for yield in maize. *Crop Sci.* 18 : 641-645.
- Moll, R. H. and C. W. Stuber. 1974. Quantitative genetic-empirical results relevant to plant breeding. *Adv. Agron.* 26:277-313.
- Moll, R.H., C.W. Stuber and W.D. Hanson. 1975. Correlated responses and responses to index selection involving yield and ear height of maize. *Crop Sci.* 15:243-248.
- Mukoko, O.Z. and N.W. Galwey. 1995. Breeding the common bean (*Phaseolus vulgaris* L.) for resistance to bean common mosaic virus: alternatives to backcrossing. *Euphytica* 82 : 91-104.
- Mullaney, E.J., J.M. Martin and A.L. Scharen. 1982. Generation mean analysis to identify and partition the components of genetic resistance to *Septoria nodorum* in wheat. *Euphytica* 31:539-545.
- Mwanga, R.O.M., G.C. Yencho and J.M. Moyer. 2002. Diallel analysis of sweetpotatoes for resistance to sweetpotato virus disease. *Euphytica* 128 : 237-248.
- Oboh, B.O. and M.A.B. Fakorede. 1990. Index selection for optimum yield in backcross progenies of the oil palm. *J. Genet. & Breed.* 44 : 1-6.
- Ortiz, R., C. Martin, M. Iwanaga and H. Torres. 1993. Inheritance of early blight resistance in diploid potatoes. *Euphytica* 71 : 15-19.
- Quisenberry, J.E. 1975. Inheritance of plant height in cotton. I. A cross between Lubbock Dwarf and Texas Marker-1. *Crop Sci.* 15:197-199.
- Pacheco, M.T., F.I.F. Carvalho, L.C. Federrizzi and J.F.B. Neto. 1995. The inheritance of flag leaf lamina area and its green duration in wheat (*Triticum aestivum* L.). *J. Genet. & Breed.* 49 : 209-216.
- Paschal, E.H. and J.R. Wilcox. 1975. Heterosis and combining ability in exotic soybean germplasm. *Crop Sci.* 15 : 344-349.
- Poehlman, J. M. and D. A. Sleper. 1995. Breeding field crops. 4th ed. Iowa State University Press, Ames.

- Rajamony, L., T.A. More and V.S. Seshadri. 1990. Inheritance of resistance to cucumber green mottle mosaic virus in muskmelon (*Cucumis melo* L.). *Euphytica* 47:93-97.
- Ram, T., J. Singh and R.M. Singh. 1989. Genetics and order effects of seed weight in rice-a triallel analysis. *J. Genet. & Breed.* 44 : 53-58.
- Ramsay, L.D., J.E. Bradshaw, D.W. Griffiths and M.J. Kearsey. 2001. The inheritance of quantitative traits in *Brassica napus* spp. *repifera* (Swedes): Augmented triple test cross analyses of production characters. *Euphytica* 121:65-72.
- Ranalli, P., G. Ruaro and P.D. Re. 1991. Response to selection for seed yield in bean (*Phaseolus vulgaris*). *Euphytica* 57:117-123.
- Ranalli, P., M.G. Fantino, G. Burchi and G. Ruaro. 1989. Selection for seed yield, earliness and technological properties in a nine-parent diallel cross in peas. *J. Genet. & Breed.* 43:185-190.
- Roumen, E. 1996. Response to selection for high and low partial resistance to leaf blast in F₂ populations of three rice crosses. *Euphytica* 89:243-248.
- Sansutt, A. and S. Thitavasanta. 2001. Inheritance of some characters in tomato (*Lycopersicon esculentum* Mill.). *Agricultural Sci. J.* 32 (suppl.):191-195.
- Sarawat, P., F.L. Stoddard, D.R. Marshall and S.M. Ali. 1994. Heterosis for yield and related characters in pea. *Euphytica* 80: 39-48.
- Scott, S.J. and R.A. Jones. 1990. Generation means analysis of right-censored response-time traits: Low temperature seed germination in tomato. *Euphytica* 48:239-244.
- Senthong, C., S. Julsrigival, D. Tiyawalee and P. Wivutwongvana. 1992. Germplasms screening of grain amaranth in Chiang Mai, Thailand. *Food Reviews International* 8(2):143-157.
- Sharma, S. and B.R. Tyagi. 1990. Heritability and coheritable variation in Japanese mint. *J. Genet. & Breed.* 44:81-84.
- Shull, G. H. 1952. Heterosis. Ames. Iowa, Iowa State College Press.
- Simon, P.W. 1995. Genetic analysis of pungency and soluble solids in long-storage onions. *Euphytica* 82 : 1-8.

- Sing, K. B. and B. D. Chaudhary. 1977. Biometrical method in quantitative genetic analysis. Kalyani Publ. Ludhiana. New Delhi.
- Sinnot, E. W., L. C. Dunn and T. Dobzhansky. 1953. Principle of genetics. McGrawHill Book Co., Inc., New York. 537 p.
- Snijders, C.H.A. 1990. Response to selection in F2 generations of winter wheat for resistance to head blight caused by *Fusarium culmorum*. *Euphytica* 50 : 163-169.
- Snijders, C.H.A. 1990. The inheritance of resistance to head blight caused by *Fusarium culmorum* in winter wheat. *Euphytica* 50 : 11-18.
- Sprague, C.F. and A. Tatum. 1942. General combining ability versus specific combining ability in single cross of corn. *J. Amer. Soc. Agron.* 34:923-932.
- Teclé, I.Y., D.R. Viands, J.L. Hansen and A.N. Pell. 2006. Response from selection for pectin concentration and indirect response in digestibility of alfalfa. *Crop Sci.* 46 : 1081-1087.
- Tiwari, K.R. and C.G. Campbell. 1996. Inheritance of neurotoxin (ODAP) content, flower and seed coat colour in grass pea (*Lathyrus sativus* L.). *Euphytica* 91:195-203.
- Tiyawalee, D. 1978. Legumes for highland. Final report to ARS, USDA, February 1978. Faculty of Agriculture, Chiang Mai University, Thailand.
- Townsend, C.E. 1975. General and specific combining ability for several agronomic traits in diallel cross progenies of cicer milkvetch. *Crop Sci.* 15:341-343.
- Ünay, A., H. Basal and C. Konak. 2004. Inheritance of grain yield in a half-diallel maize population. *Turk. J. Agri. For.* 28:239-244.
- Viana, J.M.S. 2000. The parametric restrictions of the Griffing diallel analysis model: combining ability analysis. *Genetic and Molecular Biology* 23(4) : 877-881.
- Viana, J.M.S. and F.P. Matta. 2003. Analysis of general and specific combining abilities of popcorn populations, including selfed parents. *Genetic and Molecular Biology* 26(4) : 465-471.
- Waldia, R.S., A.K. Chhabra, R.P.S. Tomar and I.S. Solanki. 1993. Inheritance for speed of radicle emergence and root length in chickpea (*Cicer arietinum* L.). *J. Genet. & Breed.* 47 : 1-4.

- Wall, M.M., A. Mohammad and J.N. Corgan. 1996. Heritability estimates and response to selection for the pungency and single center traits in onion. *Euphytica* 87 : 133-139.
- Weber, W.E. 1982. Selection in segregating generations of autogamous species. I. selection response for combined selection. *Euphytica* 31 : 493-502.
- Whan, B.R., R. Knight and A.J. Rathjen. 1982. Response to selection for grain yield and harvest index in F₂, F₃ and F₄ derived lines of two wheat crosses. *Euphytica* 31 : 139-150.
- Wilcox, J.R., F.A. Laviolette and R.J. Martin. 1975. Heritability of purple seed strain resistance in soybeans. *Crop Sci.* 15 : 525-526.
- Woodend, J.J. and A.D.M. Glass. 1993. Inheritance of potassium uptake and utilization in wheat (*T. aestivum* L.) grown under potassium stress. *J. Genet. & Breed.* 47 : 95-102.
- Wright, S. 1968. Evolution and the genetics of population Volume 1 Genetic and biometric foundations. The University of Chicago Press, Chicago and London. 469 pp.
- Xin, C., W. Sorajjapinun, S. Reiwthongchum and P. Srinives. 2003. Identification of parental mungbean lines for production of hybrid varieties. *Chiang Mai University Journal* 2(2) : 97-105.
- Yazdi-Samadi, B., A. Sarafi and A.A. Zali. 1975. Heterosis and inbreeding estimates in safflower. *Crop Sci.* 15:81-83.
- Yoopum, S., and S. Julsrigival. 2001. Analysis of genotype by environment interaction in azukibean (*Vigna angularis* [Willd] Ohwi and Ohashi). *Suranaree J. Sci. Technol.* 8:206-211.
- Yoshida, K. 1998. Azukibean. Memograph. Hokkaido Agriculture University, Japan. 6 pp.
- Young, J.B. and S.S. Virmani. 1990. Effects of cytoplasm on heterosis and combining ability for agronomic traits in rice (*Oryza sativa*). *Euphytica* 48 : 117-188.
- Zhang, Y., and M. S. Kang. 2003. DIALLEL-SAS:A program for Griffing's diallel method. *In Handbook of Formulus and Software for Plant Geneticists and Breeder.* p 1-9.
- Zhang, Y., M.S. Kang and K.R. Lamkey. 2005. DIALLEL-SAS05: A comprehensive program for Griffing's and Gardner-Eberhart analysis. *Agron. J.* 97:1097-1106.