

References

- Aamlid, T.S. 1992. Effects of temperature and photoperiod on growth and development of tillers and rhizomes in *Poa pratensis* L. ecotypes. Annals of Botany. 69(4):289-296.
- Adam, M.S. and M.M Fayyaz. 1979. Temperature acclimation of net photosynthesis in relation to growth of a cold hardy Chrysanthemum. Oecologia. 39(2), 239-247.
- Adelberg, J.W. and M.M. Cousins. 2007. Development of micro-and minirhizomes of turmeric, *Curcuma longa* L., *in vitro*. Acta Horticulturae, 46(1) : p.756 In: International Symposium on Medicinal and Nutraceutical Plants. Macon, Georgia, USA.
- Amador, V., E. Monte, J.L. Garcia-Martinez, and S. Prat. 2001. Gibberellins signal nuclear import of PHOR1 a photoperiod responsive protein with homology to *Drosophila armadillo*. Cell. 106: 343-354.
- Apavatjrut, P., S. Anuntalabhochai, P. Sirirugsa and C. alisi. 1999. Molecular in the identification of some early flowering Curcuma L. (Zingiberaceae) species. Ann. of Bot. 84: 529-534
- Armstrong, H. 2007. High-tech shade nets. In : Fruit & Veg Tech. 7.2 p 31.
- Artschwager, E. 1924. On the anatomy of the sweet potato root, with notes on internal breakdown, J. Agric.Res. 27: 157-166.
- Brown, D.C.W., D.W.M. Leung, and T.A. Thorpe. 1979. Osmotic requirement of shoot formation in tobacco callus. Physiol. Plant. 46: 36-41.
- Chidburee A., P. Nualbunruang. and P. Puttawarachai. 2003. Effect of sucrose concentration to microrhizome development of *Globba malaccensis* Linn. *In Vitro*. Agricultural Sci.J. 34(1-3(Suppl.)): 397-400.
- Chirangini, P. and G.J. Sharma. 2005. In vitro propagation and microrhizome induction in *Zingiber cassumunar* (Roxb.) an antioxidant-rich medicinal plant. J. of Food, Agriculture and Environment. 3(1): 139-142.

- Chomchalow, N. 1994. Flower forcing for cut flower production. [Online]. Available:<http://www.fao.org/docrep/005/ac452e/ac452e0b.htm> [2006, March 1].
- Dantu, P.K. and S.S. Bhojwani. 1995. *In vitro* corm formation and field evaluation of corm derived plants of gladiolus. *Sci. Hort.* 61: 115-129.
- Deinum, B., R.D. Sulastri, M.H.J. Zeinab and A. Maassen. 1996. Effects of light intensity on growth, anatomy and forage quality of two tropical grasses (*Brachiaria brizantha* and *Panicum maximum* var. trichoglume). *Netherlands J. AgriSci.* 42(2). 111-124.
- Department of Agricultural Extension, 2005: Annual Report 2004. p. 110-120. In: Annual Report of Department of agriculture and extension, Department of agriculture and extension, Bangkok.
- Department of Agriculture. 2006. Amazing Thai Curcuma. Bangkok, Thailand. [Online]. Available: www.earthcare.com.au/gigers.htm [2006, October 23]
- Ebrahim, M.K.H. 2003. Comparsion, determination and optimizing the conditions required for rhizome and shoot formation, and flowering of *in vitro* cultured calla explants. *Scientia Horticulturae.* 101(3): 305-313.
- Ewing, E.E. and P.C. Struik. 1992. Tuber formation in potato: induction, initiation and growth. *Hort. Rer.* 14:89-197.
- Ewing, E.E. 1995. The role of hormones in potato (*Solanum tuberosum* L.) tuberization. p. 698-724. In: Plant Hormone Physiology, Biochemistry and Molecular Biology (Davies, P.J., eds) Dordrecht Kluwer Academic.
- Ewing, E.E. 1987. The role of hormones in potato (*Solanum tuberosum* L.) tuberization. p. 515-536. In: Davies PJ (Ed) Plant Hormones and Their Role in Plant Growth and Development. Martinus Nijhoff Publishers, Dordrecht.
- Forsyth, C. and J. Staden. 1984. Tuberization of *Dioscorea bulbifera* stem nodes in culture. *Z. Pflanzenphysiol.* 115: 79-83.
- Gabryszewska, E. 1996. The influence of temperature, Daylength and sucrose concentration on the growth and development of *Alstroemeria 'Zebra'* *in vitro*. *Acta-Agrobotanica.* 49: 1-2, 131-140.
- Gagnepain, F. 1908. Zingiberaceae. p. 25-121. In: Lecompte H (ed.), *Flore Generale de l'Indo-Chine*, Tome 6 fasc. 1.

- Garner, N. and P. Blake. 1989. The induction and development of potato micorturers *in vitro* on media free of growth regulation substances. Ann. Bot. 63: 663-664.
- George, E.F. 1993. Plant Propagation by Tissue Cultue. Part 2. p. 231-234. In: Practice, Exegenetics Ltd., Edington, U.K.
- Gerald, S. 1997. Zingiberaceae. [Online]. Avaiable:<http://www.botany.hawaii.edu/faculty/carr/zingiber.htm> [2008, July 12]
- Gregory, L.E. 1956. Some factor for tuberization in the potato. Annals of Botany 43:281-288.
- Hagiladi, A., Umiel, N., Yang, X.H., 1997. *Curcuma alismatifolia*. II Effects of temperature and daylength on the development of flower and propagules. Acta Horticulturae. 430, 755-761.
- Halevy, A.H.1986. The induction of contractile roots in *Gladiolus grandiflorus*. Planta. 167: 94-100.
- Halevy, A.H. and I. Biran. 1975. Hormonal regulation of tuberization in Dahlia. Acta Hort. 47: 319-330.
- Hart, J.W. Light and plant growth. Unwin Hyman. London. 1988.
- Hazarika, B.N. 2003. Acclimatization of tissue-cultured plants. Current Science. 85(12): 1704-1712.
- Heglnbast, S. 1996. "Understanding starch functionality". [Online]. Available <http://www.vpico.com/articlemanager/printesfrindly.aspx?article=77519> [2008, February 10].
- Herbert, D., P.J. Phipps and R.W. Strange. 1971. Chemical analysis of microbial cells. In: Norris, J.R.; Ribbons, D.W. ed., Methods in microbiology. pp. 209-344. London, Academic Press.
- Hershey, D. 2001. "Do different colors of light affect the growing rate/ability of plants?". [Online]. Available:<http://madsci.org/posts/archives/2001-10/1002082634.Bt.r.html> [2008, February 10].
- Hodge, J.E. and B.T. Hofreiter. 1962. Determination of reducing sugar and carbohydrate, p. 380-394. In: R. L. Whisster and M.L. Wolfrom (eds.). Method in carbohydrate chemistry. Vol 1. Academic press. New York.
- Horton, H.R., L.A. Moran, R.S. Ochs, J.D. Rawn and K.G. Scrimgeour. Principle of biochemistry. Prentice Hall. NJ. 1996.

- Hosein, F. 2001. Isolation of high quality RNA from seeds and tubers of the Mexican yam bean (*Pachyrhizus erosus*). *Mol Plant. Biol Rep.* 19:65a-65e.
- Hussey, G. 1982. *In vitro* propagation of monocotyledonous bulbs and corms. p. 677-680. In: Fujiwara A (Ed) *Proc 5th Internat Cong Plant Tissue Cell Culture*, 1982. Japan Assoc Plant Tissue Culture, Macuzen Co. Ltd, Tokyo.
- Johansen, D.A. *Plant microtechnique*. McGraw-Hill, New York. 1940.
- Juma, B.F., A. Yenesew, J. O. Midiwo and P.G. Waterman. 1994. Flavones and phenylpropenoids in the surface exudates of *Psiadia punctulata*. *Phytochemistry*. 57(4): 571-574.
- Kamenetsky, R. 2000. Production of flower bulbs in regions with warm climates. In: *IX International Symposium of Flower Bulbs*, Toki Messei, Niigata. Japan.
- Kato-Noguchi, H. 2004. Red light-induced dwarfism and gibberelin 3 β -hydroxylase gene expression in *Pisum sativum*. *Plant Growth Regulation*. 42: 49-54.
- Kirkbride, J.H. 2007. New online guide for identifying the world's seeds and fruits. [Online]. Available:<http://ars.usda.gov/is/pr/2007/070308.htm%20> [2007, June 23].
- Koch, C., G. Noga and G. Strittmatter. 1994. Photosynthetic electron transport is differentially affected during early stages of cultivar/race-specific interactions between potato and *Phytophthora infestans*. *Planta*. 193: 51-557.
- Koda, Y. and Y. Okazawa. 1988. Detection of potato tuber-inducing activity in potato leaves and old tubers. *Plant Cell Physiol*. 29: 969-974.
- Kuehny, J.S., M.J. Sarmiento and P.C. Branch. 2002. Cultural studies in ornamental ginger. p. 477-482. In: J. Janick and A. Whipkey (eds.), *Trends in new crops and new uses*. ASHS Press, Alexandria, VA.
- Langeslag, K..1988. Root physiology of ornamental flowering bulbs. p. 57-188. In: *Horticultural Reviews*. 29
- Lawson, R.H. and M.S. Roh. New crops from USDA. American Floral Endowment Research Report III (1). 1992.
- Larsen, K. and S.S Larsen. Gingers of Thailand. Queen Sirikit Botanic Garden. Thailand. 2006.
- Lawlor,G and D.W. Lawlor. *Plant physiology*. 1st ed. England, Springer. 1995.

- Marlin. H. 2005. *In-vitro* microrhizome formation of ginger (*Zingiber officinale* Rosc.) in media supplemented by benzyl amino purine and sucrose. J. Akta Agrosia. 8(2):70-73.
- Martinez-Garcia. J.F. 2002. Control of photoperiod-regulated tuberization in potato by the *Arabidopsis* flowering-time gene CONSTANS. Plant Biology. 99(23): 15211-15216.
- Mathai, C.K. 1978. The pattern of rhizome yield and their accumulation of commercially important chemical constituents in turmeric (*Curcuma species*), during growth and development. Qual. Plant.Pl.Fds.Hum.Nutr. XXVIII, 3: 219-225.
- Moran, R. 1982. Formulae for determination of chlorophyllous pigments extracted with N,N-Dimethylformamide. Plant Physiology. 69(6)1376-1381.
- Murashige, T. and F. Skoog. 1962. A revised medium for rapid growth and bio-assays with tobacco tissue cultures. Physiologia Plantarum. 15: 473-497.
- Nayak, S. and P.K. Naik. 2005 Different modes of plant regeneration and factors affecting *in vitro* bulblet production in *Ornithogalum virens*. ScienceAsia. 31: 409-414.
- Nayak, S. 2000. *In vitro* multiplication and microrhizome induction in *Curcuma aromatica* Salisb. Plant Growth Regulation. 32 : 41-47.
- Noquet, C., F. Meuriot, S. Caillot, J.C. Avice, A. Oury, S.M. Cunningham and J.J. Volence. 2003. "Short-day photoperiod induces changes in Nuptake, N partitioning and accumulation of vegetative storage proteins in two *Medicago sativa* cultivars". [Online]. Available <http://dbonline.lib.cmu.ac.th/cabi/detail.nsp> [2005, December 16].
- Ohyama, T., T. Ikarashi and A. Baba. 1985. Nitrogen accumulation the root of tulip plants (*Tulip gesneriana*). Soil. Sci. Plant Nutr. 31: 581-588.
- Ohyama, T., T. Ikarashi and A. Baba. 1986. Analysis of the reserve carbohydrate in bulb scales of autumn planting bulb plants. Jour.Jap.Soil Sci.Plant Nutr. 57(2): 119-225.
- Paz, M. del P.P., Kuehny J. and Criley R.A. 2006. Ornamental Gingers as Flowering Potted Plants. p. 231-245. In: The spring 2005 edition of Louisiana Agriculture.

- Peter, K.V., P.N. Ravindran, K. Nirmal Babu, B. Saikumar, D. Minod, S.P. Geetha, and K. Rajalakshmi. 2002. Establishing *in vitro* conservatory of spices germplasm. ICAR Project Report, Indian Institute of Spices Research, Clicut, Kerala, India, p.131.
- Podwyszynska, M. and E. Gabryszecka. 2001. Effect of red light on *ex vitro* rooting of rose and gerbera microcutting in rockwool. Acta Horticulturae. 616 : 237-243.
- Pubuwpern, J. The growth and development of Curcuma. M.Sc Thesis, Chiang Mai University. 1992.
- Rout, G.R.; S.K. Palai, S. Samantaray and P. Das. 2001. Effect of growth regulator and culture conditions on shoot multiplication and rhizome formation in ginger (*Zingiber officinale* Rosc.) *In vitro*. In Vitro Cellular and Development Biology-Plant. 37(6): 814-819.
- Ruamrungsri, S., N. Ohtake, K. Sueyoshi, C. Suwanthada, P. Apavatirut and T. Ohyama. 2001. Changes in nitrogenous compounds, carbohydrates and abscisic acid in *Curcuma alismatifolia* Gagnep. During dormancy. J. of Horticultural Science and Biotechnology. 76(1): 48-51.
- Ruamrungsri, S. N. Ohtake, K. Sueyoshi, C. Suwanthada, T. Ohyama. and P. Apavatjrut. 2004. Effect of nitrogen and potassium on growth and development of *Curcuma alismatifolia* Gagnep. The 9th international symposium of flower bulb. Toki Messei, Niigata, Japan.
- Ruamrungsri, S., C. Suwanthada, P. Apavatjrut, N. Ohtake, K. Sueyoshi and T. Ohyama. 2005. Effect of nitrogen and potassium on growth and development of *Curcuma alismatifolia* Gagnep. Acta Hort. 673: 443-448.
- Ruamrungsri, S. 2006. Planting date and night break treatment affected off-season flowering of *Curcuma alismatifolia* Gagnep. In: 4th International symposium on the family Zingiberaceae. Singapore Botanic Gardens.
- Salisbury, F.B. and C.W. Ross. Plant physiology. 4th Ed. Wadsworth Publishing company, Belmont. 1992.
- Sirirugsa, P., Maknoi, C. and Larsen, K. 2007. The genus *Curcuma L.* (Zingiberaceae): Distribution and classification with reference to species diversity in Thailand. pp. 55. In: 4th International symposium on the family Zingiberaceae. Singapore Botanic Gardens. Singapore.


- Sood, S., A. Tyagi, B.C. Tripathy. 2004. Inhibition of photosystem I and photosystem II in wheat seedlings with their root-shoot transition zones exposed to red light. *Photosynth.Res.* 81: 31-40.
- Struik, P.C., U.R. Wageningen, S.G. Wiersema, I.A.C Wageningen. Seed potato technology. Wangeningen academic publishers, The Netherland. 1999.
- Sunitibala, H., M. Damayanti, M. and G.J. Sharma. 2001. *In vitro* propagation and rhizome formation in *Curcuma longa* Linn. *Cytobios*. 105:71-82.
- Taiz, L. and E. Zeiger. Plant Physiology. 2nd ed. Sinauer Associates, Massachusetts. 1998.
- Takahashi, Y., T. Chinushi and T. Ohyama. 1993. Quantitative estimation of N₂ fixation activity and N absorption rate in field grown soybean plants by relative ureide method. *Bulletin of the Faculty of Agriculture, Niigata University*. 45: 91-104.
- Terzaghi, W.B. and A.R. Cashmore. Light-regulated transcription. *Annu.Rev.Plant Physiol. Plant Mot.Biol.* 46: 445-74.
- Thomas, B. and D. Vince-Prue. Photoperiodism in plants. Academic Press, London. 1997.
- Tobin, E.M. and J. Siverthorne. 1985. Light regulation of gene expression in higher plants. *Ann.Rev.Plant.Physiol.* 36:569-593.
- Torres, K.C. 1957. Tissue Culture Techniques for Horticultural Crops. Neografia, Martin.
- Van Schreven, D.A. 1956. On the physiology of tuber formation in potatoes, I. premature tuber formation. *Plant and Soil.* VIII 1:49-55.
- Verhees, J., R. Alexander, Van D. Krol, D. Vreugdenhil and L.H.W. Van der Plas. 2002. Cell cycle and storage related gene expression in potato tubers. [Online]. Avaiable:<http://library.wur.nl/wda/abstracts/ab3231.html> [2007, November 12].
- Vichailak, O. Amazing Thai curcuma. Horticultural research institute, Bangkok, Thailand. 2006.
- Vlahos, J.C. 1991. Growth and development in Achimenes cultivars. [Online]. Avaiable:<http://libray.wur.nl/wda/abstracts/ab1433.html> [2007, April 11].

Wang, S., Gao, W., Chen, H. and Xiao, P. 2005. New starchs from Fritillaria species medicinal plants. Carbohydrate Polymers. 61: 111-114.

Wassink, E.C. and J.A.J Stolwijk. 1956. Effect of light quality on plant growth. Ann.Rev.Plant. Physiol. 7. 373-400.

Xu, X., D. Vreugdenhil and A.A.M. Van Lammeren. 1998. Cell division and cell enlargement during potato tuber formation. J. Exp.Bot. 49:573-582.

Yemm, E.W. 1935. Respiration of barley plants. II. Carbohydrate concentration, and carbon dioxide production in starving leaves. Proc.Roy.Soc. London B. 117:504-525.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright[©] by Chiang Mai University

All rights reserved