

REFERENCES

- Arends, J. C. 1970. Cytological observation on genome homology in eight interspecific hybrids of *Phalaenopsis*. *Genetica* 41: 88 - 100.
- Arunyawat, U. 1997. Random amplified polymorphic DNA technique for genetic analysis of *Curcuma spp.* Thesis for Master Degree of Science in Biology, Chiang Mai University, Chiangmai. 70 p.
- Auttatinpahorkun, W. and M. Auttatinpahorkun. 1993. The theory of PCR Technology. Faculty of Medicinal Technology, Mahidol University, Bangkok. 208 p.
- Benner, M. S., M. D. Braunstein and M. U. Weisberg. 1995. Detection of DNA polymorphism within the genus *Cattleya* (Orchidaceae). *Plant Mol. Biol. Sci.* 13: 147 - 155.
- Been, C. G., A. S. Na, J. B. Kim and H. Y. Kim. 2002. Random amplified polymorphic DNA (RAPD) for genetic analysis of *Phalaenopsis* species. *J. Korea Soc. Hort. Sci.* 43 (4): 387 - 391.
- Centre for the Promotion of Imports from Developing countries. 2009. CBI market survey: plants and young plant material market in the EU. [Online] Available: http://www.cbi.eu/marketinfo/the_plants_and_young_plant_material_market_in_the_eu (2009, September 20).
- Chang, S. B., W. H. Chen, H. H. Chen, Y. M. Fu and Y. S. Lin. 2000. RFLP and inheritance patterns of chloroplast DNA in intergeneric hybrids of *Phalaenopsis* and *Doritis*. *Bot. Bull. Acad. Sin.* 41: 219 - 223.

- Chang, Y. K., R. E. Veilleux and M. J. Iqbal. 2009. Analysis of Genetic Variability among *Phalaenopsis* species and hybrids using amplified fragment length polymorphism. *J. Amer. Soc. Hort. Sci.* 134 (1): 58 - 66.
- Charoenpakdee, S. and W. Bundithya. 2005. Analysis of genetic variation associated with flower characteristics of genus *Rhynchostylis*. *J. Agri.* 21 (2): 99 - 105.
- Chen, H. H., W. C. Tsai, S. Lin and W. H. Chen. 2001a. cDNA-AFLP analysis of differential gene expression in the flower buds of *Phalaenopsis* Hsing Fei cv.H. F. and its somaclonal variation. [Online] Available: http://www.google.co.th/search?q=cache:lKT07r9ddQJ:www.intlpag.org/9/abstracts/P3d_04.html+Phalaenopsis+and+AFLP&hl=th&ie=UTF-8&inlang=th (2004, October 16).
- Chen, J., P. S. Devanand, D. J Norman, R. J. Henny and C. T. Chao. 2004a. Genetic relationships of *Aglaonema* species and cultivars inferred from AFLP markers. *Ann. Bot.* 93: 157 - 166.
- Chen, J., R. J. Henny, D. J. Norman, P. S. Deanand and C. T. Chao. 2004b. Analysis of genetic relatedness of *Dieffenbachia* cultivars using AFLP markers. *J. Amer. Soc. Hort. Sci.* 129 (1): 81 - 87.
- Chen W. H., Y. M. Fu and R. M. Hsieh. 1995. Application of DNA amplification fingerprinting in the breeding of *Phalaenopsis* orchid, p. 341 - 346. *In* Terzi, M., R. Cell and A. Falavigna (eds.), *Current Issues in Plant Molecular and Cellular Biology*. Kluwer Academic, Dordrecht.
- Chen, W. H., T. M. Chen, Y. M. Fu, R. M. Hsieh and W. S. Chen. 1998. Studies on somaclonal variation in *Phalaenopsis*. *Plant Cell Rep.* 18: 7-13.

- Chen, W. H., W. T. Tsai, M. S. Chyou and Y. M. Fu. 2000. The breeding behavior of *Phalaenopsis equestris* (Schaure) Rchb.f. Taiw. Sug. 47 (1): 11 - 14.
- Chen, W. H., Y. M. Fu, W. T. Tsai, M. S. Chyou, R. M. Hsieh, C.C Wu and W. S Lin. 2001b. Identification and phylogenetic relationship of *Phalaenopsis* species via molecular analysis. Rep. Taiw. Sug. Res. Inst. 4: 23-39.
- Chen, W. H., Y. M. Fu, Y. S. Lin and Y. H. Chen. 2001c. Identification of RAPD marker linked to the red floral gene in *Phalaenopsis equestris* by a stepwise screening method. Taiw. Sug. 48 (4): 23 - 29.
- Chen, W. H., Y. Y. Kao, T. Y. Lin, C. C. Chen, W. L. Wu and H. H. Chen. 2001d. Genomic study of *Phalaenopsis* orchid. Proceeding of APOC7, Nagoya: 150 - 152.
- Chiangda, J. 1998. Random amplified polymorphic DNA technique for genetic analysis of Litchi (*Litchi chinensis* Sonn.) MS thesis of Science in Biology, Faculty of Science, Chiang Mai University, Chiang Mai. 64 p.
- Choi, S. K., M. J. Kim, J. S. Lee and K. H. Ryu. 2006. Genetic diversity and phylogenetic relationships among and within species of oriental cymbidiums based on RAPD analysis. Sci. Hort. 108: 79 - 85.
- Christenson, E. A. 2001. *Phalaenopsis*. Timber Press, Portland, Oregon. 330 p.
- Chung, S. Y., S. H. Choi, M.J. Kim, K. E. Yoon, G. P. Lee, J. S. Lee and K. H. Ryu. 2006. Genetic relationship and differentiation of *Paphiopedilum* and *Phragmipedium* base on RAPD analysis. Sci. Hort. 109: 153 - 159.
- Davis, L. G., J. B. Battey and W. M. Kuehl. 1994. Basic method in molecular biology. 2nd ed. Connecticut: Appleton & Lange. pp. 113 - 178.

- Devanand, P. S., Chen, J., Heny, R. J. and Chao, C. T. 2004. Assessment of genetic relationship among *Philodendron* cultivars using AFLP markers. *J. Amer. Soc. Hort. Sci.* 129 (5): 690 - 697.
- Doyle, J. J. and J. L. Doyle. 1990. Isolation of plant DNA from fresh tissue. *Focus* 12: 13 -14.
- Dressler, R. L. 1993. Phylogeny and Classification of the Orchid Family. Cambridge University Press, Melbourne. 314 p.
- Ellsworth, D. L., K. D. Rittenhouse and P.L Honeycutt. 1993. Artifactual variation in randomly amplified polymorphic DNA banding patterns. *Bio Techniques* 14: 214 - 217.
- Fay, M. F. 1999. Molecular techniques for orchid conservation. *Proceedings of the 16th World Orchid Conference, Vancouver.* 152 - 157.
- Fu Y. M., W. H. Chen, W. T. Tsai, Y. S. Lin, M. S. Chyou and Y. H. Chen. 1997. Phylogenetic studies of taxonomy and evolution among wild species of *Phalaenopsis* by random amplified polymorphic DNA markers. *Rept. Taiw. Sug. Res. Inst.* 157: 27 - 42.
- Griesbach, R. J. 2002. Development of *Phalaenopsis* orchids for the mass-market. p. 458 - 465. In Janick, J. and A. Wipkey (eds.), *Trends in new crops and new uses.* ASHS Press, Alexandria, Virginia.
- Hiroyuki, N. and Y. Masasuke. 2001. The rotary machine in the cell. ATP synthase. *J. Biol. Chem.* 276 (3): 1,665 - 1,668.
- Hong, Y., N. Xiang, K. T. Tan, M. Xu and S. M. Lee. 2000. Screening for genetic markers in a *Dendrobium* hybrids. *Singapore J. Pri. Ind.* 28: 69 - 71.

- Hsu, W. H., W. H. Tsi, D. P. Wang, S. Lin, Y. Y. Hsiao, W. H. Chen and H. H. Chen. 2008. Differential gene expression analysis by cDNA-AFLP between flower buds of *Phalaenopsis* Hsing Fei cv.H. F. and its somaclonal variant. *Pl. Sci.* 175: 415 - 422.
- Huang, S. C., C. C. Tsai and C. S. Sheu. 2000. Genetic analysis of *Chrysanthemum* hybrids based on RAPD molecular markers. *Bot. Bull. Acad. Sin.* 41: 257 - 262.
- Inpar, C. 2008. Crossability of fragrant *Dendrobium* with commercial cultivars and hybrids identification by RAPD technique. Thesis for Doctor of Philosophy (Horticulture), Chiang Mai University, Chiangmai. 86 p.
- Inthawong, S., W. Bundithya, N. Kuanprasert and P. Apavatjrut. 2006. Analysis of intersectional hybrids of *Dendrobium* by RAPD technique. *Kasetsart J. (Nat. Sci.)* 40: 456 - 461.
- Kamemoto, H. 1987. Genome breeding in *Dendrobium* orchids. In Chang, W. N. and R. T. Opena (eds.), The breeding of horticultural crop. Food and Fertilizer Technology Center for the Asian and Pacific Region, Taipei. 182 - 189.
- Kamemoto, H. and G. J. Wilfret. 1980. Inter- and multi-sectional *Dendrobium* hybrids. Proceeding of the 9th World Orchid Conference, Bangkok. 255 - 261.
- Karcher, S. J. 1995. Molecular biology. Academic Press, California. 280 p.
- Kishor, R., P. S. Sha Valli Khan and G. J. Sharma. 2006. Hybridization and in vitro culture of an orchid hybrid *Ascocenda* ‘Kangla’. *Sci. Hort.* 108: 66 - 73.

- Kao, Y. Y., S. B. Chang, T. Y. Lin, C. H. Hsieh, Y. H. Chen, W. H. Chen and C. C. Chen. 2001. Differential accumulation of heterochromatin as a cause for karyotype variation in *Phalaenopsis* orchid. Ann. Bot. 87: 387 - 395.
- Lim, S. H., P. C. Teng, Y. H. Lee and C. J. Goh. 1999. RAPD analysis of some species in the genus *Vanda* (Orchidaceae). Ann. Bot. 83: 193 - 196.
- Lin, S., H. C. Lee, W. H. Chen, C. C. Chen, Y. Y. Kao, Y. M. Fu, Y. H. Chen and T. Y. Lin. 2001. Nuclear DNA contents of *Phalaenopsis* species and *Doritis pulcherrima*. J. Amer. Soc. Hort. Sci. 126 (2): 195 - 199.
- Liu, T. H., H. M. Lin, T. Y. Chang and R. Y. Wu. 2003. Studies of using amplified fragment length polymorphism (AFLP) technique on identification of flower color and somaclonal variation in *Phalaenopsis*. J. Chi. Soc. Hort. Sci. 49 (2): 221 - 231.
- Loh, J. P., R. Kiew, A. Kee, L. H. Gan and Y. Y. Gan. 1999. Amplified fragment length polymorphism (AFLP) provides molecular markers for the identification of Caladium bicolor cultivars. Ann. Bot. 84: 155 - 161.
- Minoo, D., K. N. Babu, P. N. Ravindran and K. V. Peter. 2006. Interspecific hybridization in *Vanilla* and molecular characterization of hybrids and selfed progenies using RAPD and AFLP markers. Sci. Hort. 108 (4): 414 - 422.
- Negi, M. S., M. Devic, M. Delsenay and M. Lakshmikumaran. 2000. Identification of AFLP fragments linked to seed coat color in *Brassica juncea* and conversion to SCAR marker for rapid selection. Theor. Appl. Genet. 101: 146 - 152.
- Nei, M. 1972. Analysis of gene diversity in subdivided populations. Proc. Nat. Acad. Sci. 70 (12): 3,321 - 3,323.

- Newton, C. R. and A. Graham. 1994. PCR (Introduction to biotechniques). Bios scientific publishers, London. 161 p.
- Ngoksamoe, A. 2003. Analysis of genetic diversity in *Curcuma petiolata* Roxb. by AFLP markers. Thesis for Master of Science (Agriculture) Horticulture, Chiang Mai University, Chiangmai. 95 p.
- Obara-Okeyo, P. and S. Kako. 1998. Genetic diversity and identification of *Cymbidium* cultivars as measured by random amplified polymorphic DNA (RAPD) marker. *Euphytica*. 99: 95 - 101.
- Piyachokanakul, S. and P. S. Huehne. 2005. Identification of *Dendrobium* spp. using DNA markers. National Research Council of Thailand. 30 p.
- Rohlf, F. J. 2000. NTSYSpc, numerical taxonomy and multivariate analysis system, version 2.01 user guide. Exeter Software, Setauket, New York.
- Seidenfaden, G. 1986. Orchid Genera in Thailand XIII Thirty-three epidendroid genera. *Opera Botanica*, Copenhagen. 216 p.
- Sheehan, T. and M. Sheehan. 1994. An Illustrated Survey of Orchid Genera. Cambridge University Press, Portland. 421 p.
- Smith, J. F., C. C. Burke and W. L. Wagner. 1996. Interspecific hybridization in natural population of *Cyrtandra* (Gesneriaceae) on the Hawaiian Islands: evidence from RAPD markers. *Pl. Syst. Evol.* 200: 61 - 77.
- Smith, J. S. and O. S. Smith. 1991. Restriction fragment length polymorphisms can differentiate among U.S. maize hybrids. *Crop Science* 31: 893 - 899.
- Srithongroong, A. 1978. Studies of fertility and crossability in *Phalaenopsis* and *Doritis*. Thesis for Master of Science (Agriculture), Kasetsart University, Bangkok. 27 p.

- Sweet, H. R. 1980. The Genus *Phalaenopsis*. Day Printing Corp., California. 128 p.
- Tamura, K., J. Dudley, M. Nei and S. Kumar. 2007. WEGA4: molecular evolution genetics analysis (MEGA) software version 4.0. Mol. Biol. Evol. 24 (8) 1,596 - 1,599.
- Tang, C. Y. and W. H. Chen. 2007. Breeding and development of new varieties in *Phalaenopsis*. In Chen, W. H. and H. H. Chen (eds.), Orchid Biotechnology. World Scientific Publishing Co. Pte. Ltd., Toh Tuck Link. 276 p.
- Tomohisa, Y., K. Koichi, H. Takashi, H. Topik and I. Motomi. 2005. Molecular phylogenetics of *Phalaenopsis* (Orchidaceae) and allied genera: re-evaluation of generic concepts. Acta Phytotax. Geobot. 56 (2): 141 - 161.
- Tsai, C. C., S. C. Huang, P. L. Huang and C. H. Chou. 2003. Phylogeny of the genus *Phalaenopsis* (Orchidaceae) with emphasis on the subgenus *Phalaenopsis* based on the sequences of the internal transcribed spacers 1 and 2 of rDNA. J. Hort. Sci. & Biotechnol. 78 (6): 879 - 887.
- Vos, P., R. Hogers, M. Bleeker, M. Reijans, T. Van de Lee, M. Hornes, A. Frijters, J. Pot, J. Peleman, M. Kuiper and M. Zabeau. 1995. AFLP: A new technique for DNA fingerprinting. Nucl. Acids. Res. 23: 4,407 - 4,414.
- Weising, K., H. Nybom, K. Wolff, and W. Meyer. 1995. DNA Fingerprinting in Plants and Fungi. CRC Press, Inc., London. 322 p.
- Wilfret, G. J. and H. Kamemoto. 1969. Genome and karyotype relationships in genus *Dendrobium* (Orchidaceae). I. Crossability. Amer. J. Bot. 56 (5): 521 - 526.

- William, J. G. K., A. R. Kubelik, K. J. Livak, J. A. Rafalski and S.V. Tingey. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Res.* 18: 6,531 - 6,535.
- Wolff, K., J. Peters-Van Rijn, and H. Hofstra. 1994. RFLP analysis in *Chrysanthemum*. I. Probe and primer development. *Theor. Appl. Genet.* 88: 472 - 478.
- Wongpunya, K. 2005. Identification of *Galanga* by AFLP technique. Thesis for Master of Science (Agriculture) Horticulture, Chiang Mai University, Chiangmai. 72 p.
- Xiang, N., Y. Hong and L. T. Lam-Chan. 2003. Genetic analysis of tropical orchid hybrids (*Dendrobium*) with fluorescence amplified fragment length polymorphism (AFLP). *J. Amer. Soc. Hort. Sci.* 128 (5): 731 - 735.
- Xiao, J. P., L. G. Chen, M. Xie, H. L. Liu and W. Q. Ye. 2009. Identification of AFLP fragments linked to seedlessness in Ponkan mandarin (*Citrus reticulata* Blanco) and conversion to SCAR markers. *Sci. Hort.* 121 (4): 505 - 510.
- Yap, I. V. and R. J. Nelson. 1996. Winboot: A program for performing bootstrap analysis of binary data to determine the confidence limits of UPGMA-based dendrograms. *Intl. Rice Res. Inst.*, Manila, Philippines. 22 p.
- Yeh, F. C., R.C. Yang and T. B. J. Boyle. 1999. POPGENE, version 1.32 Microsoft window-based freeware for population genetic analysis. (University of Alberta Edmonton, Alberta Canada).