

REFERENCES

- Abdel-Aal, E.-S.M., J.C. Young, I. Rabalski. 2006. Anthocyanins composition in black, blue, pink, purple and red cereal grains. *Journal of Agriculture and Food Chemistry* 54: 4696 - 4704.
- Ahuja, S.C., DVS Panwar, U. Ahuja and KR. Gupta. 1995. Basmati rice – the scented pearl. CCS Haryana Agricultural University, Hisar, Haryana, India. 53 pp.
- Ahuja, U., S.C. Ahuja, N. Chaudhary, R. Thakrar. 2007. Red rices - past, present and future. *Asian Agri-History* 11: 291 - 304.
- Ahuja, U., S.C. Ahuja, T. Rashmi and R.K. Singh. 2008. Rice – A nutraceutical. *Asian Agri-History*, Vol. 12, No. 2. pp. 93-108.
- Andre, P., F. Komurian-Pradel, S. Deforges, M. Perret, J.L. Berland, M. Sodoyer, S. Pol, C. Brechot, G. Paranhos-Baccala and V. Lotteau. 2002. Characterization of low- and very-low-density hepatitis C virus RNA-containing particles. *J Virol.* 76: 6919 - 6928.
- Anwar, F., A. Tabreez and M. Zahid. 2005. Methodical characterization of rice (*Oryza sativa*) bran oil from Pakistan. *Grasasy Aceites*, Vol. 56. pp. 125-134.
- Arashi, K. 1974. Some thoughts on *Akamai* in Japan (*Nihon akamai ko*). Yuzankaku, Tokyo: 1-126.

- Bahmaniar M.A. and G.A. Ranjbar. 2007. Effects of nitrogen and potassium fertilizers on rice genotypes procession characteristics in Pakistan. *Journal of Biological Sciences* 10 (11): 1829 - 1834.
- Bechtel, D.B. and Y. Pomeranz. 1978. Ultrastructure of the mature ungerminated rice (*Oryza sativa*) caryopsis. The starchy endosperm. *Am J. Bot.*, 65: 684-691.
- Berger, A., D. Rein and A. Schafer. 2004. Similar cholesterol-lowering properties of rice bran oil, with varied gamma-oryzanol, in mildly hypercholesterolemic men. *Eur J Nutr.* May 19. [Epub ahead of print]
- Bergman, C.J. and Z. Xu. 2003. Genotype and environment effects on tocopherol, tocotrienol, and [gamma]-oryzanol contents of southern U.S. rice. *Cereal Chem.* 80(4): 446 - 449.
- Brandon, D.M., and Well, B. R. 1986. "Improving nitrogen fertilization in mechanized rice culture. Ch. 9" in: Nitrogen Economy of Flooded Rice Soils.
- Brown, J. and Peter D.S. Caligari. 2008. "An Introduction of plant breeding" in: heritability and its limitation. Blackwell Ltd. Oxford UK. P. 121.
- Bucci, L. R. 1990. Effect of ferulate on strength and body composition of weightlifters. *J Appl Sci Res.* 4: 104 - 109.
- Chanseok, R., K. Toshikazu, L. Michihisa, U. Mikio. 2003. Estimation of rice quality depending on the amount of nitrogen fertilizer. American Society of Agricultural and Biological Engineers, St. Joseph.

- Chen, P.N., S.C. Chu, H.L. Chiou, C.L. Chiang, S.F. Yang and Y.S. Hsieh. 2005. Cyanidin 3-Glucoside and Peonidin 3-Glucoside Inhibit Tumor Cell Growth and Induce Apoptosis In Vitro and Suppress Tumor Growth In Vivo. *Nutrition and cancer*, 53(2): 232 - 243.
- Chitrakon, S. and S. Boriboon. 2003. "The development of Thai rice varieties" in: Science and technology with Thai rice. Published by the Public Information Department Thailand's National Science and Technology Development Agency. pp. 31-78.
- Chung, H.S., J.C. Shin. 2007. Characterization of antioxidant alkaloids and phenolic acids from anthocyanin-pigmented rice (*Oryza sativa* cv. *Heugjinjubyeo*). *Food Chemistry* 104: 1670 - 1677.
- Cicero, A.F., A. Gaddi. 2001. Rice bran oil and gamma-oryzanol in the treatment of hyperlipoproteinaemias and other conditions. *Phytother Res.* June; 15(4): 277 - 289.
- Consuelo, M. P., B. O. Juliano, S. P. Liboon, J. M. Alcantara and K. G. Cassman. 1996. Effect of late nitrogen fertilizer application on head rice yield, protein content and grain quality of rice. *Cereal Chem.* 73(5): 556 - 560.
- Coppini, D., P. Paganizzi, P. Santi and A. Ghirardini. 2001. Capacità protettiva nei confronti delle radiazioni solari di derivati di origine vegetale. *Cosmetic News* 136: 15 - 20.

- Dali, Z., H. Jiang, D. Guojun, L. Jian, A. Longium, A. Guangheng, G. Longbiao and Q. Qian. 2006. Quantitative Trail Loci mapping of flag-leaf ligule length in rice and alignment with *ZmLGI* gene. *Journal of Integrative Plant Biology*. 51(4): 360 - 366.
- De Datta, S.K. 1981. Systems of rice culture. In Principles and practices of rice production. A Wiley-Interscience publication, Singapore. Pp. 221-258.
- Deka, S. C., D.R. Sood and S.K. Gupta. 2000. Effect of Storage on Fatty Acid Profiles of Basmati Rice (*Oryza sativa* L.) genotypes. *J. Food Sci. Technol.*, 37: 217 - 221.
- Del Rosario, A.R., V.P. Briones, A.J. Vidal and B.O. Juliano. 1968. Composition and endosperm structure of developing and mature rice kernel. *Cereal Chem.*, 45: 225-235.
- Dobermann, A. and T. Fairhurst. 1999. Field Handbook. Nutrition Disorders and Nutrient Management in Rice. IRRI/PPIC.
- Dobermann, A., K.G. Cassman, C.P. Manaril, J.E. Sheehy. 1998. Management of phosphorus, potassium and sulfur in intensive, irrigated lowland rice. *Field Crops Res.* 56, 113 - 138.
- Duke, J. A. and Ayensu, E. S. 1985. Medicinal plants of China. Reference Publications, Inc. Algonac, MI.
- Duke, J. A. and Wain, K. K. 1981. Medicinal Plants of the World. Vol. III
- Duve, J.K. and P.Z. White. 1991. Extraction and identification of antioxidants in oats. *Journal of the American Oil Chemists' Society* 68: 365 - 369.

- Elizabeth, A.V., F.S. Edson, A.S. Eliana, C.X. Giancarlo and A. Akihiko. 2008. Morphoagronomic genetic diversity in American wild rice species. *Braz. Arch. Biol. Technol.* V. 51 n.1: 95 - 104.
- Falconer, D.S. 1996. "Heritability" in Introduction to quantitative genetics. 2nd ed. English Language Book Society/Longman. pp. 148 - 154.
- Fang, N., S. Yu and T.M. Badger, 2003. Characterization of triterpene alcohol and sterol ferulates in rice bran using LC-MS/MS. *J. Agric. Food Chem.*, 51: 3260-3267. <http://cat.inist.fr/?aModele=afficheN&cpsidt=14792756>
- FAO. 2002. Sustainable rice production for food security. Proceedings of the 20th session of the international rice commission. 23 - 26 July, Bangkok, Thailand.
- FAO. 2004. Rice is life. International year of rice 2004. Food and agriculture organization of the United Nations. pp. 1 - 2.
- Finocchiaro, F., B. Ferrari, A. Gianinetti, C. Dall'Asta, G. Galaverna, F. Scazzina, N. Pellegrini. 2007. Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. Molecular *Nutrition & Food Research* 51: 1006 - 1019.
- Frei, M. and K. Becker. 2004. Agro-biodiversity in subsistence-oriented farming systems in a Philippine upland region: nutritional considerations. *Biodiversity and conservation* 13: 1591 - 1610.
- Geleta, S., D.D. Baltensperger, G.D. Binford and J.F. Miller. 1997. Sunflower response to nitrogen and phosphorus in wheat-fallow cropping systems. *Journal of Production Agriculture*. Vol. 10: 466 - 472.

- Griffing, B. 1956. Concept of general and specific combining ability in relation to diallel crossing systems. Manuscript received June 5. 463 - 493.
- Grist, D. H. 1986. "Fertilizers and manures" in: Rice sixth edition. Published in the United States of America by Longman Inc., New York. pp. 257 - 264.
- Grist, D. H. 1986. "The genetic of rice" in: Rice sixth edition. Published in the United States of America by Longman Inc., New York. pp. 118-119.
- Han, Y. W. and Anderson, A. W. 1974. The Problem of rice straw waste a possible feed trough fermentation. *Econ. Bot.* 28: 338 - 344.
- Hartwell, J. L. 1971. Plants used Against Cancer. A survey. *Lloyd.* 30 - 34.
- Hayashi, K. and Y. Abe. 1952. Fundamentals on experimental procedures for the paper-chromatographic survey of naturally occurring anthocyanin. *Rept. Res. Inst. Natural Resources.* 28: 1-11.
- Hayashi, K. and T. Isaka. 1964. Studies for Anthocyanin XIV. Uber Wasserstoffionen konzentration des Pressftes aus der anthocyan fuhrenden Pflazenorganen. *Proc. Japan. Acad.* 22: 256-258.
- Hiramitsu, T. and D. Armstrong. 1991. Preventive effect of antioxidants on lipid peroxidation in the retina, *Ophtalmic Res.* 23: 196–203.
- Huang, F.S., Z.X. Sun, P.S. Hu and S.Q. Tang. 1998. Present situations and prospects for the research on rice grain quality forming. *Chinese J Rice Sci* 12: 172-176.
- Ichimaru, Y., M. Moriyama, M. Ichimaru, Y. Gomita. 1984. Effects of Gamma-oryzanol on gastric lesions and small intestinal prppulsive activity in mice. *Nippon Yakurigaku Zasshi.* 84(6): 537 - 542.

IFA (International Fertilizer Industry Association). 2002. Fertilizer Use by Crops. 5th ed. Rome, Italy:IFA, IFDC,IPI,PPI,FAO [*Online*].

Available <http://www.fertilizer.org/ifa/> (July 29, 2006)

IRRI/IBPGR. 1980. Descriptors for rice (*Oryza sativa* L.). IRRI. Manila , Philippines .

Ishihara, M. and Y. Ito. 1982. Clinical effect of gamma-oryzanol on climacteric disturbance on serum lipid peroxides. Nippon Sanka Fujinka Gakkai Zasshi 34(2): 243 - 251.

Itoh, T., Tamura, T., & Matsumoto, T. 1973. Sterol composition of 19 vegetable oils.

Journal of the American Oil Chemists Society. 50: 122 - 125.

Jang, S., Z. Xu. 2009. Lipophilic and hydrophilic antioxidants and their antioxidant activities in purple rice bran. *Journal of Agricultural and Food Chemistry* 57: 858 - 862.

Jariwalla, R.J. 2001. Rice-bran products: Phytonutrients with potential applications in preventive and clinical medicine. *Drugs Exptl. Clin. Res.* XXVII (1): 17 - 26.

Jitrakorn, S. 2003. “Rice and the Thai way of life” in Science and technology with Thai rice. Published by the Public Information Department Thailand’s National Science and Technology Development Agency. pp. 13-24.

John, M. P. and A. S. David. 1995. “Breeding Rice” in: Breeding Field Crops. pp. 278 - 297.

Jones, J.B. 1998. “The major elements” in: Plant nutrition manual, USA. pp. 33-54.

Joseph, J. 1972. Asraoa triandra (Arecaceae) – a newgenus and species of palm from Lohit District,Arunachal Pradesh. *Bull. Bot. Surv. India* 14: 144-148.

Juliano, B.O. 1993. Grain structure, composition and consumers’ criteria for quality.

Rice in human nutrition. IRRI and FAO. Rome.

- Juliano, B.O. and D.B. Bechtel. 1985. "The rice grain and its gross composition" in: B.O. Juliano, ed. Rice chemistry and technology, 2nd ed., St Paul, MN, USA, Am. Assoc. Cereal Chem. pp. 17-57.
- Kalardee, D., P. Puntipa, T. Tawatchai and G. Apinan. 2003. Accumulation of gamma oryzanol in purple rice grain. Poster. Technology for life, Biothailand, Pattaya Thailand, 2003.
- Kalardee, D. 2007. Purple rice: Becoming a neglected Thai natural resource (in Thai) [Online]. Available: <http://www.mothersrice.com/ecommerce/> (March 20, 2007)
- Kitano, H., Y. Futshhara and H. Satoh. 1993. "Morphological variations in rice cultivars" in: Science of the rice plant, vol. one, Morphology. Food and Agriculture Policy Research Center, Tokyo, Japan. pp. 79-88.
- Kim, D.H., K.D. Moon and J.S. Rhee. 1995. Measurement of superoxide dismutase-like activity of natural antioxidants. *Biosci. Biotechnol. Biochem.* 59: 822 - 826.
- Kim, J.S., J.S. Godber, J.M. King, W. Prinyawiwatkul, and H.Y. Chung. 2000. Vitamin E vitamers and g-oryzanol from rice bran inhibit the formation of 7-ketcholesterol in aqueous dispersion system. (51E-1). Book of Abstracts: IFT Annual Meeting, Dallas, Texas. June 10-14.
- Kuo, Y.C. and Li C.P., 1994. Genetic analysis of leaf length and width of flag leaf in rice. *Jour. Agric. Res. China* 43(2): 123-134.
- Lichenstein, A.H., L.M. Ausman, J.L. Jenner, W. Carrasco and E.J. Schaefer. 1994. *Arteriosclerosis*. 11: 1603 a.

- Lin, J.K. and M.S. Weng. 2006. "Flavonoids as nutraceuticals" in Grotewold, E. (Ed.), *The Science of Flavonoids*. Springer, New York (USA). pp. 213 - 238.
- Ling, W.H., Q.X. Cheng, J. Ma and T. Wang. 2001. Red and black rice decrease atherosclerotic plaque formation and increase antioxidant status in rabbits. *Journal of Nutrition* 131: 1421 - 1426.
- Lu, J.J. and T.T. Chang. 1980. "Rice in its temporal and spatial perspective" in: B.S. Luh, ed. *Rice: production and utilization*, Westport, CT, USA, AVI Publishing Co. pp. 1-74.
- Maclean, J.L., D.C. Dawe, B. Hardy and G.H. Hettel. 2002. :Rice almanac" in: Source book for the most important economic activity on earth. IRRI: p. 8.
- Matias, L.R, M. Wiebers and F.E. Below. 2006. Optimization of Corn Grain Composition with Variable Rate Nitrogen Fertilization. 18th World Congress of Soil Science. July 9 - 15. Philadelphia, Pennsylvania, USA.
- Miller, A. F., S. Thomas, Hans-Georg and E. Karl-Heinz. 2003. Coupled liquid chromatography-gass chromatography for the rapid Analysis of gamma oryzanol in the lipids. *Journal of Chromatography A*. 985: 403 - 410.
- Miller, D. F. 1958. Compositon of cereal grains and forages. National Academy of Sciences, National Research Council, Washington, DC. p. 585.
- Mizuta, K., and K. Itaya. 1978. Effect of gamma-oryzanol on gastric secretions in rats. *Nippon Yakurigaku Zasshi*. 74(2): 285 - 295.
- Moreau, R.A., M.J. Powell, K.B. Hicks and R.A. Norton, 1998. "A comparison of the levels of ferulate-phytosterol esters in corn and other seeds" in: *Advances in Plant Lipid Research*, Sanchez, J., E. Cerdá-Olmedo and E. Matínez-Force (Eds.). Universidad de Sevilla, Sevilla, Spain, pp: 472-474.

- Mounmeuangxam, K. 2003. Rice Diversity and farmers' management in Houaphanh Province of the Lao PRD. M.S. Thesis (Agriculture) in Agricultural System, Graduate School Chiang Mai University. pp. 42 - 92.
- Murase, Y. and H. Iishima, 1963. Clinical studies of oral administration of gamma-oryzanol on climacteric complaints and its syndrom. *Obstet Gynecol Prac.*(12). pp. 147-149.
- Nakayama, S., A. Manabe, J. Suzuki, K. Sakamoto, and T. Inagake. 1987. Comparative effects of two forms of γ -oryzanol in different sterol compositions on hyperlipidemia induced by cholesterol diet in rats. *Japan Journal of Pharmacology* 44(2): 135-143.
- Nagao, S. 1951. Genetic analysis and linkage relationships of characters in rice. *Advances in Genetics*. 4: 181-212.
- Nakayama, S., A. Manabe, J. Suzuki, K. Sakamoto and T. Inagake. 1987. Comparative effect of two forms of gamma oryzanol in different sterol compositions on hyperlipidemia induced by cholesterol diet in rats. *Japan Journal of Pharmacology* 44 (2): 135-143.
- Nam, S.H., S.P. Choi, M.Y. Kang, H.J. Koh, N. Kozukue and M. Friedman. 2006. Antioxidant activities of bran extracts from twenty one pigmented rice cultivars. *Food Chemistry* 94: 613-620.
- Nanua, J.U., Mc Gregor and J.S. Godber. 2000. Influence of high-oryzanol rice bran oil on the oxidative stability of whole milk powder. *J. Dairy Sci.* 83: 2426-2431.
- Nicolosi, R.J. 1991. Health benefits attributed to derivatives of rice bran. *Cereal Foods World* 36(8): 720.

Nystrom, L., 2007. Occurrence and properties of steryl ferulates and glycosides in wheat and rye. PhD thesis. University of Helsinki.

<https://oa.doria.fi/handle/10024/29201>

Oka, H.I. and W.T. Chang. 1963. A note on rice varieties of *japonica* type found in Northern Thailand. *Bot. Bull. Acad. Sinica* 4: 163-168.

Oka, H. I. 1998. Origin of cultivated rice. Japan Scientific Societies Press. New York: Elsevier.

Piyasilp, B. and K. Areewan. 2006. Local rice genetic-diversity in Northeastern Thailand [Online]. Available <Http://www.grain.org/gd> (September 13, 2006).

Reed, C. F. 1976. Information summaries on 1000 economic plants. Typescripts submitted to the USDA.

Rogers, E.J., S.M. Rice, R.J. Nicolosi, D.R. Carpenter, C.A. McClelland and L.J.

Romanczyk. 1993. Identification and quantitation of γ -oryzanol components and simultaneous assessment of tocols in rice bran oil. *Journal of the American Oil Chemists' Society*. 70: 301-307.

Rong, N., L.M. Ausman and R.J. Nicolosi. 1997. Oryzanol decreases cholesterol

absorption and aortic fatty steaks in hamsters. *Lipids*. 32: 303-309.

Rukmini, C. and T. C. Raghuram. 1991. Nutritional and biochemical aspects of the hypolipidemic action of rice bran oil: A review. *Journal of the American College of Nutrition* 10(6): 593-601.

Rutger, J. N. 1981. Rice. *Oryza sativa*. Hand book of biosolar resources. Resource materials. CRC Press, Inc., Boca Raton, FL. Vol. II. pp. 199-209.

Ryu, S.N., S.Z. Park and H. Chi-tang. 1998. High performance liquid chromatographic of anthocyanin pigments in some varieties. *Journal of food and Drug analysis.* 729-736.

Sakamoto, S. 1993. "Non-waxy rice and waxy rice" in: Science of the rice plant, vol. one, Morphology. Food and Agriculture Policy Research Center, Tokyo, Japan. pp. 76-78.

Sakamoto, K., T. Tabata, K. Shirasaki. 1987. Effect of gamma-oryzanol and cycloartenol ferulic acid ester on cholesterol diet induced hyperlipidemia in Rats. *Jpn J Pharmacol.* 45(4): 559-565.

Scavariello, E.M., D.B. Arellano. 1998. Gamma-oryzanol: an important component in rice bran oil. *Arch Latinoam Nutr.* 48(1): 7-12.

Schoenly, K., Mew, T. W. and W. Reichardt. 1998. Biological diversity of rice landscapes. In N.G. Dowling, S.M. Greenfield and K.S. Fischer (Eds.) Sustainability of rice in the global food system. IRRI, Philippines. pp 285-299

Seetharamaiah, G.S. and N. Chandrasekhara. 1990. Effect of oryzanol on cholesterol absorption and fecal bile acids in rats. *Indian J. Med. Res.* 92: 471-475.

Seetharamaiah, G.S., T.P. Krishnakantha and N. Chandrasekhara. 1990. Influence of Oryzanol on platelet aggregation in rats. *J. Nutr. Sci. and Vitaminol.* 36: 291-297.

Shen, Y., L. Jin, P. Xiao, Y. Lu and J. Bao. 2009. Total phenolics, flavonoids, antioxidant capacity in rice grain and their relations to grain color, size and weight. *Journal of Cereal Science* 49: 106-111.

- Shi, C.H., J. Zhu, R.C. Zandg and G.L. Chen. Genotype x Environment interaction Effects and Heterosis Analysis for cooking quality traits of indica rice. *Rice Genetics Newsletter* vol. 13: 131-132.
- Smil, V. 2001. Enriching the earth. Cambridge, MA: The MIT Press.
- Smith, J.D. and M.L. Kinman. 1965. The use of parent-offspring regression as an estimator of heritability. *Crop Science* 5: 595-596.
- Somrith, B. 1992. "Rice: Number one export crop" in: The 1992 technical report of the Department of Agriculture, Ministry of Agriculture and Cooperatives. pp. 11-30.
- Strocchi, A. and M.D. Levitt. 1991. Measurement of starch absorption in humans. *Canadian Journal of Physiology and Pharmacology* 69: 108-110.
- Sunarin, S., K. Dumnern and S. Chatana. 2000. Karyotype of purple rice chromosome. *Journal of Agriculture.*, CMU 16 (1) : 46-52.
- Syed, S.A., M. Akhter, M. Sabar and M. Ahmad. 2007. Evaluation of rice cms lines from diverse male sterility sources in Pakistan. *J. Agri. Res.* 253-260.
- Sugano, M. and E. Tsuji. 1997. Rice bran oil and cholesterol metabolism. *Journal of Nutrition* 127: 521S-524S.
- Taira, H., 1989. Fatty acid composition of Indica and Japonica types of rice bran and milled Rice. *J. Amer. Oil Chem. Soc.* 66: 1326-1329.
- Takahashi, M. 1957. Analysis of apiculus aolour genes essential to anthocyanin coloration in rice. *J. Fac. Agric., Hokkaido.* 50 (3): 266-362.
- Tanaka, K., T. Yoshida, K. Asada and Z. Kasai. 1973. Subcellular particles isolated from aleurone layer of rice seeds. *Arch. Biochem. Biophys.*, 155: 136-143.

- Tanaka, K., M. Ogawa and Z. Kasai. 1977. The rice scutellum. II. A comparison of scutellar and aleurone electron-dense particles by transmission electron microscopy including energy-dispersive X-ray analysis. *Cereal Chem.*, 54: 684-689.
- Teltathum, T., P. Petai and P. Puntipa. 2004. Effect of gamma oryzanol on immune response in male mice. *Journal of Agriculture.*, CMU 20 (2) : 103-110.
- Toyokuni, S., T. Itani, Y. Morimitsu, K. Okada, M. Ozeki, S. Kondo, K. Uchida, U. Osawa, H. Hiai and T. Tashiro. 2002. Protective effect of colored rice over white rice on Fenton reaction-based renal lipid peroxidation in rats. *Free Radical Research* 35: 583-592.
- Tunceturk, M. and B. Yildirim. 2004. Effects of different forms and doses of nitrogen fertilizers on safflower (*Chartamus tinctorius* L.). *Pakistan Journal of Biological Science*. Vol. 7(8): 1385-1389 .
- UNIDO (United Nations Industrial Development Organization) and IFDC (International Fertilizer Development Center). 1996. The role of fertilizer in agriculture. Fertilizer Manual. Published by Kluwer Academic Publishers, Netherlands. pp. 20-32.
- Vo Ha, P. 2009. Phenotypic Characterization and Chlorophyll Content in Leaf of Local Purple Glutinous Rice Varieties. M.S. Thesis. Department of Plant Science and Natural Resources. Faculty of Agriculture, Chiang Mai University, Thailand.
- Watabe, T. and O. Umekage. 1959. Characteristics of starch contained in various organs of glutinous rice plants. *Proc. Crop Sci. Soc. Japan* 27: 441-442.

- Watabe, T. 1967. Glutinous rice in Northern Thailand. The center for south East Asia studies, Kyoto University. Japan. 37 p.
- Well, B. R. 1960. Nitrogen absorption by rice as determined by the use of the stable Isotope¹⁵ N. M.S. thesis. University of Arkansas, Fayetteville.
- Willcox, J.K., S.L. Ash and G.L. Catignani. 2004. Antioxidant and prevention of chronic disease. *Critical Reviews in Food Science and Nutrition*. 44: 275-295.
- World Resources Institute (WRI.) 2002. Planting for sustainable development.
[Online] Available: <http://www.wri.org/wri/> (August 10, 2002)
- Xia, M., W.H. Ling, J. Ma, D.D. Kitts and J. Zawistowski. 2003. Supplementation of diets with the black rice pigment fraction attenuates atherosclerotic plaque formation in apolipoprotein E deficient mice. *Journal of Nutrition* 133: 744-751.
- Xu, Z., and J. S. Godber. 1999. Purification and identification of components of gamma oryzanol in Rice Bran Oil. *Journal of Agricultural and Food Chemistry*. 47: 2724-2728.
- Xu, Z. and J. S. Godber. 2001. Antioxidant activity of tocopherols, tocotrienols, and gamma oryzanol components from rice bran against cholesterol oxidation accelerated by 2, 2'-azobis (2-methylpropionamidine) dihydrochloride. *J. Agric Food Chem.* 49(4): 2077-2081.
- Zhang, M.W., B.J. Guo, Z.C. Wei, Z.H. Xu, Y. Zhang and R.F Zhang. 2005. Antioxidations and their correlation with total flavonoid and anthocyanin contents in different black rice varieties. *Scientia Agricultura Sinica* 38(7): 1324-1331.

Zhang, M.W., B.J. Guo, R. Zhang, J. Chi, Z.C. Wei, Z.H. Xu, Y. Zhang and X. Tang.
2006. Separation, purification and identification of antioxidant composition in
black rice. *Agricultural Sciences in China* 5: 431-440.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved