

REFERENCES

1. Barre-Sinoussi F, Chermann JC, Rey F, Nugeyre MT, Chamaret S, Gruest J, et al. Isolation of a T-lymphotropic retrovirus from a patient at risk for acquired immune deficiency syndrome (AIDS). *Science*. 1983 May 20;220(4599):868-71.
2. UNAIDS/WHO. AIDS epidemic update: December 2005: UNAIDS; 2005.
3. The world health report 2005: make every mother and child count. Geneva, switzerland: World Health Organization; 2005.
4. Palella FJ, Jr., Delaney KM, Moorman AC, Loveless MO, Fuhrer J, Satten GA, et al. Declining morbidity and mortality among patients with advanced human immunodeficiency virus infection. HIV Outpatient Study Investigators. *N Engl J Med*. 1998 Mar 26;338(13):853-60.
5. Polis M, Masur H. Cytomegalovirus infection in patients with HIV infection. In: Merigan TC, Bartlett JG, Bolognesi D, editors. *Textbook of AIDS Medicine*. 2nd ed. Baltimore: Waverly company; 1999. p. 373-90.
6. Vancikova Z, Dvorak P. Cytomegalovirus infection in immunocompetent and immunocompromised individuals--a review. *Curr Drug Targets Immune Endocr Metabol Disord*. 2001 Aug;1(2):179-87.
7. Gandhi MK, Khanna R. Human cytomegalovirus: clinical aspects, immune regulation, and emerging treatments. *Lancet Infect Dis*. 2004 Dec;4(12):725-38.
8. Kirubakaran SI. Update: Cytomegalovirus infection in HIV-infected Patients. *Clinical microbiology newsletter*. 2004 September 15, 2004;26(18):137-44.
9. Komanduri KV, Feinberg J, Hutchins RK, Frame RD, Schmidt DK, Viswanathan MN, et al. Loss of cytomegalovirus-specific CD4+ T cell responses in human immunodeficiency virus type 1-infected patients with high CD4+ T cell counts and recurrent retinitis. *J Infect Dis*. 2001 Apr 15;183(8):1285-9.

10. Griffiths PD. CMV as a cofactor enhancing progression of AIDS. *J Clin Virol.* 2006 Apr;35(4):489-92.
11. Webster A, Lee CA, Cook DG, Grundy JE, Emery VC, Kernoff PB, et al. Cytomegalovirus infection and progression towards AIDS in haemophiliacs with human immunodeficiency virus infection. *Lancet.* 1989 Jul 8;2(8654):63-6.
12. Webster A. Cytomegalovirus as a possible cofactor in HIV disease progression. *J Acquir Immune Defic Syndr.* 1991;4 Suppl 1:S47-52.
13. Kovacs A, Schluchter M, Easley K, Demmler G, Shearer W, La Russa P, et al. Cytomegalovirus infection and HIV-1 disease progression in infants born to HIV-1-infected women. Pediatric Pulmonary and Cardiovascular Complications of Vertically Transmitted HIV Infection Study Group. *N Engl J Med.* 1999 Jul 8;341(2):77-84.
14. Robain M, Boufassa F, Hubert JB, Persoz A, Burgard M, Meyer L. Cytomegalovirus seroconversion as a cofactor for progression to AIDS. *Aids.* 2001 Jan 26;15(2):251-6.
15. Lurain NS, Robert ES, Xu J, Camarca M, Landay A, Kovacs AA, et al. HIV type 1 and cytomegalovirus coinfection in the female genital tract. *J Infect Dis.* 2004 Aug 1;190(3):619-23.
16. Marodi L. CMV in HIV-Infected Newborns. *Pediatric Research.* 2000;47(2):173.
17. Nigro G, Adler SP, La Torre R, Best AM. Passive immunization during pregnancy for congenital cytomegalovirus infection. *N Engl J Med.* 2005 Sep 29;353(13):1350-62.
18. Mocarski ES, Courcelle CT. Cytomegalovirus and their replication. In: Field BN, Knipe DM, Howley PM, editors. *Field's virology.* 4 ed; 2001. p. 2629 -73.
19. Murphy FA. Virus taxonomy. In: Field BN, Knipe DM, Howley PM, editors. *Fundamental virology.* 3 ed. Philadelphia: Lippincott-Raven Publishers; 1995. p. 15-57.
20. Landolfo S, Gariglio M, Gribaudo G, Lembo D. The human cytomegalovirus. *Pharmacology & Therapeutics.* 2003;98:269-97.

21. Spector SA, Hsia K, Crager M, Pilcher M, Cabral S, Stempien MJ. Cytomegalovirus (CMV) DNA load is an independent predictor of CMV disease and survival in advanced AIDS. *J Virol.* 1999 Aug;73(8):7027-30.
22. Sweet C. The pathogenicity of cytomegalovirus. *FEMS Microbiol Rev.* 1999 Jul;23(4):457-82.
23. Griffiths PD, Emery VC. Cytomegalovirus. In: Rishman DD, Whitley RJ, Hayden FG, editors. *Clinical virology*. Second ed. Washington D C: ASM Press; 2002. p. 433 - 61.
24. Jonjic S, Pavic I, Lucin P, Rukavina D, Koszinowski UH. Efficacious control of cytomegalovirus infection after long-term depletion of CD8+ T lymphocytes. *J Virol.* 1990 Nov;64(11):5457-64.
25. Hengel H, Brune W, Koszinowski UH. Immune evasion by cytomegalovirus--survival strategies of a highly adapted opportunist. *Trends Microbiol.* 1998 May;6(5):190-7.
26. Pass RF. Cytomegalovirus. In: Field BN, Knipe DM, Howley PM, editors. *Field's virology*. 4 ed; 2001. p. 2675-705.
27. Rapp M, Messerle M, Buhler B, Tannheimer M, Keil GM, Koszinowski UH. Identification of the murine cytomegalovirus glycoprotein B gene and its expression by recombinant vaccinia virus. *J Virol.* 1992 Jul;66(7):4399-406.
28. Harari A, Zimmerli SC, Pantaleo G. Cytomegalovirus (CMV)-Specific Cellular Immune Responses. *Human Immunology.* 2004;65:1-7.
29. Likitnukul S, Bhattarakosol P, Poovorawan Y. Seroprevalence of cytomegalovirus infection in children born to HIV-1 infected women. *Asian Pac J Allergy Immunol.* 2003 Jun;21(2):127-30.
30. Urwijitaroon Y, Teawpatanataworn S, Kitjareontarm A. Prevalence of cytomegalovirus antibody in Thai-northeastern blood donors. *Southeast Asian J Trop Med Public Health.* 1993;24 Suppl 1:180-2.
31. Kositanon U, Wasi C, Chandanayong D, Thongcharoen P. Prevalence of cytomegalovirus antibodies in Thai blood donors. *Asian Pac J Allergy Immunol.* 1985 Dec;3(2):179-82.
32. Tantivanich S, Suphadtanaphongs V, Siripanth C, Desakorn V, Suphanit I, Phromin S, et al. Prevalence of cytomegalovirus antibodies among various age

- groups of Thai population. *Southeast Asian J Trop Med Public Health.* 1999 Jun;30(2):265-8.
33. Tantivanich S, Auwanich W, Tharavanij S. Infection rates of Cytomegalovirus among Thai pregnant women. *Southeast Asian J Trop Med Public Health.* 1982 Dec;13(4):596-600.
 34. Taechowisan T, Sutthent R, Louisirirotchanakul S, Puthavathana P, Wasi C. Immune status in congenital infections by TORCH agents in pregnant Thais. *Asian Pac J Allergy Immunol.* 1997 Jun;15(2):93-7.
 35. Tantivanich S, Amarapal P, Suphadtanaphongs W, Siripanth C, Sawatmongkonkun W. Prevalence of congenital cytomegalovirus and Toxoplasma antibodies in Thailand. *Southeast Asian J Trop Med Public Health.* 2001 Sep;32(3):466-9.
 36. Pancharoen C, Bhattacharrosol P, Thisyakorn U. Seroprevalence of cytomegalovirus infection in children. *Southeast Asian J Trop Med Public Health.* 1998 Jun;29(2):269-72.
 37. Pholampaisathit S, Lausoontornsiri W. Rate of congenital cytomegalovirus infection: 1996-2000. *Bulletin of the department of medical services.* 2001 May, 2001;26(5):200-5.
 38. Holland CA, Ma Y, Moscicki B, Durako SJ, Levin L, Wilson CM. Seroprevalence and risk factors of hepatitis B, hepatitis C, and human cytomegalovirus among HIV-infected and high-risk uninfected adolescents: findings of the REACH Study. *Adolescent Medicine HIV/AIDS Research Network. Sex Transm Dis.* 2000 May;27(5):296-303.
 39. Enzensberger R, Braun W, July C, Helm EB, Doerr HW. Prevalence of antibodies to human herpesviruses and hepatitis B virus in patients at different stages of human immunodeficiency virus (HIV) infection. *Infection.* 1991 May-Jun;19(3):140-5.
 40. Quesnel A, Pozzetto B, Touraine F, Moja P, Lucht F, De The G, et al. Antibodies to Epstein-Barr virus and cytomegalovirus in relation to CD4 cell number in human immunodeficiency virus 1 infection. *J Med Virol.* 1992 Jan;36(1):60-4.

41. Pass RF. Cytomegalovirus. In: Flied, editor. Flied's virology. 4 ed; 2002. p. 2675-705.
42. Salmon-Ceron D, Mazeron MC, Chaput S, Boukli N, Senechal B, Houhou N, et al. Plasma cytomegalovirus DNA, pp65 antigenaemia and a low CD4 cell count remain risk factors for cytomegalovirus disease in patients receiving highly active antiretroviral therapy. *Aids*. 2000 May 26;14(8):1041-9.
43. Shepp DH, Moses JE, Kaplan MH. Seroepidemiology of cytomegalovirus in patients with advanced HIV disease: influence on disease expression and survival. *J Acquir Immune Defic Syndr Hum Retrovirol*. 1996 Apr 15;11(5):460-8.
44. Salmon-Ceron D. Cytomegalovirus infection: the point in 2001. *HIV Med*. 2001 Oct;2(4):255-9.
45. Sinicco A, Raiteri R, Sciandra M, Dassio G, Bechis G, Maiello A. The influence of cytomegalovirus on the natural history of HIV infection: evidence of rapid course of HIV infection in HIV-positive patients infected with cytomegalovirus. *Scand J Infect Dis*. 1997;29(6):543-9.
46. Karlsson A, Bratt G, Von Krogh G, Morfeldt-Manson L, Bottiger B, Sandstrom E. A prospective study of 115 initially asymptomatic HIV infected gay men in Stockholm, Sweden. *Scand J Infect Dis*. 1991;23(4):431-41.
47. Segondy M, Atoui N, Reynes J, Vendrell JP, Ducos J, Blanc P, et al. Cytomegalovirus viremia in HIV-infected patients treated with zidovudine. *Scand J Infect Dis*. 1990;22(6):653-7.
48. Leach CT, Detels R, Hennessey K, Liu Z, Visscher BR, Dudley JP, et al. A longitudinal study of cytomegalovirus infection in human immunodeficiency virus type 1-seropositive homosexual men: molecular epidemiology and association with disease progression. *J Infect Dis*. 1994 Aug;170(2):293-8.
49. Becherer PR, Smiley ML, Matthews TJ, Weinhold KJ, McMillan CW, White GC, 2nd. Human immunodeficiency virus-1 disease progression in hemophiliacs. *Am J Hematol*. 1990 Jul;34(3):204-9.
50. Rabkin CS, Hatzakis A, Griffiths PD, Pillay D, Ragni MV, Hilgartner MW, et al. Cytomegalovirus infection and risk of AIDS in human immunodeficiency

- virus-infected hemophilia patients. National Cancer Institute Multicenter Hemophilia Cohort Study Group. *J Infect Dis.* 1993 Nov;168(5):1260-3.
51. Touloumi G, Karafoulidou A, Gialeraki A, Katsarou O, Milona I, Kapsimali V, et al. Determinants of progression of HIV infection in a Greek hemophilia cohort followed for up to 16 years after seroconversion. *J Acquir Immune Defic Syndr Hum Retrovirol.* 1998 Sep 1;19(1):89-97.
 52. Lecointe D, Dugas N, Leclerc P, Hery C, Delfraissy JF, Tardieu M. Human cytomegalovirus infection reduces surface CCR5 expression in human microglial cells, astrocytes and monocyte-derived macrophages. *Microbes Infect.* 2002 Nov;4(14):1401-8.
 53. Rojanawiwat A, Miura T, Thaisri H, Pathipvanich P, Umnajsirisuk S, Koibuchi T, et al. Frequent detection of Epstein-Barr Virus and cytomegalovirus but not JC virus DNA in cerebrospinal fluid samples from human immunodeficiency virus-infected patients in northern Thailand. *J Clin Microbiol.* 2005 Jul;43(7):3484-6.
 54. Mootsikapun P, Chetchotisakd P, Intarapoka B. Pulmonary infections in HIV infected patients. *J Med Assoc Thai.* 1996 Aug;79(8):477-85.
 55. Manatsathit S, Tansupasawasdikul S, Wanachiwanawin D, Setawarin S, Suwanagool P, Prakasvejakit S, et al. Causes of chronic diarrhea in patients with AIDS in Thailand: a prospective clinical and microbiological study. *J Gastroenterol.* 1996 Aug;31(4):533-7.
 56. Viriyavejakul P, Rojanasunan P, Viriyavejakul A, Punyarit P, Punpoowong B, Khachansaksumet V, et al. Opportunistic infections in the liver of HIV-infected patients in Thailand: a necropsy study. *Southeast Asian J Trop Med Public Health.* 2000 Dec;31(4):663-7.
 57. Viriyavejakul P, Rojanasunan P, Viriyavejakul A, Tangwanicharoen T, Punyarit P, Punpoowong B, et al. Necropsy in HIV-infected patients. *Southeast Asian J Trop Med Public Health.* 2002 Mar;33(1):85-91.
 58. Doyle M, Atkins JT, Rivera-Matos IR. Congenital cytomegalovirus infection in infants infected with human immunodeficiency virus type 1. *Pediatr Infect Dis J.* 1996 Dec;15(12):1102-6.

59. Kitchen BJ, Engler HD, Gill VJ, Marshall D, Steinberg SM, Pizzo PA, et al. Cytomegalovirus infection in children with human immunodeficiency virus infection. *Pediatr Infect Dis J.* 1997 Apr;16(4):358-63.
60. Nigro G, Krzysztofiak A, Gattinara GC, Mango T, Mazzocco M, Porcaro MA, et al. Rapid progression of HIV disease in children with cytomegalovirus DNAemia. *Aids.* 1996 Sep;10(10):1127-33.
61. Mentzer D, Kreuz W. CMV coinfection and disease progression in vertically acquired HIV infection. *Arch Dis Child.* 1999 Aug;81(2):189.
62. Chandwani S, Kaul A, Bebenroth D, Kim M, John DD, Fidelia A, et al. Cytomegalovirus infection in human immunodeficiency virus type 1-infected children. *Pediatr Infect Dis J.* 1996 Apr;15(4):310-4.
63. Blini M, Bertoni G, Chiama M, Massironi E, Plebani A, D'Arminio M. Ocular involvement in children with HIV infection. *Int Conf AIDS;* 1989. p. 259.
64. Kositanont U, Wasi C, Wanprapar N, Bowonkiratikachorn P, Suthent R, Chokephaibulkit K, et al. Primary infection of cytomegalovirus in children with vertical HIV-1 infection. *The 5th Asia Pacific Congress of Virology;* 2000 June 26-28, 2000; Indonesia; 2000.
65. Temcharoen S, Hirsch P, Theamboonlers A, Likitnukul S, Seksarn P, Poovorawan Y. Cytomegalovirus infection in immunocompromised children in Thailand. *Asian Pac J Allergy Immunol.* 1999 Dec;17(4):295-9.
66. Ho WZ, Harouse JM, Rando RF, Gonczol E, Srinivasan A, Plotkin SA. Reciprocal enhancement of gene expression and viral replication between human cytomegalovirus and human immunodeficiency virus type 1. *J Gen Virol.* 1990 Jan;71 (Pt 1):97-103.
67. Peterson PK, Gekker G, Chao CC, Schut R, Verhoef J, Edelman CK, et al. Cocaine amplifies HIV-1 replication in cytomegalovirus-stimulated peripheral blood mononuclear cell cocultures. *J Immunol.* 1992 Jul 15;149(2):676-80.
68. Castro BA, Homsy J, Lennette E, Murthy KK, Eichberg JW, Levy JA. HIV-1 expression in chimpanzees can be activated by CD8+ cell depletion or CMV infection. *Clin Immunol Immunopathol.* 1992 Dec;65(3):227-33.

69. Boccuni MC, Campanini F, Battista MC, Bergamini G, Dal Monte P, Ripalti A, et al. Human cytomegalovirus product UL44 downregulates the transactivation of HIV-1 long terminal repeat. *Aids.* 1998 Mar 5;12(4):365-72.
70. Pleskoff O, Treboute C, Brelo A, Heveker N, Seman M, Alizon M. Identification of a chemokine receptor encoded by human cytomegalovirus as a cofactor for HIV-1 entry. *Science.* 1997 Jun 20;276(5320):1874-8.
71. McKeating JA, Griffiths PD, Weiss RA. HIV susceptibility conferred to human fibroblasts by cytomegalovirus-induced Fc receptor. *Nature.* 1990 Feb 15;343(6259):659-61.
72. Margalith M, D'Aquila RT, Manion DJ, Basgoz N, Bechtel LJ, Smith BR, et al. HIV-1 DNA in fibroblast cultures infected with urine from HIV-seropositive cytomegalovirus (CMV) excretors. *Arch Virol.* 1995;140(5):927-35.
73. Lane BR, Lore K, Bock PJ, Andersson J, Coffey MJ, Strieter RM, et al. Interleukin-8 stimulates human immunodeficiency virus type 1 replication and is a potential new target for antiretroviral therapy. *J Virol.* 2001 Sep;75(17):8195-202.
74. Redman TK, Britt WJ, Wilcox CM, Graham MF, Smith PD. Human cytomegalovirus enhances chemokine production by lipopolysaccharide-stimulated lamina propria macrophages. *J Infect Dis.* 2002 Mar 1;185(5):584-90.
75. Clouse KA, Robbins PB, Fernie B, Ostrove JM, Fauci AS. Viral antigen stimulation of the production of human monokines capable of regulating HIV1 expression. *J Immunol.* 1989 Jul 15;143(2):470-5.
76. Yen-Lieberman B. Diagnosis of human cytomegalovirus disease. *Clinical Microbiology Newsletter.* 2000 15 July 2000;22(14):105-9.
77. Grefte JM, van der Gun BT, Schmolke S, van der Giessen M, van Son WJ, Plachter B, et al. The lower matrix protein pp65 is the principal viral antigen present in peripheral blood leukocytes during an active cytomegalovirus infection. *J Gen Virol.* 1992 Nov;73 (Pt 11):2923-32.
78. Mackay IM, Arden KE, Nitsche A. Real-time PCR in virology. *Nucleic Acids Res.* 2002 Mar 15;30(6):1292-305.

79. Demmler GJ, Buffone GJ, Schimbor CM, May RA. Detection of cytomegalovirus in urine from newborns by using polymerase chain reaction DNA amplification. *J Infect Dis.* 1988 Dec;158(6):1177-84.
80. Brytting M, Xu W, Wahren B, Sundqvist VA. Cytomegalovirus DNA detection in sera from patients with active cytomegalovirus infections. *J Clin Microbiol.* 1992 Aug;30(8):1937-41.
81. Nelson CT, Istan AS, Wilkerson MK, Demmler GJ. PCR detection of cytomegalovirus DNA in serum as a diagnostic test for congenital cytomegalovirus infection. *J Clin Microbiol.* 1995 Dec;33(12):3317-8.
82. Revello MG, Zavattini M, Baldanti F, Sarasini A, Paolucci S, Gerna G. Diagnostic and prognostic value of human cytomegalovirus load and IgM antibody in blood of congenitally infected newborns. *J Clin Virol.* 1999 Sep;14(1):57-66.
83. Shibata M, Takano H, Hironaka T, Hirai K. Detection of human cytomegalovirus DNA in dried newborn blood filter paper. *J Virol Methods.* 1994 Feb;46(2):279-85.
84. Cassol S, Salas T, Gill MJ, Montpetit M, Rudnik J, Sy CT, et al. Stability of dried blood spot specimens for detection of human immunodeficiency virus DNA by polymerase chain reaction. *J Clin Microbiol.* 1992 Dec;30(12):3039-42.
85. Garrigue I, Boucher S, Couzi L, Caumont A, Dromer C, Neau-Cransac M, et al. Whole blood real-time quantitative PCR for cytomegalovirus infection follow-up in transplant recipients. *J Clin Virol.* 2006 May;36(1):72-5.
86. Schalasta G, Eggers M, Schmid M, Enders G. Analysis of human cytomegalovirus DNA in urines of newborns and infants by means of a new ultrarapid real-time PCR-system. *J Clin Virol.* 2000 Dec;19(3):175-85.
87. Bradford RD, Cloud G, Lakeman AD, Boppana S, Kimberlin DW, Jacobs R, et al. Detection of cytomegalovirus (CMV) DNA by polymerase chain reaction is associated with hearing loss in newborns with symptomatic congenital CMV infection involving the central nervous system. *J Infect Dis.* 2005 Jan 15;191(2):227-33.

88. Scanga L, Chaing S, Powell C, Aylsworth AS, Harrell LJ, Henshaw NG, et al. Diagnosis of human congenital cytomegalovirus infection by amplification of viral DNA from dried blood spots on perinatal cards. *J Mol Diagn.* 2006 May;8(2):240-5.
89. Revello MG, Lilleri D, Zavattoni M, Stronati M, Bollani L, Middeldorp JM, et al. Human cytomegalovirus immediate-early messenger RNA in blood of pregnant women with primary infection and of congenitally infected newborns. *J Infect Dis.* 2001 Oct 15;184(8):1078-81.
90. Stagno S, Tinker MK, Elrod C, Fuccillo DA, Cloud G, O'Beirne AJ. Immunoglobulin M antibodies detected by enzyme-linked immunosorbent assay and radioimmunoassay in the diagnosis of cytomegalovirus infections in pregnant women and newborn infants. *J Clin Microbiol.* 1985 Jun;21(6):930-5.
91. Lallement M, Jourdain G, Le Coeur S, Kim S, Koetsawang S, Comeau AM, et al. A trial of shortened zidovudine regimens to prevent mother-to-child transmission of human immunodeficiency virus type 1. Perinatal HIV Prevention Trial (Thailand) Investigators. *N Engl J Med.* 2000 Oct 5;343(14):982-91.
92. Leruez-Ville M, Ouachee M, Delarue R, Sauget AS, Blanche S, Buzyn A, et al. Monitoring cytomegalovirus infection in adult and pediatric bone marrow transplant recipients by a real-time PCR assay performed with blood plasma. *J Clin Microbiol.* 2003 May;41(5):2040-6.
93. 1994 Revised classification system for human immunodeficiency virus infection in children less than 13 years of age: Official authorized addenda: Human immunodeficiency virus infection codes and official guidelines for coding and reporting ICD-9-CM. *MMWR Recomm Rep.* 1994;43(RR-12):1-20.
94. Ahmed S, Al-Joudi F, Wan Zaidah A, Roshan T, Rapiaah M, Abdullah Y, et al. The prevalence of human cytomegalovirus seropositivity among blood donors at the unit of blood transfusion medicine, hospital universiti sains Malaysia. *Southeast Asian J Trop Med Public Health.* 2006;37(2):294-6.
95. Tantivanich S, Laohapand P, Thaweeboon S, Desakorn V, Wuthinuntiwong P, Chalermtaranukul S, et al. Prevalence of cytomegalovirus, human herpesvirus-

- 6, and Epstein-Barr virus in periodontitis patients and healthy subjects in the Thai population. *Southeast Asian J Trop Med Public Health.* 2004 Sep;35(3):635-40.
96. Fowler KB, Pass RF. Risk factors for congenital cytomegalovirus infection in the offspring of young women: exposure to young children and recent onset of sexual activity. *Pediatrics.* 2006 Aug;118(2):e286-92.
97. Ioannidis JP, Rosenberg PS, Goedert JJ, Ashton LJ, Benfield TL, Buchbinder SP, et al. Effects of CCR5-Delta32, CCR2-64I, and SDF-1 3'A alleles on HIV-1 disease progression: An international meta-analysis of individual-patient data. *Ann Intern Med.* 2001 Nov 6;135(9):782-95.
98. Gendelman HE, Phelps W, Feigenbaum L, Ostrove JM, Adachi A, Howley PM, et al. Trans-activation of the human immunodeficiency virus long terminal repeat sequence by DNA viruses. *Proc Natl Acad Sci U S A.* 1986 Dec;83(24):9759-63.