

REFERENCES

- Aarden, L.A. and van Kooten, C. (1992) The action of interleukin 6 on lymphoid populations. *Ciba Found Symp* 167, 68-74; discussion 74-9.
- Abbas, A.K., Lichtman, A.H. and Pober, J.S. (2000) Cellular and Molecular Immunology.
- Bazin, R. and Lemieux, R. (1987) Role of the macrophage-derived hybridoma growth factor in the in vitro and in vivo proliferation of newly formed B cell hybridomas. *J Immunol* 139, 780-7.
- Bazin, R. and Lemieux, R. (1989) Increased proportion of B cell hybridomas secreting monoclonal antibodies of desired specificity in cultures containing macrophage-derived hybridoma growth factor (IL-6). *J Immunol Methods* 116, 245-9.
- Berger, C.L. and Edelson, R. (1982) Monoclonal antibodies: powerful new tools for the clinician. *Arch Dermatol* 118, 627-9.
- Bhardwaj, N., Santhanam, U., Lau, L.L., Tatter, S.B., Ghrayeb, J., Rivelis, M., Steinman, R.M., Sehgal, P.B. and May, L.T. (1989) IL-6/IFN-beta 2 in synovial effusions of patients with rheumatoid arthritis and other arthritides. Identification of several isoforms and studies of cellular sources. *J Immunol* 143, 2153-9.
- Birch, J.R. and Lennox, E.S. (1995) Monoclonal Antibodies: Principles and Applications. Wiley-Liss, Inc., New York.

- Butterfield, J.H. and Weiler, D. (1986) Giant eosinophil colonies from cultures of bone marrow cells. In *Vitro Cell Dev Biol* 22, 157-63.
- Catty, D. (1988) *Antibodies: A practical approach*. IRL Press, Washington DC.
- Caraher, E.M., Parenteau, M., Gruber, H. and Scott, F.W. (2000) Flow cytometric analysis of intracellular IFN-gamma, IL-4 and IL-10 in CD3(+)4(+) T-cells from rat spleen. *J Immunol Methods* 244, 29-40.
- Catty, D. (1988) *Antibodies: A practical approach*. IRL Press, Washington DC.
- Farrar, J.J., Fuller-Farrar, J., Simon, P.L., Hilfiker, M.L., Stadler, B.M. and Farrar, W.L. (1980) Thymoma production of T cell growth factor (Interleukin 2). *J Immunol* 125, 2555-8.
- Galfre, G. and Milstein, C. (1981) Preparation of monoclonal antibodies: strategies and procedures. *Methods Enzymol* 73, 3-46.
- Goding, J.W. (1993) *Monoclonal Antibodies: Principles and Practice*. Harcourt Brace and Company.
- Grabstein, K., Eisenman, J., Mochizuki, D., Shanebeck, K., Conlon, P., Hopp, T., March, C. and Gillis, S. (1986) Purification to homogeneity of B cell stimulating factor. A molecule that stimulates proliferation of multiple lymphokine-dependent cell lines. *J Exp Med* 163, 1405-14.
- Greferath, R., Sauer-Nehls, S., Dyballa, S. and Nehls, P. (1997) Human endothelial culture supernatant selectively promotes IgM-producing hybridomas. *J Immunol Methods* 204, 189-92.
- Harlow, E. and Lane, D. (1988) *Antibodies. A Laboratory Manual*. Cold Spring Harbor Laboratory.
- Harlow, E. and Lane, D. (1988) *Antibodies. A Laboratory Manual*. Cold Spring Harbor Laboratory.

- Helfgott, D.C., Tatter, S.B., Santhanam, U., Clarick, R.H., Bhardwaj, N., May, L.T. and Sehgal, P.B. (1989) Multiple forms of IFN-beta 2/IL-6 in serum and body fluids during acute bacterial infection. *J Immunol* 142, 948-53.
- Herrera, R., Hubbell, S., Decker, S. and Petruzzelli, L. (1998) A role for the MEK/MAPK pathway in PMA-induced cell cycle arrest: modulation of megakaryocytic differentiation of K562 cells. *Exp Cell Res* 238, 407-14.
- Hlinak, A., Jahn, S., Grunow, R., Heider, G. and von Baehr, R. (1988) Feeder cells from different sources and conditioned media for recloning of human--mouse and mouse--mouse hybridomas. *Folia Biol (Praha)* 34, 105-17.
- Hlinak, A., Jahn, S., Grunow, R., Heider, G. and von Baehr, R. (1988) Feeder cells from different sources and conditioned media for recloning of human--mouse and mouse--mouse hybridomas. *Folia Biol (Praha)* 34, 105-17.
- Hoffmann, P., Jimenez-Diaz, M., Weckesser, J. and Bessler, W.G. (1996) Murine bone marrow-derived macrophages constitute feeder cells for human B cell hybridomas. *J Immunol Methods* 196, 85-91.
- Ian, F.R. (2000) Culture of Animal Cells. Wiley Liss, Inc.
- Kohler, G. and Milstein, C. (1975) Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* 256, 495-7.
- Lagoo, A., Tseng, C.K. and Sell, S. (1990) Molecular signals in B cell activation. I. Differential refractory effects of incomplete signaling by ionomycin or PMA relate to autocrine IL-2 production and IL-2R expression. *Cell Immunol* 127, 483-96.
- Li, Y., Richards, D., Noble, A. and Kemeny, D.M. (1995) Cytokine production by highly purified human CD8+ T cells. *Int Arch Allergy Immunol* 107, 354-5.

- Liu, J., Li, H., de Tribolet, N., Jaufeerally, R., Hamou, M.F. and Van Meir, E.G. (1994) IL-6 stimulates growth and inhibits constitutive, protein synthesis-independent apoptosis of murine B-cell hybridoma 7TD1. *Cell Immunol* 155, 428-35.
- Long, W.J., McGuire, W., Palombo, A. and Emini, E.A. (1986) Enhancing the establishment efficiency of hybridoma cells. Use of irradiated human diploid fibroblast feeder layers. *J Immunol Methods* 86, 89-93.
- Masouredis, S.P. (1981) *Hybridomas And Monoclonal Antibodies*. americanAassocation of Blood Banks, Washington DC.
- Matthes, T., Werner-Favre, C., Tang, H., Zhang, X., Kindler, V. and Zubler, R.H. (1993) Cytokine mRNA expression during an in vitro response of human B lymphocytes: kinetics of B cell tumor necrosis factor alpha, interleukin (IL)6, IL-10, and transforming growth factor beta 1 mRNAs. *J Exp Med* 178, 521-8.
- May, L.T., Santhanam, U. and Sehgal, P.B. (1991) On the multimeric nature of natural human interleukin-6. *J. Biol. Chem.* 266, 9950-9955.
- McCullough, K.C., Butcher, R.N. and Parkinson, D. (1983) Hybridoma cell lines secreting monoclonal antibodies against foot-and-mouth disease virus (FMDV). II. Cloning conditions. *J Biol Stand* 11, 183-94.
- Micklem, L.R., McCann, M.C. and James, K. (1987) The use of rat mixed-thymocyte culture-conditioned medium for hybridoma production, cloning and revival. *J Immunol Methods* 104, 81-6.
- Okada, N., Miyamoto, H., Yoshioka, T., Katsume, A., Saito, H., Yorozu, K., Ueda, O., Itoh, N., Mizuguchi, H., Nakagawa, S., Ohsugi, Y. and Mayumi, T. (1997) Cytomedical therapy for IgG1 plasmacytosis in human interleukin-6

- transgenic mice using hybridoma cells microencapsulated in alginate-poly(L)lysine-alginate membrane. *Biochim Biophys Acta* 1360, 53-63.
- Pleskach, V.A., Filatova, N.A., Kozhukharova, I.V., Artsybasheva, I.V. and Tarunina, M.V. (1996) [The growth-stimulating and immunomodulating activity of culture media conditioned by transformed fibroblasts from serum-free lines]. *Tsitologiia* 38, 616-29.
- Pollock, R.R., Teillaud, J.L. and Scharff, M.D. (1984) Monoclonal antibodies: a powerful tool for selecting and analyzing mutations in antigens and antibodies. *Annu Rev Microbiol* 38, 389-417.
- Ralph, P. (1973) Retention of lymphocyte characteristics by myelomas and theta + - lymphomas: sensitivity to cortisol and phytohemagglutinin. *J Immunol* 110, 1470-5.
- Rathjen, D.A. and Geczy, C.L. (1986) Conditioned medium from macrophage cell lines supports the single-cell growth of hybridomas. *Hybridoma* 5, 255-61.
- Romero, R., Avila, C., Santhanam, U. and Sehgal, P.B. (1990) Amniotic fluid interleukin 6 in preterm labor. Association with infection. *J Clin Invest* 85, 1392-400.
- Sikora, K. and Smedley, H.M. (1984) *Monoclonal Antibodies*. Blackwell Scientific Publications, Frome and London.
- Spira, G., Pollock, R.R., Bargellesi, A. and Scharff, M.D. (1985) Monoclonal antibodies: a potentially powerful tool in the diagnosis and treatment of infectious diseases. *Eur J Clin Microbiol* 4, 251-6.

- Sugasawara, R.J., Cahoon, B.E. and Karu, A.E. (1985) The influence of murine macrophage-conditioned medium on cloning efficiency, antibody synthesis, and growth rate of hybridomas. *J Immunol Methods* 79, 263-75.
- Valentino, K.L., Winter, J. and Reichardt, L.F. (1985) Applications of monoclonal antibodies to neuroscience research. *Annu Rev Neurosci* 8, 199-232.
- Van Snick, J., Renauld, J.C., Simpson, R.J., Uyttenhove, C. and Vink, A. (1989) Mouse IL-6. A hybridoma growth factor with multiple effects on normal B and T cells. *Ann N Y Acad Sci* 557, 206-13, discussion 213-4.
- von Mehren, M., Adams, G.P. and Weiner, L.M. (2003) Monoclonal antibody therapy for cancer. *Annu Rev Med* 54, 343-69.
- Walker, K.Z., Gibson, J., Axiak, S.M. and Prentice, R.L. (1986) Potentiation of hybridoma production by the use of mouse fibroblast conditioned media. *J Immunol Methods* 88, 75-81.
- Yelton, D.E. and Scharff, M.D. (1981) Monoclonal antibodies: a powerful new tool in biology and medicine. *Annu Rev Biochem* 50, 657-80.
- Zhu, Y., Jin, B., Sun, C., Huang, C. and Liu, X. (1993) The effects of hybridoma growth factor in conditioned media upon the growth, cloning, and antibody production of heterohybridoma cell lines. *Hum Antibodies Hybridomas* 4, 31-5.