

REFERENCES

1. Lentell G, Hetherington T, Eagan J. The use of thermal agents to influence the effectiveness of low load prolong stretch. *J Orthop Sport Phys Ther.* 1992;16:200-7.
2. Noble JG, Lee V, Griffith-Noble F. Therapeutic ultrasound: the effects upon cutaneous blood flow in humans *Ultrasound Med Biol.* 2007;33:279-85.
3. Robinson SE, Buono MJ. Effect of continuous-wave ultrasound on blood flow in skeletal muscle. *Phys Ther* 1995;75:145-50
4. Young SR, Dyson M. Macrophage responsiveness to therapeutic ultrasound. *Ultrasound Med Biol.* 1990;16:809-16.
5. Carvalho PdTCd, Silva IS, Reis FAd, Belchior ACG, Aydos RD, Facco GG, et al. Histological study of tendon healing in malnourished wistar rats treated with ultrasound therapy. *Acta Cir Bras.* 2006;21:13-7.
6. Harvey W, Dyson M, Pond JB, Grahame R. The stimulation of protein synthesis in human fibroblasts by therapeutic ultrasound. *Rheumatol Rehabil.* 1975;14:237.
7. Hashish I, Harvey W, Harris M. Anti-inflammatory effects of ultrasound therapy: evidence for a major placebo effect. *Rheumatology (Oxford).* 1986;25:77-81
8. Jackson BA, Schwane JA, Starcher BC. Effect of ultrasound therapy on the repair of achilles tendon injuries in rats. *Med Sci Sports Exerc.* 1991;23:171-6.
9. Currier DP, Kramer JF. Sensory nerve conduction: heating effects of ultrasound and infrared radiation. *Physiother Can.* 1982;34:241-6.
10. Halle JS, Scoville CR, Greathouse DG. Ultrasound effect on the conduction latency of the superficial radial nerve in man. *Phys Ther.* 1981;61:345-50.
11. Kramer JF. Effect of therapeutic ultrasound intensity on subcutaneous tissue temperature and ulnar nerve conduction velocity. *Am J Phys Med.* 1985;64:1-9.
12. Cosentino AB, Cross DL, Harrington RJ, Soderberg GL. Ultrasound effects on electroneuromyographic measures in sensory fibers of the median nerve. *Phys Ther.* 1983;63:1788-92.
13. Currier DP, Greathouse D, Swift T. Sensory nerve conduction: effect of ultrasound. *Arch Phys Med Rehabil.* 1978;59:181-5.
14. Hong CZ, Liu HH, Yu J. Ultrasound thermotherapy effect on the recovery of nerve conduction in experimental compression neuropathy. *Arch Phys Med Rehabil* 1988;69:410-4.
15. Kramer JF. Ultrasound : evaluation of its mechanical and thermal effects. *Arch Phys Med Rehabil.* 1984;65:223-7.
16. Moore JH, Gieck JH, Saliba EN, Perrin DH, Ball DW, McCue FC. The biophysical effects of ultrasound on median nerve distal latencies. *Electromyogr Clin Neurophysiol.* 2000;40:169-80.
17. Cruccu G, Anand P, Attal N, Garcia-Larrea L, Haanpa'a M, Jørum E, et al. EFNS guidelines on neuropathic pain assessment. *Eur J Neurol.* 2004;11:153-62.
18. Chong PST, Cros DP. Technology literature review: Quantitative Sensory Testing Muscle Nerve 2004;29:734-47.

19. Williams AR, McHale J, Bowditch M, Miller DL, Reed B. Effects of MHz ultrasound on electrical pain threshold perception in humans. *Ultrasound Med Biol* 1987;13:249-58.
20. Madiman S, Weasel J, Fisher B. The effect of ultrasound on the mechanical pain threshold of healthy subjects. *Physiotherapy*. 1995;81:718-23.
21. Srbely JZ, Dickey JP. Randomized controlled study of the antinociceptive effect of ultrasound on trigger point sensitivity: novel applications in myofascial therapy? *Clin Rehabil*. 2007;21:411-7.
22. Levy D, Abraham R, Reid G. A comparison of two methods for measuring thermal thresholds in diabetic neuropathy. *J Neurol Neurosurg Psychiatry*. 1989;52:1072-7.
23. Resnick HE, Stansberry KB, Harris TB, Tirivedi M, Smith K, Morgan P, et al. Diabetes, peripheral neuropathy, and old age disability *Muscle Nerve*. 2002;25:43-50.
24. Zhao P, Barr TP, Hou Q, Dib-Hajj SD, Black JA, Albrecht PJ, et al. Voltage-gated sodium channel expression in rat and human epidermal keratinocytes: evidence for a role in pain. *Pain* 2008;139:90-105.
25. Agostinho CMS, Scherens A, Richter H, Schaub C, Rolke R, Treede R-D, et al. Habituation and short-term repeatability of thermal testing in healthy human subjects and patients with chronic non-neuropathic pain (Article in press). *Eur J Pain*. 2008;x:xxx.
26. Freynhagen R, Rolke R, Baron R, Ille TRT, Rutjes A-K, Schu S, et al. Pseudoradicular and radicular low-back pain – a disease continuum rather than different entities? answers from quantitative sensory testing. *Pain* 2008;135:65-74.
27. Mosek A, Yarnitsky D, Korczyn AD, Niv D. The assessment of radiating low back pain by thermal sensory testing. *Eur J Pain*. 2001;5:347-51.
28. Nygaard ØP, Kloster R, Mellgren SI. Recovery of sensory nerve fibres after surgical decompression in lumbar radiculopathy: use of quantitative sensory testing in the exploration of different populations of nerve fibres. *J Neurol Neurosurg Psychiatry*. 1998;64:120-3.
29. Schiff E, Eisenberg E. Can quantitative sensory testing predict the outcome of epidural steroid injections in sciatica? a preliminary study. *Anesth Analg*. 2003;97:828 -32.
30. Cameron MH. Ultrasound. In: Cameron MH, editor. *Physical Agents in Rehabilitation: from Research to Practice*. Philadelphia: W.B. Saunders company; 1999.
31. Speed CA. Therapeutic ultrasound in soft tissue lesions. *Rheumatology (Oxford)*. 2001;40:1331-6.
32. Watson T. The role of electrotherapy in contemporary physiotherapy practice. *Man Ther*. 2000;5:132-41.
33. Gann N. Ultrasound: current concepts. *Clin Manage*. 1991;11:64-9.
34. Ziskin M, McDiarmid T, Michlovitz S. Therapeutic Ultrasound. In: Michlovitz S, editor. *Thermal agents in rehabilitation*. Philadelphia: F.A. Davis; 1990.
35. ter-Haar G. Basic physics of therapeutic ultrasound. *Physiotherapy*. 1978;64:100-3.

36. ter-Haar G. Therapeutic ultrasound (Review). *European Journal of Ultrasound*. 1999;9:3-9.
37. Belanger A-Y. *Evidence Based Guide to Therapeutic Physical Agents*. United States of America: Lippincott Williams & Wilkins; 2002.
38. Gam AN, Johannsen F. Ultrasound therapy in musculoskeletal disorders: a meta-analysis. *Pain*. 1995;63:85-91.
39. Robertson VJ. Dosage and treatment response in randomized clinical trials of therapeutic ultrasound. *Phys Ther in Sport*. 2002;3:124-33.
40. Wong RA, Schumann B, Townsend R, Phelps CA. A survey of therapeutic ultrasound use by physical therapists who are orthopaedic certified specialists. *Phys Ther*. 2007;87:986-94.
41. Wright A, Sluka KA. Nonpharmacological treatments for musculoskeletal pain. *Clin J Pain*. 2001;17:33-46.
42. Hsieh YL. Reduction in induced pain by ultrasound may be caused by altered expression of spinal neuronal nitric oxide synthase-producing neurons. *Arch Phys Med Rehabil*. 2005;86:1311-7.
43. Mortimer AJ, Dyson M. The effect of therapeutic ultrasound on calcium uptake in fibroblasts. *Ultrasound Med Biol*. 1988;14:499-506.
44. Dinno MA, Crum LA, Wu J. The effect of therapeutic ultrasound on electrophysiological parameters of frog skin. *Ultrasound Med Biol*. 1989;15:461-70.
45. Boone L, Ingersoll C, Cordova M. Passive hip flexion does not increase during or following ultrasound treatment of the hamstrings musculature. *Sports Med Train Rehabil*. 2000;9:189-98.
46. Draper DO, Anderson C, Schulthies SS, Ricard MD. Immediate and residual changes in dorsiflexion range of motion using an ultrasound heat and stretch routine. *J Athl Train*. 1998;33:141-4.
47. Lowdon IM, Seaber AV, Urbaniak JR. An improved method of recording rat tracks for measurement of the sciatic functional index of de Medinaceli. *J Neurosci Methods*. 1988;24:279-81.
48. Mourad PD, Lazar DA, Curra FP, Mohr BC, Andrus KC, Avellino AM, et al. Ultrasound accelerates functional recovery after peripheral nerve damage. *Neurosurgery*. 2001;48:1136-41.
49. Hong C-Z, Liu HH, Yu J. Ultrasound thermotherapy effect on the recovery of nerve conduction in experimental compression neuropathy. *Archives of Physical Medicine and Rehabilitation* 1988;69:410-4.
50. Raso VVM, Barbieri CH, Mazzer N, Fasan VS. Can therapeutic ultrasound influence the regeneration of peripheral nerves. *J Neurosci Methods*. 2005;142:185-92.
51. Guyton AC, Hall JE. *Textbook of Medical Physiology*. Somatic sensations: II Pain, Headache, and Thermal Sensations. 11th ed. Philadelphia: Elsevier Saunders; 2006.
52. Green BG, Roman C, Schoen K, Collins H. Nociceptive sensations evoked from 'spots' in the skin by mild cooling and heating. *Pain* 2008;135:196-208.
53. Adair RK. A model of the detection of warmth and cold by cutaneous sensors through effects on voltage-gated membrane channels. *Proc Natl Acad Sci*. 1999;96:11825-9.

54. Hensel H, Kenshalo DR. Warm receptors in the nasal region of cats. *J Physiol* 1969;204:99-112.
55. Patapoutian A, Peier AM, Story GM, Viswanath V. ThermoTRP channels and beyond: mechanisms of temperature sensation. *Nat Rev Neurosci.* 2003;4:529-39.
56. Jones LA, Berris M, editors. The psychophysics of temperature perception and thermal-interface design. *Haptic Interfaces For Virtual Envir & Teleoperator Sysys (HAPTICS 02)*; 2002. IEEE.
57. Campero M, Serra J, Bostock H, Ochoa JL. Slowly conducting afferents activated by innocuous low temperature in human skin. *J Physiol* 2001;535:855-65.
58. Spray DC. Cutaneous temperature receptors. *Ann Rev Physiol* 1986;48:625-38.
59. Güler AD, Lee H, Iida T, Shimizu I, Tominaga M, Caterina M. Heat-evoked activation of the ion channel, TRPV4. *J Neurosci.* 2002;22:6408-14.
60. Peier AM, Moqrich A, Hergarden AC, Reeve AJ, Andersson DA, Story GM, et al. A TRP Channel that Senses Cold Stimuli and Menthol. *Cell.* 2002;108:705-15.
61. Peier AM, Reeve AJ, Andersson DA, Moqrich A, Earley TJ, Hergarden AC, et al. A heat-sensitive TRP channel expressed in keratinocytes. *Science.* 2002;296:2046 - 9
62. Smith GD, Gunthorpe MJ, Kelsell RE, Hayes PD, Reilly P, Facer P, et al. TRPV3 is a temperature-sensitive vanilloid receptor-like protein. *Nature.* 2002;418:186-90.
63. Xu H, Ramsey IS, Kotecha SA, Moran MM, Chong JA, Lawson D, et al. TRPV3 is a calcium-permeable temperature-sensitive cation channel. *Nature.* 2002;418:181-6.
64. Caterina MJ, Schumacher MA, Tominaga M, Rosen TA, Levine JD, Julius D. The capsaicin receptor: a heat-activated ion channel in the pain pathway. *Nature* 1997;389:816-24.
65. Caterina MJ, Rosen TA, Tominaga M, Brake AJ, Julius D. A capsaicin-receptor homologue with a high threshold for noxious heat. *Nature.* 1999;398:436-41.
66. McKemy DD, Neuhauser WM, Julius D. Identification of a cold receptor reveals a general role for TRP channels in thermosensation. *Nature.* 2002;416:52-8.
67. Dhaka A, Viswanath V, Patapoutian A. TRP Ion channels and temperature sensation. *Annu Rev Neurosci.* 2006;29:135-61.
68. Molavi DW, Price J, Burton H, Essen DV. Program in Neuroscience 1997 [updated 1997; cited]; Available from: <http://thalamus.wustl.edu/course/>.
69. Edwards RR, Sarlani E, Wesselmann U, Fillingim RB. Quantitative assessment of experimental pain perception: multiple domains of clinical relevance. *Pain.* 2005;114:315-9.
70. Shy ME, Frohman EM, So YT, Arezzo JC, Cornblath DR, Giuliani MJ, et al. Quantitative sensory testing: report of the therapeutics and technology assessment subcommittee of the American Academy of Neurology. *Neurology.* 2003;60:898-904.

71. Moravcova E, Bednarik J, Svobodnik A, Dusek L. Reproducibility of thermal threshold assessment in small-fibre neuropathy patients. *Scr Med (Brno)*. 2005;78:177-84.
72. Downs NM, Kirk K, MacSween A. The effect of real and sham acupuncture on thermal sensation and thermal pain thresholds. *Arch Phys Med Rehabil*. 2005;86:1252-7.
73. Yarnitsky D, Ochoa JL. Studies of heat pain sensation in man: perception thresholds, rate of stimulus rise and reaction time. *Pain*. 1990;40:85-91.
74. Harding LM, Loescher AR. Adaptation to warming but not cooling at slow rates of stimulus change in thermal threshold measurements. *Somatosens Mot Res*. 2005;22:45-8.
75. Yarnitsky D, Ochoa JL. Differential effect of compression ischaemia block on warm sensation and heat induced pain. *Brain*. 1991;114:907-13.
76. Dyck PJ, Zimmerman I, Gillen DA, Johnson D, Karnes JL, O'Brien PC. Cool, warm and heat pain detection thresholds: testing methods and interferences about anatomic distribution of receptors. *Neurology*. 1993; 43:1500-8.
77. Defrin R, Shachal-Shiffer M, Hadgadg M, Peretz C. Quantitative somatosensory testing of warm and heat-pain thresholds: the effect of body region and testing method. *Clin J Pain*. 2006;22:130-6.
78. Fillingim RB, Maixner W, Kincaid S, Silva S. Sex differences in temporal summation but not sensory-discriminative processing of thermal pain. *Pain*. 1998;75:121-7.
79. Li X, Petrini L, Defrin R, Madeleine P, Arendt-Nielsen L. High resolution topographical mapping of warm and cold sensitivities. *Clin Neurophysiol*. 2008;119:2641-6.
80. Fillingim RB, Keefe FJ, Light KC, Booker DK, Maixner W. The influence of gender and psychological factors on pain perception. *J Gender Cult Health*. 1996;1:21-36.
81. Meh D, Denislic M. Quantitative assessment of thermal and pain sensitivity. *J Neurol Sci*. 1994;127:164-9.
82. Sheffield D, Biles PL, Orom H, Maixner W, Sheps DS. Race and sex differences in cutaneous pain perception. *Psychosom Med*. 2000;62:517-23.
83. Robinson ME, Riley JL, Myers CD, Papas RK, Wise EA, Waxenberg LB, et al. Gender role expectations of pain: relationship to sex differences in pain. *Pain*. 2001;96:335-42.
84. Stevens JC, Choo KK. Temperature sensitivity of the body surface over the life span. *Somatosens Mot Res*. 1998;15:13- 28.
85. Edwards RR, Fillingim RB. Age-associated differences in responses to noxious stimuli. *J Gerontol A Biol Sci Med Sci*. 2001;56A:M180-M5.
86. Haanpaa ML, Laippala PA, Nurmikko TJ. Thermal and tactile perception thresholds in acute herpes zoster. *Eur J Pain*. 1999;3:375-86.
87. Lautenbacher S, Kunz M, Strate P, Nielsen J, Arendt-Nielsen L. Age effects on pain thresholds, temporal summation and spatial summation of heat and pressure pain. *Pain*. 2005;115:410-8.
88. Pickering G, Jourdan D, Eschalier A, Dubray C. Impact of age, gender and cognitive functioning on pain perception. *Gerontology*. 2002;48:112-8.

89. Aslaksen PM, Myrbakk IN, Høifødt RS, Flaten MA. The effect of experimenter gender on autonomic and subjective responses to pain stimuli. *Pain*. 2007;129:260-8.
90. Gijsbers K, Nicholson F. Experimental pain thresholds influenced by sex of experimenter. *Percept Mot Skills*. 2005;101:803-7.
91. Levine FM, De-Simone LL. The effects of experimenter gender on pain report in male and female subjects. *Pain*. 1991;44:69-72.
92. Kallai I, Barke A, Voss U. The effects of experimenter characteristics on pain reports in women and men. *Pain*. 2004;112:142-7.
93. Andersen H, Arendt-Nielsen L, Danneskiold-Samsøe B, Graven-Nielsen T. Pressure pain sensitivity and hardness along human normal and sensitized muscle. *Somatosens Mot Res*. 2006;23:97-109.
94. Robinson ME, Wise EA. Gender bias in the observation of experimental pain. *Pain* 2003;104:259-64.
95. Frot M, Feine JS, Bushnell MC. Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin. *Pain* 2004;108:230-6.
96. Hagander LG, Midani HA, Kuskowski MA, Parry GJG. Quantitative sensory testing: effect of site and skin temperature on thermal thresholds. *Clin Neurophysiol*. 2000;111:17-22.
97. Green BG, Akirav C. Individual differences in temperature perception: evidence of common processing of sensation intensity of warmth and cold. *Somatosens Mot Res*. 2007;24:71-84.
98. Rolke R, Baron R, Maier C, Tolle TR, Treede R-D, Beyer A, et al. Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): standardized protocol and reference values. *Pain*. 2006;123:231-43.
99. Rolke R, Magerl W, Campbell KA, Schalber C, Caspari S, Birklein F, et al. Quantitative sensory testing: a comprehensive protocol for clinical trials. *Eur J Pain*. 2006;10:77-88.
100. Palmer ST, Martin DJ. Thermal perception thresholds recorded using method of limits change over brief time intervals. *Somatosens Mot Res*. 2005;22:327-34.
101. Chang C-J, Hsu S-H. The effects of low-intensity ultrasound on peripheral nerve regeneration in poly (-lactic acid-co-glycolic acid) conduits seeded with Schwann cells. *Ultrasound Med Biol*. 2004;30:1079-84.
102. Summers J, Johnson S, Pridmore S, Oberoi G. Changes to cold detection and pain thresholds following low and high frequency transcranial magnetic stimulation of the motor cortex. *Neurosci Lett*. 2004;368:197-200.
103. Johnson S, Summers J, Pridmore S. Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain. *Pain* 2006;123:187-92.
104. Perez MA, Lungholt BKS, Nielson JB. Short-term adaptations in spinal cord circuits evoked by repetitive transcranial magnetic stimulation: possible underlying mechanisms. *Exp Brain Res*. 2005;162:202-12.
105. Callsen MG, Moller AT, Sorensen K, Jensen TS, Finnerup NB. Cold hyposensitivity after topical application of capsaicin in humans. *Exp Brain Res*. 2008;191:447-52.