

REFERENCES

- Bain**, B.J. (2005) Haemoglobinopathy Diagnosis. Blackwell Publishing, Oxford ; Malden, MA.
- Ballas**, S.K., Talacki, C.A., Adachi, K., Schwartz, E., Surrey, S. & Rappaport, E. (1991) The Xmn I site (-158, C----T) 5' to the G gamma gene: correlation with the Senegalese haplotype and G gamma globin expression. *Hemoglobin*, 15, 393-405.
- Barbour**, V.M., Tufarelli, C., Sharpe, J.A., Smith, Z.E., Ayyub, H., Heinlein, C.A., Sloane-Stanley, J., Indrak, K., Wood, W.G. & Higgs, D.R. (2000) α -thalassemia resulting from a negative chromosomal position effect. *Blood*, 96, 800-807.
- Bernadette F. Rodak**, G.A.F., Kathryn Doig (2007) Hematology: Clinical Principles and Applications. Elsevier Inc., Missouri.
- Bianco**, I., Cappabianca, M.P., Foglietta, E., Lerone, M., Deidda, G., Morlupi, L., Grisanti, P., Ponzini, D., Rinaldi, S. & Graziani, B. (1997) Silent thalassemias: genotypes and phenotypes. *Haematologica*, 82, 269-280.
- Cappellini**, M.D. (1997) Silent thalassemias. *Haematologica*, 82, 257-258.
- Carl w. Dieffenbach**, G.S.D. (1995) PCR PRIMER : A Laboratory Manual. Cold Spring Harbor Laboratory Press, United States of America.

- Chang**, J.G., Lu, J.M., Huang, J.M., Chen, J.T., Liu, H.J. & Chang, C.P. (1995) Rapid diagnosis of β -thalassaemia by mutagenically separated polymerase chain reaction (MS-PCR) and its application to prenatal diagnosis. *Br J Haematol*, 91, 602-607.
- Chapple**, L., Harris, A., Phelan, L. & Bain, B.J. (2006) Reassessment of a simple chemical method using DCIP for screening for haemoglobin E. *J Clin Pathol*, 59, 74-76.
- Clarke**, G.M. & Higgins, T.N. (2000) Laboratory investigation of hemoglobinopathies and thalassemias: review and update. *Clin Chem*, 46, 1284-1290.
- Edwards**, M.C. & Gibbs, R.A. (1994) Multiplex PCR: advantages, development, and applications. *PCR Methods Appl*, 3, S65-75.
- Efremov**, D.G., Dimovski, A.J. & Huisman, T.H. (1994) The -158 (C-->T) promoter mutation is responsible for the increased transcription of the 3' gamma gene in the Atlanta type of hereditary persistence of fetal hemoglobin. *Blood*, 83, 3350-3355.
- Fei**, Y.J., Oner, R., Bozkurt, G., Gu, L.H., Altay, C., Gurgey, A., Fattoum, S., Baysal, E. & Huisman, T.H. (1992) Hb H disease caused by a homozygosity for the AATAAA-->AATAAG mutation in the polyadenylation site of the α 2-globin gene: hematological observations. *Acta Haematol*, 88, 82-85.
- Ferrie**, R.M., Schwarz, M.J., Robertson, N.H., Vaudin, S., Super, M., Malone, G. & Little, S. (1992) Development, multiplexing, and application of ARMS tests for common mutations in the CFTR gene. *Am J Hum Genet*, 51, 251-262.

Fucharoen, S. (2529) Syndrome of thalassemia and hemoglobinopathies. In: Hematology textbook (In Thai), pp. 130-176. Num-aksorn printing, Bangkok.

Fucharoen, S., Fucharoen, G., Sanchaisuriya, K. & Pengjam, Y. (2002) Molecular analysis of a thai β -thalassaemia heterozygote with normal haemoglobin A2 level: implication for population screening. Ann Clin Biochem, 39, 44-49.

Fucharoen, S., Fucharoen, G., Sriroongrueng, W., Laosombat, V., Jetsrisuparb, A., Prasatkaew, S., Tanphaichitr, V.S., Suvatte, V., Tuchinda, S. & Fukumaki, Y. (1989) Molecular basis of β -thalassemia in Thailand: analysis of β -thalassemia mutations using the polymerase chain reaction. Hum Genet, 84, 41-46.

Fucharoen, S. & Winichagoon, P. (1992) Thalassemia in SouthEast Asia: problems and strategy for prevention and control. Southeast Asian J Trop Med Public Health, 23, 647-655.

Fucharoen, S., Winichagoon, P., Siritanaratkul, N., Chowthaworn, J. & Pootrakul, P. (1998) α - and β -thalassemia in Thailand. Ann N Y Acad Sci, 850, 412-414.

Fucharoen, S., Winichagoon, P. & Thonglairuam, V. (1988) β -thalassemia associated with α -thalassemia in Thailand. Hemoglobin, 12, 581-592.

Game, L., Close, J., Stephens, P., Mitchell, J., Best, S., Rochette, J., Louis-dit-Sully, C., Riley, J., See, C.G., Sanseau, P., Kearney, L., Bethel, G., Humphray, S., Dunham, I., Mungall, A. & Thein, S.L. (2000) An integrated map of human 6q22.3-q24 including a 3-

Mb high-resolution BAC/PAC contig encompassing a QTL for fetal hemoglobin. *Genomics*, 64, 264-276.

Garner, C., Mitchell, J., Hatzis, T., Reittie, J., Farrall, M. & Thein, S.L. (1998) Haplotype mapping of a major quantitative-trait locus for fetal hemoglobin production, on chromosome 6q23. *Am J Hum Genet*, 62, 1468-1474.

Garner, C.P., Tatu, T., Best, S., Creary, L. & Thein, S.L. (2002) Evidence of genetic interaction between the β -globin complex and chromosome 8q in the expression of fetal hemoglobin. *Am J Hum Genet*, 70, 793-799.

Gibbons, R.J., Pellagatti, A., Garrick, D., Wood, W.G., Malik, N., Ayyub, H., Langford, C., Boultwood, J., Wainscoat, J.S. & Higgs, D.R. (2003) Identification of acquired somatic mutations in the gene encoding chromatin-remodeling factor ATR-X in the α -thalassemia myelodysplasia syndrome (ATMDS). *Nat Genet*, 34, 446-449.

Gilman, J.G. (1988) Expression of G gamma and A gamma globin genes in human adults. *Hemoglobin*, 12, 707-716.

Gilman, J.G. & Huisman, T.H. (1985) DNA sequence variation associated with elevated fetal G gamma globin production. *Blood*, 66, 783-787.

Gu, X. & Zeng, Y. (2002) A review of the molecular diagnosis of thalassemia. *Hematology*, 7, 203-209.

- Harteveld**, C.L., Heister, J.G., Giordano, P.C., Batelaan, D., von Delft, P., Haak, H.L., Wijermans, P.W., Losekoot, M. & Bernini, L.F. (1996) An IVS1-116 (A-->G) acceptor splice site mutation in the α 2 globin gene causing α^+ thalassaemia in two Dutch families. Br J Haematol, 95, 461-466.
- Higgs**, D.R., Pressley, L., Aldridge, B., Clegg, J.B., Weatherall, D.J., Cao, A., Hadjiminas, M.G., Kattamis, C., Metaxatou-Mavromati, A., Rachmilewitz, E.A. & Sophocleous, T. (1981) Genetic and molecular diversity in nondeletion Hb H disease. Proc Natl Acad Sci U S A, 78, 5833-5837.
- Higgs**, D.R. & Weatherall, D.J. (2008) The α Thalassaemias. Cell Mol Life Sci.
- Higgs**, D.R., Wood, W.G., Jarman, A.P., Vickers, M.A., Wilkie, A.O., Lamb, J., Vyas, P. & Bennett, J.P. (1990) The α -thalassemias. Ann N Y Acad Sci, 612, 15-22.
- Huang**, M.M., Arnheim, N. & Goodman, M.F. (1992) Extension of base mispairs by Taq DNA polymerase: implications for single nucleotide discrimination in PCR. Nucleic Acids Res, 20, 4567-4573.
- Kan**, Y.W., Dozy, A.M., Trecartin, R. & Todd, D. (1977) Identification of a nondeletion defect in α -thalassemia. N Engl J Med, 297, 1081-1084.
- Labie**, D., Dunda-Belkhodja, O., Rouabhi, F., Pagnier, J., Ragusa, A. & Nagel, R.L. (1985) The -158 site 5' to the G gamma gene and G gamma expression. Blood, 66, 1463-1465.

Li, D., Liao, C., Li, J., Xie, X., Huang, Y. & Zhong, H. (2006) Detection of α -thalassemia in β -thalassemia carriers and prevention of Hb Bart's hydrops fetalis through prenatal screening. *Haematologica*, 91, 649-651.

Loasombat, V. (2541) Thalassemia. O.S.Printing House, Bangkok.

Makonkawkeyoon, L., Ongchai, S. & Sanguansermsri, T. (1992) Determination of hemoglobin Bart's in α -thalassemia traits by two-site immunoradiometric assay. I. Purification of hemoglobin Bart's and preparation of specific anti-Hb Bart's. *J Med Assoc Thai*, 75, 508-513.

Merghoub, T., Maier-Redelsperger, M., Labie, D., Perichon, B., Feingold, N., Dibenedetto, S.P., Schiliro, G., Samperi, P., Ducrocq, R., Elion, J. & Krishnamoorthy, R. (1996) Variation of fetal hemoglobin and F-cell number with the LCR-HS2 polymorphism in nonanemic individuals. *Blood*, 87, 2607.

Moi, P., Cash, F.E., Liebhaber, S.A., Cao, A. & Pirastu, M. (1987) An initiation codon mutation (AUG----GUG) of the human $\alpha 1$ -globin gene. Structural characterization and evidence for a mild thalassemic phenotype. *J Clin Invest*, 80, 1416-1421.

Pan, L.L., Eng, H.L., Kuo, C.Y., Chen, W.J. & Huang, H.Y. (2005) Usefulness of brilliant cresyl blue staining as an auxiliary method of screening for α -thalassemia. *J Lab Clin Med*, 145, 94-97.

Rodgers, G.P. (1998) Clinical Haematology: International practice and research. Bailliere Tindall, London.

Sambrook Joseph, D.W.R. (2001) Molecular cloning ; a laboratory manual. Cold Spring Harbor Laboratory Press.

Sampietro, M., Thein, S.L., Contreras, M. & Pazmany, L. (1992) Variation of HbF and F-cell number with the G-gamma *XmnI* (C-T) polymorphism in normal individuals. Blood, 79, 832-833.

Sanchaisuriya, K., Fucharoen, G. & Fucharoen, S. (2002) Hb Pakse [(α 2) codon 142 (TAA-->TAT or Term-->Tyr)] in Thai patients with EAbart's disease and Hb H Disease. Hemoglobin, 26, 227-235.

Sanguansermsri, T., Matragoon, S., Changloah, L. & Flatz, G. (1979) Hemoglobin Suan-Dok (α 2 109 (G16) Leu replaced by Arg β 2): an unstable variant associated with α -thalassemia. Hemoglobin, 3, 161-174.

Sayachak, S. (2006) Development of Enzyme-Linked Immunosorbent Assay for Screening α -Thalassemia Carriers. In: Medical Technology, Vol. Master of Science (Medical Technology). ChiangMai University, ChiangMai.

Sirichotiyakul, S., Tantipalakorn, C., Sanguansermsri, T., Wanapirak, C. & Tongsong, T. (2004) Erythrocyte osmotic fragility test for screening of α -thalassemia-1 and β -thalassemia trait in pregnancy. Int J Gynaecol Obstet, 86, 347-350.

- Siriratmanawong**, N., Fucharoen, G., Sanchaisuriya, K., Ratanasiri, T. & Fucharoen, S. (2001) Simultaneous PCR detection of β - thalassemia and α - thalassemia 1 (SEA type) in prenatal diagnosis of complex thalassemia syndrome. Clin Biochem, 34, 377-380.
- Starck**, J., Qiao, C.S., Morle, F., Charnay, P. & Godet, J. (1988) Expression of human G gamma globin genes carrying a T or a C at position -158 in COS and MEL cells. Biochem Biophys Res Commun, 155, 1213-1220.
- Sutcharitchan**, P., Wang, W., Settapiboon, R., Amornsiriwat, S., Tan, A.S. & Chong, S.S. (2005) Hemoglobin H disease classification by isoelectric focusing: molecular verification of 110 cases from Thailand. Clin Chem, 51, 641-644.
- Tatu**, T., Sayachak, S., Chiampanichayakul S, Kasinrerk W and Piyamongkol W (2006) Red blood cell parameters and Hb Bart's levels in simple α -and double α/β -thalassemia heterozygotes. In: Oral Presentation at The 2006 Thai Society of Hematology Annual Meeting held at The Royal Golden Jubilee Building.
- Thein**, S.L. (1993) beta-thalassemia. In: Baillie's Clinical Haematology. International Practice and Research: The Haemoglobinopathies. (ed. by Weatherall, D.R.H.a.D.J.), pp. 171-176. Bailliere Tindall, London.
- Thein**, S.L., Winichagoon, P., Hesketh, C., Best, S., Fucharoen, S., Wasi, P. & Weatherall, D.J. (1990) The molecular basis of β -thalassemia in Thailand: application to prenatal diagnosis. Am J Hum Genet, 47, 369-375.

- Thonglairoam**, V., Winichagoon, P., Fucharoen, S., Tanphaichitr, V.S., Pung-amritt, P., Embury, S.H. & Wasi, P. (1991) Hemoglobin constant spring in Bangkok: molecular screening by selective enzymatic amplification of the α 2-globin gene. Am J Hematol, 38, 277-280.
- Trent**, R.J. (2006) Diagnosis of the haemoglobinopathies. Clin Biochem Rev, 27, 27-38.
- Viprakasit**, V., Tanphaichitr, V.S., Pung-Amritt, P., Petrarat, S., Suwantol, L., Fisher, C. & Higgs, D.R. (2002) Clinical phenotypes and molecular characterization of Hb H-Pakse disease. Haematologica, 87, 117-125.
- Viprakasit**, V., Tanphaichitr, V.S., Veerakul, G., Chinchang, W., Petrarat, S., Pung-Amritt, P. & Higgs, D.R. (2004) Co-inheritance of Hb Pak Num Po, a novel α 1 gene mutation, and α^0 thalassemia associated with transfusion-dependent Hb H disease. Am J Hematol, 75, 157-163.
- Walsh**, P.S., Metzger, D.A. & Higuchi, R. (1991) Chelex 100 as a medium for simple extraction of DNA for PCR-based typing from forensic material. Biotechniques, 10, 506-513.
- Wanapirak**, C., Muninthorn, W., Sanguansermsri, T., Dhananjayanonda, P. & Tongsong, T. (2004) Prevalence of thalassemia in pregnant women at Maharaj Nakorn Chiang Mai Hospital. J Med Assoc Thai, 87, 1415-1418.

Wasi, P., Na-Nakorn, S., Pootrakul, S., Sookanek, M., Disthasongchan, P., Panich, V. & Pornpatkul, M. (1969) α - and β -thalassemia in Thailand. Ann N Y Acad Sci, 165, 60-82.

Wasi, P., Pootrakul, S., Pootrakul, P., Pravatmuang, P., Winichagool, P. & Fucharoen, S. (1980) Thalassemia in Thailand. Ann N Y Acad Sci, 344, 352-363.

Weatherall, D.J. & Clegg, J.B. (2001) The thalassaemia syndromes. Blackwell Science, Oxford ; Malden, MA.

Wee, Y.C., Tan, K.L., Kuldip, K., Tai, K.S., George, E., Tan, P.C., Chia, P., Subramaniam, R., Yap, S.F. & Tan, J.A. (2008) α -thalassaemia in association with β -thalassaemia patients in Malaysia: a study on the co-inheritance of both disorders. Community Genet, 11, 129-134.

Wilkie, A.O., Zeitlin, H.C., Lindenbaum, R.H., Buckle, V.J., Fischel-Ghodsian, N., Chui, D.H., Gardner-Medwin, D., MacGillivray, M.H., Weatherall, D.J. & Higgs, D.R. (1990) Clinical features and molecular analysis of the α -thalassemia/mental retardation syndromes. II. Cases without detectable abnormality of the alpha globin complex. Am J Hum Genet, 46, 1127-1140.

Winichagool, P., Fucharoen, S., Siritanaratkul, N., Tassana, P., Thonglairoam, V., Siriboon, W. & Kanokpongjakdi, S. (1995) Prenatal diagnosis for β -thalassemia syndromes using HRP-labeled oligonucleotide probes at Siriraj Hospital. Southeast Asian J Trop Med Public Health, 26 Suppl 1, 282-286.

Winichagoon, P., Thitivichianlert, A., Lebnak, T., Piankijagum, A. & Fucharoen, S.
(2002) Screening for the carriers of thalassemias and abnormal hemoglobins at the community level. Southeast Asian J Trop Med Public Health, 33 Suppl 2, 145-150.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved