TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENT	iii
ABSTRACT (IN ENGLISH)	iv
ABSTRACT (IN THAI)	vi
LIST OF TABLES	xii
LIST OF FIGURES	xiii
ABBREVATIONS	xvi
CHAPTER I INTRODUCTION	1
CHAPTER II LITERATURE REVIEWS	
General Characteristic	
 Definition 	4
• Habitat	5
 Nutritional requirements and metabolic activities 	
- Carbon and nitrogen sources	6
- Acquisition of iron	6
Metabolic pathways in mycobacteria	7
Cell-wall structure and components	
pyright Lipid by Chiang Mai Univers	8
- Acetylated trehaloses	10
- Mycosides	11
Species frequently involved in human	
• M. tuberculosis complex	12
• <i>M. avium</i> complex	13
M. kansasii	14

• M. scrojuiaceum	14
• M. fortuitum	15
The disease	
• Tuberculosis	15
Diseases caused by nontuberculous mycobacteria	18
Susceptibility to antimicrobial agents	
• M. tuberculosis complex	20
- Drugs	
1. Isoniazid	21
2. Rifampicin	22
3. Pyrazinamide	22
4. Ethambutol	22
5. Streptomycin	23
- Drug regimens	24
NTM	
- Pulmonary infections	24
1. MAC	24
2. M. kansasii	25
3. Other NTM	26
- Extrapulmonary infections	26
Prevention and control of human TB	27
Vaccination strategies	27
Laboratory Diagnosis	
Acid-fast smear microscopy	29
op Culture Chiang Mai Univers	
- Solid media	31
- Liquid media	31
- Growth conditions	33
 Identification and typing methods 	
- Phenotypic test	
1. Biochemical tests	34
2. Mycolic acid analysis	34

- Genotypic test	
1. Reverse-Hybridization	35
2. Real- time PCR technique	35
3. PCR-Restriction Enzyme Analysis	36
4. DNA sequencing	37
5. Direct amplification tests	37
Principle of Multiplex PCR	38
CHAPTER III MATERIALS AND METHODS	
Research design	39
Materials and Method	
1. Bacteria Strains	40
2. Culture Media	5 41
3. Selection and testing of primer	43
4. Extraction of genomic DNA	
4.1 Crude extract of genomic DNA from bacteria	45
4.2 Enzymatic extraction of genomic DNA from	46
mycobacteria	
5. Single PCR for detection of each species mycobacteria	47
6. Single-tube Multiplex PCR for detection of mycobacteria	
6.1 Optimization of annealing temperature (T_m)	48
6.2 Optimization of MgCl ₂ concentration	48
6.3 Optimization of dNTP concentration	48
7. Determination of Sensitivity or lower detection limit	48
of Single-tube Multiplex PCR in detection and identification	
of the mycobacteria	
8. The efficiency of Single-tube Multiplex PCR method for	49
detection and identification.	
9. Comparison of the identification results by Single-tube	49
Multiplex PCR with PCR -REA and PNB screening testing	
10. Specificity of Single tube Multiplex PCR for detection of	49
mycobacteria.	

CHAPTER IV RESULTS 50 1. Result of analyzed specific primers 51 Preparation of genomic DNA of mycobacteria 2. The results of Single PCR for detection of each species Mycobacteria 52 3. Optimization of the Single-tube Multiplex PCR 4.1 Optimization of annealing temperature 56 59 4.2 Optimization of MgCl₂ concentration 4.3 Optimization of dNTPs concentration 62 4. Determination of sensitivity or lower detection limit of Single-tube Multiplex PCR in detection of the Mycobacteria DNA 64 5. Detection and identification of mycobacteria by Single-tube 68 Multiplex PCR 6. Comparison of the identification results by Single-tube Multiplex PCR with PCR -REA 70 7. Comparison of the identification results by Single-tube Multiplex PCR with PNB screening test 71 **CHAPTER V DISCUSSION** 72 **CHAPTER VI CONCLUSION** 76 REFERENCES 77 **APPENDIX** CIRRICULUM VITAE

LIST OF TABLES

TABLE	PAGE
1. Classification of Selected Mycobacteria Pathogenic for human	11
2. Mycobacteria strains used in this study	41
3. Nonmycobacteria strains used in this study	42
4. Nucleotide sequences and characteristics of ten selected primers	44
using in this study	
5. Genbank accession numbers of 16S-23S rDNA of 36 mycobacteria	45
using for Fast PCR computerized program testing	
6. Show the expected amplified products size specific to Mycobacteria	50
7. The deltaG (dG) value of each pair primers	51
8. The results of genomic DNA preparation	51
9. Optimization of master mix for Multiplex PCR in detection	64
and identification of mycobacteria optimized master mix.	
10. Multiplex PCR Program for detection and identification of	64
mycobacteria	
11. Comparison of 64 clinical isolated mycobacteria identification	70
by PCR-REA with Multiplex PCR	
12. Comparison between Multiplex PCR and PNB screening test	71
in detection and identification mycobacteria	

LIST OF FIGURES

FIGURE	PAGE
1. Schematic diagram of primers pairing each other	44
2. The amplified products of genus specific by ITS-F vs MYCOM-2 primers	52
on 2.5% agarose gel.	
3. The amplified products of MAC by MACF vs MYCOM-2 primers	53
on 2.5% agarose gel	
4. The amplified products of <i>M</i> .fortuitum by FORF vs MYCOM-2 primers	53
on 2.5% agarose gel	
5. The amplified products of <i>M. intracellulare</i> by INT vs MYCOM-2 primers	54
on 2.5% agarose gel	
6. The amplified products of <i>M. scrofulaceum</i> by ITS-F1 vs SCOR primers	54
on 2.5% agarose gel	
7. The amplified products of <i>M. tuberculosis</i> by ITS-F1 vs TBR primers	55
on 2.5% agarose gel	
8. The amplified products of M. kansasii by KAN1, KAN2 and mKAN	55
vs MYCOM-2 primers on 2.5% agarose gel	
9. The amplified products of genus specific (370 bp) by ITS-F1 vs MYCOM-2	56
primers and species specific (210 bp) by FORF vs MYCOM -2 primers	
M. fortuitum ATCC 6841	
10. The amplified products of genus specific (320 bp) by ITS-F1 vs MYCOM-2	57
primers and species specific (95 bp) by MACF vs MYCOM-2 primers	
of M. avium ATCC 25291	
11. The amplified products of genus specific (335 bp) by ITS-F1 vs MYCOM-2	57
primers and species specific (75 bp) by INT vs MYCOM-2 primers	
of M. intracellulare ATCC 13950	

12. The amplified products of genus specific (330 bp) by ITS-F1 vs MYCOM-2	58
primers and species specific (170 bp) by KAN1, KAN2 and mKAN	
vs MYCOM-2 of M. kansasii ATCC 12478	
13. The amplified products of genus specific (320 bp) by ITS-F1 vs MYCOM-2	58
primers and species specific (340 bp) by ITS-F1 vs SCOR	
of M. scrofulaceum ATCC 19982	
14. The amplified products of genus specific (320 bp) by ITS-F1 vs MYCOM-2	59
primers and species specific (260 bp) by ITS-F1 vs TBR primers	
of M. tuberculosis ATCC 19982	
15. Variation of MgCl ₂ concentration using in Multiplex PCR	59
for M. avium ATCC 25291 identification	
16. Variation of MgCl ₂ concentration using in Multiplex PCR	60
for M. fortuitum ATCC 6841 identification	
17. Variation of MgCl ₂ concentration using in Multiplex PCR	60
for M. intracellulare ATCC 13950 identification	
18. Variation of MgCl ₂ concentration using in Multiplex PCR	61
for M. kansasii ATCC 12478 identification	
19. Variation of MgCl ₂ concentration using in Multiplex PCR	61
for M. scrofulaceum ATCC 19982 identification	
20. Variation of MgCl ₂ concentration using in Multiplex PCR	62
for M. tuberculosis ATCC 27294 identification	
21. Variation of dNTPs concentration using in Multiplex PCR	62
for detection of 210/370 bp of M. fortuitum ATCC 6841 (panel A)	
and 95/320 bp of <i>M. avium</i> ATCC 25291 (panel B)	
22 Variation of dNTPs concentration using in Multiplex PCR	63
for detection of 170/330 bp of M. kansasii ATCC 12478 (panel A)	
and 75/335 bp of M. intracellure ATCC 13950 (panel B)	
23. Variation of dNTPs concentration using in Multiplex PCR	63
for detection of 260/320 bp of M. tuberculosis ATCC 27294 (panel A)	
and 320/340 bp of M. scrofulaceum ATCC 19982 (panel B)	

24. Variation of DNA template concentration for M. avium ATCC 25291	65
detection by Multiplex PCR	
25. Variation of DNA template concentration for M. fortuitum ATCC 6841	65
detection by Multiplex PCR	
26. Variation of DNA template concentration for M. intracellulare ATCC 13950	66
detection by Multiplex PCR	
27. Variation of DNA template concentration for M. kansasii ATCC 12478	66
detection by Multiplex PCR	
28 Variation of DNA template concentration for <i>M. scrofulaceum</i> ATCC 19982	67
detection by Multiplex PCR	
29. Variation of DNA template concentration for <i>M. tuberculosis</i> ATCC 27294	67
detection by Multiplex PCR	
30. The specific amplified products pattern of mycobacteria referent strains	68
by optimized Single- tube Multiplex PCR	
31. The specific amplified products pattern of referent strain of	69
Mycobacterium species and nonmycobacteria	
by optimized Single- tube Multiplex PCR	

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

ABBREVIATIONS

% Percent °C Degree Celsius Microgram μg Microlitre μ1 μM Micromolar 7H9 Modified Middlebrook 7H9 broth 7H10 Middlebrook 7H10 broth 7H11 Middlebrook 7H11 broth **AIDS** Acquired immune deficiency syndrome bp Base pair CH_2 Methylene CO_2 Carbondioxide dG Delta G force Deoxyribonucleic acid DNA dNTP Deoxynucleotide triphosphate DNA Deoxyribonucleic acid E. coli Escherichia coli Ethambutol **EMB** femtogram fg Hour HIV Human Immunodeficiency Virus INH Isoniazid Internal transcribed spacers ITS Kilobase kb kCal Kilocalorie kDa Kilodalton

Kilogram

Litre

kg

L

LiPA Line probe assay

M Molarity

MAC *Mycobacterium avium* complex

mg Milligram

MgCl₂ Magnecium Chloride

MIC Minimum Inhibit Concentation

min Minute
ml Millilitre
mM Millimolar

MTB Mycobacterium tuberculosis

NADH Nicotinamide adenine dinucleotide

NaHCO₃ Sodium hydrogen carbonate

Na₂CO₃ Sodium Carbonate

ng Nanogram

NTM Non-tuberculous mycobacteria

OD Optical density

P-aminosalicylic acid

PCR Polymerase chain reaction

pg Picogram

pH power of Hydrogen ion
PNB P-nitrobenzoic acid

PZA Pyrazinamide

REA Restriction enzyme analysis

RGM Rapid grower mycobacteria

RMP Rifampicin

RNA Ribosomal nucleic acid

SM Streptomycin

TAE Tris acetate EDTA

Taq Thermus aquaticus

TBE Tris borate EDTA

TB Tuberculosis

Tm Melting Temperature

USA
United States of America
UV
Ultraviolet
VS
Versus
WHO
World Health Organization
yr
Year

