

REFERENCES

1. Koman LA, Smith BP, Shilt JS. Cerebral palsy. *Lancet*. 2004; 363: 1619-31.
2. National Statistical Office of Thailand. 2009. “Statisticals Data Disability Profile” [Online]. Available: http://service.nso.go.th/nso/nso_center/project/search_center/23project-th.htm [2009, August 22].
3. Rajanukul Institute. 2009. “Statistics.” [Online]. Available: http://www.rajanukul.com/service_our.htm [2009, August 22].
4. Eak MN, Beckung E. Walking ability is related to muscle strength in children with cerebral palsy. *Gait Posture*. 2008; 28: 366-71.
5. Wiley ME, Damiano DL. Lower extremity strength profiles in spastic cerebral palsy. *Dev Med Child Neurol*. 1998; 40: 100-7.
6. Arnold AS, Schwartz MH, Thelen DG, Delp SL. Contributions of muscles to terminal swing knee motions vary with walking speed. *J Biomech*. 2007; 40: 3660-71.
7. Arnold AS, Liu MQ, Schwartz MH, Ounpuu S, Delp SL. The role of estimating muscle tendon lengths and velocities of the hamstrings in the evaluation and treatment of crouch gait. *Gait Posture*. 2006; 23: 273-81.
8. Damiano DL, Kelly LE, Vaughn CL. Effects of quadriceps femoris muscle strengthening on crouch gait in children with spastic diplegia. *Phys Ther*. 1995; 75: 658-71.

9. Damiano DL, Vaughan CL, Abel MF. Muscle response to heavy resistance exercise in children with spastic cerebral palsy. *Dev Med Child Neurol.* 1995; 37: 731-9.
10. Daichman J, Johnston TE, Evan K, Tecklin JS. The effects of neuromuscular electrical stimulation home program on impairments and functional skills of a child with spastic diplegic cerebral palsy: a case report. *Pediatr Phys Ther.* 2003; 15: 153-8.
11. Kerr C, McDowell B, McDonough S. Electrical stimulation in cerebral palsy: a review of effects on strength and motor function. *Dev Med Child Neurol.* 2004; 46: 205-13.
12. Dehail P, Duclos C, Barat M. Electrical stimulation and muscle strengthening. *Ann Readapt Med Phys.* 2008; 51: 441-51.
13. Kerr C, McDowell B, Cosgrove A, Walsh D. Electrical stimulation in cerebral palsy: a randomized controlled trial. *Dev Med Child Neurol.* 2006; 48: 870-6.
14. What part of the body is affected by CP? (No date) [Online]. Available: http://www.thespasticcentre.org.au/about_cp/what_is_cp.htm [2009, August 22].
15. Valvano J, Carollo JJ, Lutz B, Chang F. Oral presentations: knee extension at terminal swing: a missing critical gait even for children with spastic cerebral palsy. *Gait Posture.* 2006; 24: 7-97.
16. Arnold AS, Liu MQ, Schwartz MH, Ounpuu S, Dias LS, Delp SL. Crouched postures reduce the capacity of muscles to extend the hip and knee during the single limb stance phase of gait. *J Biomech.* 2008; 41: 960-67.

17. Arnold AS, Anderson FC, Pandy MG, Delp SL. Muscular contributions to hip and knee extension during the single limb stance of normal gait: a framework for investigating the causes of crouch gait. *J Biomech.* 2005; 38: 2181-9.
18. DAS SP, Singh D, Sahoo J, Prasad SV, Mohanty RN. Lower limb alignment in cerebral palsy. *Indian J Orthop.* 2005; 4: 248-53.
19. Perry J. *Gait analysis, normal and pathological function.* New York: Harry C. Benson; 1992.
20. Clarkson HM. *Musculoskeletal assessment: joint range of motion and manual muscle strength.* 2nd ed. Philadelphia: Lippincott William & Wilkins; 2000.
21. Macphail HEA, Kramer JF. Effect of isokinetic strength training on functional ability and walking efficiency in adolescents with cerebral palsy. *Dev Med Child Neurol.* 1995; 37: 763-775.
22. Strengthening in individuals with cerebral palsy (2003). [Online]. Available: <http://www.pediatricapta.org/csm2003/4501.pdf> [2009, August 22].
23. Damiano DL, Martellotta TL, Sullivan DJ, Granata KP. Muscle force production and function performance in spastic cerebral palsy: relationship of cocontraction. *Arch Phys Med Rehabil.* 2000; 81: 895-900.
24. Givon U. Muscle weakness in cerebral palsy. *Acta Orthop Traumatol Turc.* 2009; 43: 87-93.
25. Stackhouse SK, Binder-Macleod SA, Lee SC. Voluntary muscle activation, contractile properties, and fatigability in children with and without cerebral palsy. *Muscle Nerve.* 2005; 31: 594-601.
26. Rose J, McGill KC. Neuromuscular activation and motor unit firing characteristics in cerebral palsy. *Dev Med Child Neurol.* 2005; 47: 329-36.

27. Ross SA, Engsberg JR. Relation between spasticity and strength in individuals with spastic diplegic cerebral palsy. *Dev Med Child Neurol.* 2002; 44: 148-57.
28. Rose J, Haskell WL, Gamble JG, Hamilton RL, Brown DA, Rinsky L. Muscle pathology and clinical measures of disability in children with cerebral palsy. *J Orthop Res.* 1994; 12: 758-68.
29. Powers SK, Howley ET. *Exercise physiology: theory and application to fitness and performance.* Boston: McGraw Hill; 2001.
30. Wilmore JH, Costill DL. *Physiology of sport and exercise.* 3ed. United States: Human Kinetics; 2004.
31. Flower EG, Damiano DL, Kolobe TH, Thorpe DE. Promotion of physical fitness and prevention of secondary conditions for children with cerebral palsy: section on pediatrics research summit proceeding. *Phys Ther.* 2007; 87: 1495-1510.
32. Mockford M, Caulton JM. Systematic review of progressive strength training in children and adolescents with cerebral palsy who are ambulatory. *Pediatr Phys Ther.* 2008; 20: 318-33
33. Ross SA, Engsberg JR. Relationships between spasticity, strength, gait, and the GMFM-66 in persons with spastic diplegia cerebral palsy. *Arch Phys Med Rehabil.* 2007; 88: 1114-20.
34. Unger M, Faure M, Frieg A. Strength training in adolescent learners with cerebral palsy: a randomized controlled trial. *Clin Rehabil.* 2006; 20: 469-477.
35. Kelln BM, McKeon PO, Fontkof LM, Hertel J. Hand held dynamometry: reliability of lower extremity muscle testing in healthy, physical active, young adults. *J Sport Rehabil.* 2008; 17: 160-70.

36. Berry ET, Guiliani CA, Damiano DL. Intrasession and intersession reliability of handheld dynamometry in children with cerebral palsy. *Pediatr Phys Ther.* 2004; 16: 191-8.
37. Scholtes VAB, Becher JG, Beelen A, Lankhorst GJ. Clinical assessment of spasticity in children with cerebral palsy: a critical review of available instruments. *Dev Med Child Neurol.* 2006; 48: 64-73.
38. Fowler G, Nwigwe AI, Ho TW. Sensitivity of the pendulum test for assessing spasticity in persons with cerebral palsy. *Dev Med Child Neurol.* 2000; 42: 182-9.
39. Clopton N, Dutton J, Featherston T, Grigsby A, Mobley J, Melvin J. Interrater and intrarater reliability of the modified ashworth scale in children with hypertonia. *Pediatr Phys Ther.* 2005; 17: 268-74.
40. Loessin Grohmann JE. Comparison of two methods of goniometry. *Phys Ther.* 1983; 63: 922-25.
41. Gage JR. The treatment of gait problems in cerebral palsy. British: Lavenham Press Ltd; 2004.
42. Stillman BC. Physiological quadriceps lag: its nature and clinical significance. *Aust J Physiother.* 2004; 50: 237-41.
43. Stratford P. Electromyography of the quadriceps femoris muscles in subjects with normal knees and acutely effused knees. *Phys Ther.* 1981; 62: 279-83.
44. Petrofsky JS. Electrical stimulation: neurophysiological basis and application. *Basic Appl Myol.* 2004; 14: 205-13.
45. McDonough S. Neuromuscular and muscular electrical stimulation. In: Watson T, editor. *Electrotherapy: evidence based practice.* 12ed. New York: Churchill Livingstone Elsevier; 2008.

46. Carmick J. Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. *Phys Ther.* 1997; 77: 661-70.
47. Stackhouse SK, Binder-Macleod SA, Stackhouse CA, McCarthy JJ, Prosser LA, Lee SCK. Neuromuscular electrical stimulation versus volitional isometric strength training in children with spastic diplegic cerebral palsy: a preliminary study. *Neurorehabil Neural Repair.* 2007; 21: 475-85.
48. Linden MLvd, Hazlewood ME, Aitchison AM, Hillman SJ, Robb JE. Electrical stimulation of gluteus maximus in children with cerebral palsy: effects on gait characteristics and muscle strength. *Dev Med Child Neurol.* 2003; 45: 385-90.
49. Maenpaa H, Jaakkola R, Sandstrom M, Airi T, Wendt Lv. Electrostimulation at sensory level improves function of the upper extremities in children with cerebral palsy: a pilot study. *Dev Med Child Neurol.* 2004; 46: 84-90.
50. Gross Motor Function Classification System (GMFCS) - Expanded and revised (2007). [Online]. Available: <http://motorgrowth.canchild.ca/en/GMFCS/expandedandrevised.asp> [2009, August 22].
51. GMFCS E & R Descriptors & illustrations 6 - 12 years and 12 -18 years (No date). [Online]. Available: <http://motorgrowth.canchild.ca/en/GMFCSdescriptorsandillustrations.asp> [2009, August 22].
52. Berge SRt, Halbertsma JPK, Maathuis PGM, Verheij NP, Dijkstra PU, Maathuis KGB. Reliability of popliteal angle measurement: a study in cerebral palsy patients and healthy controls. *J Pediatr Orthop.* 2007; 27.
53. Modified Ashworth Scale. Bohannon & Smith (1987). [Online]. Available: <http://www.neurosurvival.ca/ClinicalAssistant/scales/ashworth.html> [2009, August 22].

54. Whittle MW. Gait analysis: an introduction. Oxford: Butterworth Heinemann; 1991.
55. Motion Analysis Tools DX9 Shareware Version 2.7.3 (No date) [Online]. Available: <http://www.irrd.ca/cag/> [2009, November 28].
56. Portney LG, Watkins MP. Foundations of clinical research: application to practice. New Jersey: Prentice-Hall; 2000.
57. Martel GF, Roth SM, Ivey FM, Lemmer JT, Tracy BL, Hurlbut DE. Age and sex affect human muscle fibre adaptations to heavy-resistance strength training. *Exp Physiol* 2006; 91: 457-464.
58. Carmick J. Clinical use of neuromuscular electrical stimulation for children with cerebral palsy, part1: lower extremity. *Phys Ther.* 1993; 73: 505-13.