

REFERENCES

- Abbas, A. K. and Lichtman, A. H. (2006). Basic Immunology: Functions and Disorders of immune system. W.B saunders company.
- Abbas, A. K., Lichtman, A. H. and Pober, J. S. (2000). Cellular and Molecular Immunology. W.B saunders company.
- Alberti, I., *et al.* (2002). CD99 isoforms expression dictates T cell functional outcomes. FASEB J 16(14): 1946-8.
- Areschoug, T. and Gordon, S. (2008). Pattern recognition receptors and their role in innate immunity: focus on microbial protein ligands. Contrib Microbiol 15: 45-60.
- Assuncao Guimaraes, C. and Linden, R. (2004). Programmed cell deaths. Apoptosis and alternative deathstyles. Eur J Biochem 271(9): 1638-50.
- Aubrit, F., *et al.* (1989). The biochemical characterization of E2, a T cell surface molecule involved in rosettes. Eur J Immunol 19(8): 1431-6.
- Banting, G. S., Pym, B., Darling, S. M. and Goodfellow, P. N. (1989). The MIC2 gene product: epitope mapping and structural prediction analysis define an integral membrane protein. Mol Immunol 26(2): 181-8.
- Barclay, A. N., *et al.* (1997). The Leucocyte Antigen FactsBook. Academic Press.
- Bernard, A., *et al.* (1988). A T cell surface molecule different from CD2 is involved in spontaneous rosette formation with erythrocytes. J Immunol 140(6): 1802-7.

- Bernard, A., *et al.* (1984). A novel human leukocyte differentiation antigen: monoclonal antibody anti-D44 defines a 28 Kd molecule present on immature hematologic cells and a subpopulation of mature T cells. *J Immunol* 132(5): 2338-44.
- Bernard, G., *et al.* (1997). Apoptosis of immature thymocytes mediated by E2/CD99. *J Immunol* 158(6): 2543-50.
- Bernard, G., *et al.* (2000). CD99 (E2) up-regulates alpha4beta1-dependent T cell adhesion to inflamed vascular endothelium under flow conditions. *Eur J Immunol* 30(10): 3061-5.
- Bernard, G., *et al.* (1995). The E2 molecule (CD99) specifically triggers homotypic aggregation of CD4+ CD8+ thymocytes. *J Immunol* 154(1): 26-32.
- Bonilla, F. A. and Oettgen, H. C. (2010). Adaptive immunity. *J Allergy Clin Immunol* 125(2 Suppl 2): S33-40.
- Boucheix, C. and Rubinstein, E. (2001). Tetraspanins. *Cell Mol Life Sci* 58(9): 1189-205.
- Bremond, A., *et al.* (2009). Regulation of HLA class I surface expression requires CD99 and p230/golgin-245 interaction. *Blood* 113(2): 347-57.
- Byun, H. J., *et al.* (2006). A splice variant of CD99 increases motility and MMP-9 expression of human breast cancer cells through the AKT-, ERK-, and JNK-dependent AP-1 activation signaling pathways. *J Biol Chem* 281(46): 34833-47.
- Carmo, A. M. and Wright, M. D. (1995). Association of the transmembrane 4 superfamily molecule CD53 with a tyrosine phosphatase activity. *Eur J Immunol* 25(7): 2090-5.

- Cerisano, V., *et al.* (2004). Molecular mechanisms of CD99-induced caspase-independent cell death and cell-cell adhesion in Ewing's sarcoma cells: actin and zyxin as key intracellular mediators. *Oncogene* 23(33): 5664-74.
- Chaplin, D. D. (2010). Overview of the immune response. *J Allergy Clin Immunol* 125(2 Suppl 2): S3-23.
- Chinen, J. and Shearer, W. T. (2005). Basic and clinical immunology. *J Allergy Clin Immunol* 116(2): 411-8.
- Choi, E. Y., *et al.* (1998). Engagement of CD99 induces up-regulation of TCR and MHC class I and II molecules on the surface of human thymocytes. *J Immunol* 161(2): 749-54.
- Cronin, S. J. and Penninger, J. M. (2007). From T-cell activation signals to signaling control of anti-cancer immunity. *Immunol Rev* 220: 151-68.
- Dworzak, M. N., *et al.* (1999). CD99 (MIC2) expression in paediatric B-lineage leukaemia/lymphoma reflects maturation-associated patterns of normal B-lymphopoiesis. *Br J Haematol* 105(3): 690-5.
- Dworzak, M. N., *et al.* (2004). CD99 expression in T-lineage ALL: implications for flow cytometric detection of minimal residual disease. *Leukemia* 18(4): 703-8.
- Eales, L.-J. (2003). Immunology for life scientist. John Wiley & Sons
- Fooksman, D. R., *et al.* (2010). Functional anatomy of T cell activation and synapse formation. *Annu Rev Immunol* 28: 79-105.
- Fouchet, C., Gane, P., Cartron, J. P. and Lopez, C. (2000). Quantitative analysis of XG blood group and CD99 antigens on human red cells. *Immunogenetics* 51(8-9): 688-94.

- Gelin, C., *et al.* (1989). The E2 antigen, a 32 kd glycoprotein involved in T-cell adhesion processes, is the MIC2 gene product. *EMBO J* 8(11): 3253-9.
- Gomperts, B. D., Kramer, I. M. and Tatham, P. E. R. (2009). *Signal Transduction*. Academic Press.
- Goodfellow, P. N., *et al.* (1988). MIC2: a human pseudoautosomal gene. *Philos Trans R Soc Lond B Biol Sci* 322(1208): 145-54.
- Goodfellow, P. N. and Tippett, P. (1981). A human quantitative polymorphism related to Xg blood groups. *Nature* 289(5796): 404-5.
- Hahn, J. H., *et al.* (1997). CD99 (MIC2) regulates the LFA-1/ICAM-1-mediated adhesion of lymphocytes, and its gene encodes both positive and negative regulators of cellular adhesion. *J Immunol* 159(5): 2250-8.
- Hahn, M. J., *et al.* (2000). Differential activation of MAP kinase family members triggered by CD99 engagement. *FEBS Lett* 470(3): 350-4.
- Hara, M. R., *et al.* (2005). S-nitrosylated GAPDH initiates apoptotic cell death by nuclear translocation following Siah1 binding. *Nat Cell Biol* 7(7): 665-74.
- Horejsi, V. (2003). The roles of membrane microdomains (rafts) in T cell activation. *Immunol Rev* 191: 148-64.
- Horejsi, V. (2005). Lipid rafts and their roles in T-cell activation. *Microbes Infect* 7(2): 310-6.
- Huppa, J. B. and Davis, M. M. (2003). T-cell-antigen recognition and the immunological synapse. *Nat Rev Immunol* 3(12): 973-83.
- Hwang, I. and Ki, D. (2011). Receptor-mediated T cell absorption of antigen presenting cell-derived molecules. *Front Biosci* 16: 411-21.

- Imbert, A. M., *et al.* (2006). CD99 expressed on human mobilized peripheral blood CD34+ cells is involved in transendothelial migration. *Blood* 108(8): 2578-86.
- Janeway, C. A., Jr. and Medzhitov, R. (1998). Introduction: the role of innate immunity in the adaptive immune response. *Semin Immunol* 10(5): 349-50.
- Janeway, C. A., Travers, P., Walport, M. and Shlomchik, M. J. (2004). *Immunobiology: The Immune System in Health and Disease*. Garland Science
- Jung, K. C., *et al.* (2003). The CD99 signal enhances Fas-mediated apoptosis in the human leukemic cell line, Jurkat. *FEBS Lett* 554(3): 478-84.
- Jury, E. C., Flores-Borja, F. and Kabouridis, P. S. (2007). Lipid rafts in T cell signalling and disease. *Semin Cell Dev Biol* 18(5): 608-15.
- Kabouridis, P. S. (2006). Lipid rafts in T cell receptor signalling. *Mol Membr Biol* 23(1): 49-57.
- Kabouridis, P. S. and Jury, E. C. (2008). Lipid rafts and T-lymphocyte function: implications for autoimmunity. *FEBS Lett* 582(27): 3711-8.
- Kasirerk, W., Tokrasinwit, N., Moonsom, S. and Stockinger, H. (2000). CD99 monoclonal antibody induce homotypic adhesion of Jurkat cells through protein tyrosine kinase and protein kinase C-dependent pathway. *Immunol Lett* 71(1): 33-41.
- Khunkaewla, P., *et al.* (2007). Production, characterization, and functional analysis of newly established CD99 monoclonal antibodies MT99/1 and MT99/2. *Hybridoma (Larchmt)* 26(4): 241-50.
- Kim, M. K., *et al.* (2003). MHC class II engagement inhibits CD99-induced apoptosis and up-regulation of T cell receptor and MHC molecules in human thymocytes and T cell line. *FEBS Lett* 546(2-3): 379-84.

- Kovar, H. and Bernard, A. (2006). CD99-positive "Ewing's sarcoma" from mouse-bone marrow-derived mesenchymal progenitor cells? *Cancer Res* 66(19): 9786.
- Krauss, G. (2003). Biochemistry of Signal Transduction and Regulation. Wiley-VCH.
- Krylov, D. M. and Koonin, E. V. (2001). A novel family of predicted retroviral-like aspartyl proteases with a possible key role in eukaryotic cell cycle control. *Curr Biol* 11(15): R584-7.
- Kurosaki, T. and Hikida, M. (2009). Tyrosine kinases and their substrates in B lymphocytes. *Immunol Rev* 228(1): 132-48.
- Larosa, D. F. and Orange, J. S. (2008). 1. Lymphocytes. *J Allergy Clin Immunol* 121(2 Suppl): S364-9; quiz S412.
- Latron, F., Blanchard, D. and Cartron, J. P. (1987). Immunochemical characterization of the human blood cell membrane glycoprotein recognized by the monoclonal antibody 12E7. *Biochem J* 247(3): 757-64.
- Lee, H. J., et al. (2002). Functional involvement of src and focal adhesion kinase in a CD99 splice variant-induced motility of human breast cancer cells. *Exp Mol Med* 34(3): 177-83.
- Levy, R., Dilley, J., Fox, R. I. and Warnke, R. (1979). A human thymus-leukemia antigen defined by hybridoma monoclonal antibodies. *Proc Natl Acad Sci U S A* 76(12): 6552-6.
- Levy, S. and Shoham, T. (2005). The tetraspanin web modulates immune-signalling complexes. *Nat Rev Immunol* 5(2): 136-48.
- Levy, S., Todd, S. C. and Maecker, H. T. (1998). CD81 (TAPA-1): a molecule involved in signal transduction and cell adhesion in the immune system. *Annu Rev Immunol* 16: 89-109.

- Lockshin, R. A. and Zakeri, Z. (2001). Programmed cell death and apoptosis: origins of the theory. *Nat Rev Mol Cell Biol* 2(7): 545-50.
- Lodish, H., *et al.* (2008). Molecular cell biology, W. H. Freeman.
- Lou, O., Alcaide, P., Luscinskas, F. W. and Muller, W. A. (2007). CD99 is a key mediator of the transendothelial migration of neutrophils. *J Immunol* 178(2): 1136-43.
- Luo, C., *et al.* (2008). The functional roles of lipid rafts in T cell activation, immune diseases and HIV infection and prevention. *Cell Mol Immunol* 5(1): 1-7.
- Maecker, H. T., Todd, S. C. and Levy, S. (1997). The tetraspanin superfamily: molecular facilitators. *FASEB J* 11(6): 428-42.
- Medzhitov, R. and Janeway, C. A., Jr. (1998). Innate immune recognition and control of adaptive immune responses. *Semin Immunol* 10(5): 351-3.
- Mittelbrunn, M., *et al.* (2002). Cutting edge: dynamic redistribution of tetraspanin CD81 at the central zone of the immune synapse in both T lymphocytes and APC. *J Immunol* 169(12): 6691-5.
- Nagy, Z. A. and Mooney, N. A. (2003). A novel, alternative pathway of apoptosis triggered through class II major histocompatibility complex molecules. *J Mol Med* 81(12): 757-65.
- Nakayama, T. and Yamashita, M. (2010). The TCR-mediated signaling pathways that control the direction of helper T cell differentiation. *Semin Immunol* 22(5): 303-9.
- Oh, K. I., *et al.* (2007). CD99 activates T cells via a costimulatory function that promotes raft association of TCR complex and tyrosine phosphorylation of TCR zeta. *Exp Mol Med* 39(2): 176-84.

- Pata, S., Tayapiwatana, C. and Kasinrerk, W. (2009). Three different immunogen preparation strategies for production of CD4 monoclonal antibodies. *Hybridoma (Larchmt)* 28(3): 159-65.
- Petit, C., Levilliers, J. and Weissenbach, J. (1988). Physical mapping of the human pseudo-autosomal region; comparison with genetic linkage map. *EMBO J* 7(8): 2369-76.
- Petty, A. C. and Tippett, P. (1995). Investigation of the biochemical relationship between the blood group antigens Xga and CD99 (12E7 antigen) on red cells. *Vox Sang* 69(3): 231-5.
- Razzaq, T. M., *et al.* (2004). Regulation of T-cell receptor signalling by membrane microdomains. *Immunology* 113(4): 413-26.
- Schenkel, A. R., *et al.* (2002). CD99 plays a major role in the migration of monocytes through endothelial junctions. *Nat Immunol* 3(2): 143-50.
- Schick, M. R. and Levy, S. (1993). The TAPA-1 molecule is associated on the surface of B cells with HLA-DR molecules. *J Immunol* 151(8): 4090-7.
- Schneider, M. K., *et al.* (2009). Human leukocyte transmigration across Galalpha(1,3)Gal-negative porcine endothelium is regulated by human CD18 and CD99. *Transplantation* 87(4): 491-9.
- Scotlandi, K., *et al.* (2000). CD99 engagement: an effective therapeutic strategy for Ewing tumors. *Cancer Res* 60(18): 5134-42.
- Scotlandi, K., *et al.* (2007). CD99 isoforms dictate opposite functions in tumour malignancy and metastases by activating or repressing c-Src kinase activity. *Oncogene* 26(46): 6604-18.

- Simons, K. and Gerl, M. J. (2010). Revitalizing membrane rafts: new tools and insights. *Nat Rev Mol Cell Biol* 11(10): 688-99.
- Sohn, H. W., *et al.* (1998). Engagement of CD99 induces apoptosis through a calcineurin-independent pathway in Ewing's sarcoma cells. *Am J Pathol* 153(6): 1937-45.
- Sohn, H. W., *et al.* (2001). CD99 regulates the transport of MHC class I molecules from the Golgi complex to the cell surface. *J Immunol* 166(2): 787-94.
- Su, V. and Lau, A. F. (2009). Ubiquitin-like and ubiquitin-associated domain proteins: significance in proteasomal degradation. *Cell Mol Life Sci* 66(17): 2819-33.
- Szollosi, J., *et al.* (1996). Supramolecular complexes of MHC class I, MHC class II, CD20, and tetraspan molecules (CD53, CD81, and CD82) at the surface of a B cell line JY. *J Immunol* 157(7): 2939-46.
- Tarrant, J. M., Robb, L., van Spriel, A. B. and Wright, M. D. (2003). Tetraspanins: molecular organisers of the leukocyte surface. *Trends Immunol* 24(11): 610-7.
- Tarze, A., *et al.* (2007). GAPDH, a novel regulator of the pro-apoptotic mitochondrial membrane permeabilization. *Oncogene* 26(18): 2606-20.
- Turvey, S. E. and Broide, D. H. (2010). Innate immunity. *J Allergy Clin Immunol* 125(2 Suppl 2): S24-32.
- Waclavicek, M., *et al.* (1998). CD99 engagement on human peripheral blood T cells results in TCR/CD3-dependent cellular activation and allows for Th1-restricted cytokine production. *J Immunol* 161(9): 4671-8.
- Wingett, D., Forcier, K. and Nielson, C. P. (1999). A role for CD99 in T cell activation. *Cell Immunol* 193(1): 17-23.

- Wright, M. D. and Tomlinson, M. G. (1994). The ins and outs of the transmembrane 4 superfamily. *Immunol Today* 15(12): 588-94.
- Yauch, R. L. and Hemler, M. E. (2000). Specific interactions among transmembrane 4 superfamily (TM4SF) proteins and phosphoinositide 4-kinase. *Biochem J* 351 Pt 3: 629-37.
- Yokosuka, T. and Saito, T. (2010). The immunological synapse, TCR microclusters, and T cell activation. *Curr Top Microbiol Immunol* 340: 81-107.
- Yun, P. L., Decarlo, A. A. and Hunter, N. (2006). Gingipains of *Porphyromonas gingivalis* modulate leukocyte adhesion molecule expression induced in human endothelial cells by ligation of CD99. *Infect Immun* 74(3): 1661-72.
- Zhang, X. A., Bontrager, A. L. and Hemler, M. E. (2001). Transmembrane-4 superfamily proteins associate with activated protein kinase C (PKC) and link PKC to specific beta(1) integrins. *J Biol Chem* 276(27): 25005-13.