

REFERENCES

- (2002). *Animal Health: A guide for horse owner & managers: Equine degenerative joint disease* [Online]. Available: http://www.luitpold.com/equine/degjoint/djd_om.html [2002, 19 April].
- (2002). *Animal Health: A guide for veterinarians: canine degenerative joint disease* [Online]. Available: <http://www.luitpold.com/canine/vet/DJD.HTML> [2002, 19 April].
- Alwan, W. H., Carter, S. D., Bennett, D., May, S. A., and Edwards, G. B. (1990). "Cartilage breakdown in equine osteoarthritis: measurement of keratan sulphate by an ELISA system." *Res Vet Sci* 49: 56-60.
- Axelsson, M., Bjornsdottir, S., Eksell, P., Haggstrom, J., Sigurdsson, H., and Carlsten, J. (2001). "Risk factor associated with hindlimb lameness and degenerative joint disease in the distal tarsus of Icelandic horses." *Equine Veterinary Journal* 33(1): 84-90.
- Bayliss, M. T., Howat, S., Davidson, C., and Dudhia, J. (2000). "The organization of aggrecan in human articular cartilage. Evidence for age-related changes in the rate of aggregation of newly synthesized molecules." *J Biol Chem* 275(9): 6321-6327.
- Belcher, C., Yaqub, R., Fawthrop, F., Bayliss, M., and Doherty, M. (1997). "Synovial fluid chondroitin and keratan sulphate epitopes, glycosaminoglycans, and hyaluronan in arthritic and normal knees." *Annals of the Rheumatic Diseases* 56: 299-307.
- Bjornsdottir, S., Axelsson, M., Eksell, P., Sigurdsson, H., and Carlsten, J. (2000). "A radiographic and clinical survey of degenerative joint disease in the distal tarsal joints in Icelandic horses." *Equine Vet J* 32: 268-272.
- Brama, P. A. J., Karssenbergh, D., Barneveld, A., and Weeren, P. R. v. (2001). "Contact areas and pressure distribution on the proximal articular surface of the proximal phalanx under sagittal plane load." *Equine Vet Journal* 33(1): 26-32.

- Brown, M. P., West, L. A., Merritt, K. A., and Plaas, A. H. K. (1998). "Changes in sulfation patterns of chondroitin sulfate in equine articular cartilage and synovial fluid in response to aging and osteoarthritis." *Am J Vet Res* 59(6): 786-791.
- Caterson, B., Griffin, J., Mahmoodian, F., and Sorrell, J. M. (1990). "Monoclonal antibodies against chondroitin sulphate isomers: their use as probes for investigating proteoglycan metabolism." *Biochem Soc Trans* 18: 820-3.
- Caterson, B., Hughes, C. E., Roughley, P., and Mort, J. S. (1995). "Anabolic and catabolic markers of proteoglycan metabolism in osteoarthritis." *Acta Orthop Scand* 66(supplement 266): 121-124.
- Corporate Country Bayer Group Community (2001). *Bayer your horse's health- - Joint therapy: Joint structure* [Online]. Available: http://www.yourhorseshealth.com/joint_therapy/struct.html [2002, 19 April].
- Dahl, L. B., Dahl, I. M. S., and Engstrom-Laurent, A. (1985). "Concentration and molecular weight of sodium hyaluronate in synovial fluid from patients with rheumatoid arthritis and other arthropathies." *Ann Rheum Dis* 44: 817-822.
- Frisbie, D. D., Ray, C. S., Ionescu, M., Poole, A. R., Chapman, P. L., and McIlwraith, C. W. (1999). "Measurement of synovial fluid and serum concentration of the 846 epitope of chondroitin sulfate and of carboxy propeptides of type II procollagen for diagnosis of osteochondral fragmentation in horses." *Am J Vet Res* 60(3): 306-309.
- Fuller, C. J., Barr, A. R. S., Dieppe, P. A., and Sharif, M. (1996). "Variation of an epitope of keratan sulphate and total glycosaminoglycans in normal equine joints." *Equine Veterinary journal* 28(6): 490-493.
- Garnero, P., Rousseau, J.-C., and Delmas, P. D. (2000). "Molecular basis and clinical use of biochemical markers of bone, cartilage, and synovium in joint diseases." *Arthritis & Rheumatism* 43(5): 953-968.
- Gibson, K. T., Hodge, H., and Whittam, T. (1996). "Inflammatory mediators in equine synovial fluid." *Australian Veterinary Journal* 73(4): 148-151.

- Hardingham, T. (1995). "Changes in chondroitin sulfate structure induced by joint disease." *Acta Orthop Scand* 66(supplement 266): 107-110.
- Hardingham, T. E. (2002). *Cartilage: aggrecan-link protein-hyaluronan aggregates* [Online]. Available: <http://www.glycoforum.gr.jp/science/hyaluronan/HA05E.html> [2002, 19 April].
- Hardingham, T. E. (1981). "Proteoglycan: their structure, interactions and molecular organisation in cartilage." *Biochem Soc Trans* 9: 489-497.
- Hardingham, T. E. and A. J. Fosang (1992). "Proteoglycan: many forms and many functions." *FASEB J* 6: 861-870.
- Hardingham, T. E., Fosang, A. J., and Dudhia, J. (1994). "The structure, function and turnover of aggrecan, the large aggregating proteoglycan from cartilage." *Eur. J. Clin. Chem. Clin. Biochem.* 32(4): 249-257.
- Hardingham, T. E. and A. J. Fosang (1995). "The structure of aggrecan and its turnover in cartilage." *The Journal of Rheumatology* 22:1(supplement 43): 86-89.
- Hascall, V. C. and T. C. Laurent (2002). *Hyaluronan: Structure and physical properties* [Online]. Available: <http://www.glycoforum.gr.jp/science/hyaluronan/HA01E.html> [2002, 19 April].
- Hazell, P. K., Dent, C., Fairclough, J. A., Bayliss, M. T., and Hardingham, T. E. (1995). "Changes in glycosaminoglycan epitope levels in knee joint fluid following injury." *Arthritis & Rheumatism* 38: 1-7.
- Heinegard, D. and V. C. Hascall (1974). "Aggregation of cartilage proteoglycans.3. Characteristics of the proteins isolated from trypsin digests of aggregates." *J Biol Chem* 249: 4250-4256.
- Hilbert, B. J., Rowley, G., and Antonas, K. N. (1984). "Hyaluronic acid concentration in synovial fluid from normal and arthritic joints of horses." *Aust Vet J* 61(1): 22-24.
- Innes, J. F., Sharif, M., and Barr, A. R. S. (1998). "Relations between biochemical markers of osteoarthritis and other disease parameters in a population of dogs with naturally acquired osteoarthritis of the genual joint." *Am J Vet Res* 59(12): 1530-1536.

- Innes, J. F., Sharif, M., and Barr, A. R. S. (1999). "Changes in concentrations of biochemical markers of osteoarthritis following surgical repair of ruptured cranial cruciate ligaments in dogs." *Am J Vet Res* 60(9): 1164-1168.
- Ishii, H., Tanaka, H., Katoh, K., Nakamura, H., Nagashima, M., and Yoshino, S. (2002). "Characterization of infiltrating T cells and Th1/Th2-type cytokines in the synovium of patients with osteoarthritis." *Osteoarthritic cartilage* 10(4): 277-281.
- Lauder, R. M., Huckerby, T. N., Brown, G. M., Bayliss, M. T., and Nieduszynski, I. A. (2001). "Age-related changes in the sulphation of the chondroitin sulphate linkage region from human articular cartilage aggrecan." *Biochem J* 358(Pt2): 523-528.
- Laurent, T. C., Laurent, U. B. G., and Fraser, R. E. (1996). "Serum hyaluronan as a disease markers." *Ann Med* 28: 241-253.
- McIlwraith, C. W. (1982). "Current concepts in equine degenerative joint disease." *J Am Vet Med Assoc* 180(3): 239-250.
- McIlwraith, C. W. (1987). Disease of joints, tendons, ligaments, and related structures. Adams' lameness in horses. T. S. Stashak. United States of America, Lea & Febiger: 339-481.
- McIlwraith, C. W. (1996). General Pathobiology of the joint and response to injury. Joint disease in the horse. C. W. McIlwraith and G. W. Trotter. Philadelphia, W. B. Saunders company.
- McIlwraith, C. W. and D. C. V. Sickle (1981). "Experimentally Induced arthritis of the equine carpus: histologic and histochemical changes in the articular cartilage." *Am J Vet Res* 42: 209-217.
- McIlwraith, C. W. and A. M. Vachon (1988). "Review of pathogenesis and treatment of degenerative joint disease." *Equine Vet J* S6: 3-11.
- Okumura, M. and T. Fuginaga (1998). "Establishment of a monoclonal antibody (1/14/16H9) for detection of equine keratan sulfate." *Am J Vet Res* 59(10): 1203-1208.

- Okumura, M., Fujinaga, T., Urakawa, E., Tagami, M., and Tsukiyama, K. (1997). "Evaluation of the catabolic activity of cartilage by measurement of serum keratan sulfate concentration in foals." *Am J Vet Res* 58(8): 925-929.
- Okumura, M., Tagami, M., and Fuginaga, T. (1998). "Measurement of serum and synovial fluid keratan sulphate and antibody to collagen type II in equine osteoarthritis." *J Vet Med* 45: 513-516.
- Osborne, D., Woodhouse, S., and Meacock, R. (1994). "Early changes in the sulfation of chondroitin in guinea-pig articular cartilage, a possible predictor of osteoarthritis." *Osteoarthritis Cartilage* 2(3): 215-223.
- Platt, D., Bird, J. L. E., and Bayliss, M. T. (1998). "Ageing of equine articular cartilage: structure and composition of aggrecan and decorin." *Equine Veterinary Journal* 30(1): 43-52.
- Pothacharoen, P. (2000). The quantitative analysis of chondroitin sulfate epitopes and hyaluronan as diagnostic markers for degenerative joint diseases by ELISA technique. Graduate school. Thailand, Chiang Mai University: 86.
- Price, J. S., Symons, J. A., and Russell, R. G. G. (1992). "Cytokines: inflammatory mediators of joint disease." *Equine Veterinary journal* 24(2): 78-80.
- Ray, C. S., Poole, A. R., and McIlwraith, C. W. (1996). Use of synovial fluid and serum markers in articular disease. *Joint disease in the horse*. C. W. McIlwraith and G. W. Trotter. United States of America, W. B. Saunders company: 203-216.
- Rossdale, P. D., Hopes, R., and Wingfield-Digby, N. J. (1985). "Epidemiological study of wastage among racehorses, 1982 and 1983." *Veterinary Record* 116: 60-70.
- Schmidt-Rohlfing, B., Thomsen, M., Niedhart, C., Wirtz, D. C., and Schneider, U. (2002). "Correlation of bone and cartilage markers in the synovial fluid with the degree of osteoarthritis." *Rheumatol Int* 21(5): 193-199.
- Seikagaku corporation (1999). *List of antibodies* [Online]. Available: <http://www.seikagaku-hit.com/monoclonal/PG/antibodies/body.html> [2002, 19 April].

- Sharif, M., George, E., Shepstone, L., Knudson, W., Thonar, E. J., Cushnaghan, J., and Dieppe, P. (1995). "Serum hyaluronic acid level as a predictor of disease progression in osteoarthritis of the knee." *Arthritis Rheum* 38(6): 760-767.
- Slater, R. R., Bayliss, M. T., Lachiewicz, P. F., Visco, D. M., and Caterson, B. (1995). "Monoclonal antibodies that detect biochemical markers of arthritis in humans." *Arthritis & Rheumatism* 38(5): 655-659.
- Stashak, T. S. (1987). *Diagnosis of lameness. Adams' lameness in horses.* T. S. Stashak. Philadelphia, Lea&Febiger: 100-151.
- Surankul, D. (1998). *The development of methods for quantitation of serum total sialic acid and hyaluronan.* Graduate School. Thailand, Chiangmai University.
- Thonar, E. J., Sweet, M. B., Immelman, A. R., and Lyons, G. (1978). "Hyaluronate in articular cartilage: age-related changes." *Calcif Tissue Res* 26(1): 19-21.
- Tiengburanatam, N. (1996). *Production and characterization of monoclonal antibody against chondroitin 6-sulfate.* Graduate school. Thailand, Chiangmai University.
- Todhunter, P. G., Kincaid, S. A., Todhunter, R. J., Kammermann, J. R., Johnstone, B., Baird, A. N., Hanson, R. R., Wright, J. M., Lin, H.-C., and Purohit, R. C. (1996). "Immunohistochemical analysis of an equine model of synovitis-induced arthritis." *Am J Vet Res* 57(7): 1080-1093.
- Todhunter, R. J. (1996). *Anatomy and physiology of synovial joints. Joint disease in the horse.* C. W. McIlwraith and G. W. Trotter. Philadelphia, W. B. Saunders Company: 1-28.
- Todhunter, R. J., Fubini, S. L., Freeman, K. P., and Lust, G. (1997). "Concentrations of keratan sulfate in plasma and synovial fluid from clinically normal horses and horses with joint disease." *J Am Vet Med Assoc* 210(3): 369-374.
- Tulamo, R.-M., Heiskanen, T., and Salonen, M. (1994). "Concentration and molecular weight distribution of hyaluronate in synovial fluid from clinically normal horses and horses with diseased joints." *Am J Vet Res* 55(5): 710-715.

- Tulamo, R.-M., Houttu, J., Tupamaki, A., and Salonen, M. (1996). "Hyaluronate and large molecular weight proteoglycans in synovial fluid from horses with various arthritides." *Am J Vet Res* 57(6): 932-937.
- Uesaka, S., Nakayama, Y., Yoshihara, K., and Ito, H. (2002). "Significance of chondroitin sulfate isomers in the synovial fluid of osteoarthritis patients." *J Orthop Sci* 7(2): 232-237.
- Viitanen, M., Bird, J., Maisi, P., Smith, R., Tulamo, R.-M., and May, S. (2000). "Differences in the concentration of various synovial fluid constituents between the distal interphalangeal joint, the metacarpophalangeal joint and the navicular bursa in normal horses." *Res Vet Sci* 69: 63-67.
- Widmer, W. R. and W. E. Blevins (1994). "Radiographic evaluation of degenerative joint disease in horses: interpretative principles." *The compendium* 16(7): 907-918.
- Yada, T. (2002). *Aggrecan and Versican* [Online] Available: <http://www.glycoforum.gr.jp/science/word/proteoglycan/PGA03E.html> [2002, 19 April].
- Yanagishita, M. (2002). *Proteoglycan* [Online] Available: <http://www.glycoforum.gr.jp/science/word/proteoglycan/PGA00E.html> [2002, 19 April].