

ด้านพึงพหาคัยซึ่งกันและกัน ด้านบทบาทหน้าที่ ด้านอัตมโนทัศน์ และด้านร่างกาย (ร้อยละ 98.5 89.1 73.8 และ 61.4 ตามลำดับ)

ผลการวิจัยนี้ ให้ข้อมูลที่ช่วยให้พยาบาลมีความเข้าใจเกี่ยวกับการปรับตัวในระยะหลังคลอดของสตรีจีน ใช้เป็นแนวทางในการประเมิน และส่งเสริมการปรับตัวในระยะหลังคลอดของสตรีจีน การวิจัยนี้ควรได้รับการทำซ้ำในกลุ่มตัวอย่างที่มีขนาดใหญ่ ในแหล่งอื่น กลุ่มตัวอย่างอื่น การวิจัยระยะยาว และการวิจัยเชิงคุณภาพ

Thesis Title Postpartum Adaptation of Chinese Women

Author Mrs. Xia Haiou

M.N.S. Maternal and Child Nursing

Examining Committee :

Associate Professor Lawan Somboon	Chairman
Associate Professor Punpilai Sriareporn	Member
Associate Professor Wilawan Picheansathian	Member
Assistant Professor Dr. Warunee Fongkaew	Member
Professor Yue Ya Fei	Member

Abstract

This descriptive study was conducted to describe the postpartum adaptation of Chinese women. Roy's adaptation model was used as the conceptual framework. A purposive sampling method was used to select 202 postpartal Chinese women who had been admitted to the postpartum ward either at the Obstetrics and Gynecology Hospital of Shanghai Medical University or Shanghai International Maternal and Child Hospital, People's Republic of China. Demographic Data Profile and the Postpartum Adaptation Questionnaire developed by the

investigator were used to collect data. A panel of experts tested the validity of the instrument and the Content Validity Index score was .88. The reliability of the instrument was obtained by means of Cronbach's coefficient alpha with the value of .89. Descriptive statistics in terms of frequency, percentage, mean, and standard deviation were used to analyze the data.

The findings of this study showed that most of the subjects (92.1%) had an effective response in the total score of postpartum adaptation. Also, the majority of the subjects had an effective response in the four adaptation modes of interdependence, role function, self-concept, and physiological mode (98.5%, 89.1%, 73.8%, and 61.4% respectively).

The findings of this study will provide information for nurses to understand the postpartum adaptation of Chinese women. They also will guide nurses to assess and promote the postpartum adaptation of Chinese women. Recommendations for further research regarding replications of this study in a large sample size, different settings, different samples, and longitudinal and qualitative studies are presented.